Natural Products

L'ANTIC COLONIAL

Inspiring spaces. Inspired by nature

“YOU MUST LOOK AHEAD IN ORDER TO MOVE FORWARD. YOU CAN ONLY MAKE PROGRESS WHEN YOU THINK BIG”

José Ortega y Gasset

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



WE SUPPORT

The UN Global Compact is a voluntary initiative via which L'ANTIC COLONIAL S.A. and other participating companies undertake to align their operations and strategies with ten universally accepted principles in the areas of human rights, labour, the environment and anti-corruption. In terms of the number of participants, with six thousand in over 135 countries, the Global Compact is the world's largest corporate citizenship initiative. It is a framework for action aimed at boosting the social legitimacy of corporations and markets. Those companies that adhere to the Global Compact share the conviction that business practices based on universal principles contribute to building a more stable, equitable and inclusive global market that promotes more prosperous societies.

Businesses, trade and investment are basic cornerstones in ensuring peace and prosperity. However, in many areas, business is frequently associated with serious dilemmas such as exploitation, corruption, inequality and obstacles that hinder innovations and entrepreneurialism. Corporate social responsibility builds trust and social capital, while contributing to development and sustainable markets.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NATURAL STONE *12*

BATHROOMS *122*

NOOHN MOSAICS *222*

CERAMIC TILES *358*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NATURAL WOOD *378*

OUTDOOR DECKING *506*

LAMINATE FLOORING *516*

LINKFLOOR *598*

A

A-CERO DARK CLASSICO 37
A-CERO GLOSS CLASSICO 53
ACEITE TARIMA EXT. OIL DECKING 4L 510
ADVANCE 1L BLANCO 440
ADVANCE 1L GLACIAR 436
ADVANCE 1L GRIS 439
ADVANCE 1L MARRON 437
ADVANCE 1L NATURAL 438
ADVANCE 1L OSCURO 436
ADVANCE 1L WARM OAK 437
ADVANCE 3L BLANCO 440
ADVANCE 3L GRIS 439
ADVANCE 3L NATURAL 438
ADVANCE UNIQUE 1L BLANCO 445
ADVANCE UNIQUE 1L NATURAL 444
ADVANCE UNIQUE 3L ROBLE 444
AICHI BROWNS 242
AICHI GREYS 242
AICHI MIX WOOD 242
AIR BLACK 335
AIR BLACK & SILVER DECOR 335
AIR WHITE 334
AIR WHITE & SILVER DECOR 334
ANCIENT BATH 249
ANCIENT CITY 249
ANCIENT EARTH 249
ANCIENT SIGN 249
ANCIENT STONE 249
ANCIENT STREET 249
ANNAPURNA HOME 49
ARABIA ECLIPSE 272
ARABIA GOLD 273
ARABIA MIX BLUE SILVER 272
ARABIA MIX BROWN GOLD 272
ARABIA SHINE 272
ARABIA SILVER 272
ARABIA SUN 272
ARCTIC WHITE PULIDO 27
ARMOUR BLACK 270
ARMOUR CARAMEL 270
ARMOUR WHITE 270
ARTISAN 1L COCONUT 422
ARTISAN 1L LINEN 423
ARTISAN 1L WOVEN 422
ATELIER CAMPIÑA BROWNS 289
ATELIER CAMPIÑA CREAMS 289
ATELIER CAMPIÑA GREYS 289
ATELIER CODE BLACK 301
ATELIER CODE GREY 297
ATELIER CODE WHITE 292
ATELIER FLORAL BLACK 299
ATELIER FLORAL BROWNS 288
ATELIER FLORAL CREAMS 288
ATELIER FLORAL GREY 295
ATELIER FLORAL GREYS 288
ATELIER FLORAL WHITE 290
ATELIER GLAMOUR BLACK 301
ATELIER GLAMOUR GREY 296
ATELIER GLAMOUR WHITE 292
ATELIER GRADIENT BLACK 302
ATELIER GRADIENT GREY 297
ATELIER GRADIENT WHITE 293
ATELIER INTUITION BLACK 300
ATELIER INTUITION GREY 295
ATELIER INTUITION WHITE 291
ATELIER MINIMAL DARK BLACK 303
ATELIER MINIMAL DARK GREY 298
ATELIER MINIMAL DARK WHITE 294
ATELIER MINIMAL LIGHT BLACK 302
ATELIER MINIMAL LIGHT GREY 298
ATELIER MINIMAL LIGHT WHITE 293
ATELIER NOVEAU BLACK 300
ATELIER NOVEAU GREY 296
ATELIER NOVEAU WHITE 291
ATELIER ORGANIC BLACK 299
ATELIER ORGANIC GREY 294
ATELIER ORGANIC WHITE 290
AZRAMA HAMMOCK TUB 202
AZRAMA PRIMITIVE VANITY 200
AZRAMA VANITY DOORS 201
AZRAMA VANITY DOUBLE 201
AZRAMA VANITY SINGLE 200

B

BARI BIANCO 374
BASIC 144
BASIC 161
BASIC H40 147
BASIC H84 147
BASIC STAND 132
BHUTAN NATURAL 68
BLANCO ALMERIA ANTICATO 22
BLANCO ANDES CLASSICO 25
BLANCO ANDES PULIDO 25
BLANCO CALACATTA HOME 104
BLANCO CALACATTA PULIDO 104
BODRUM 141
BOMBAY NATURAL HOME 73
BOMBAY PULIDO 73
BORDURA Bevel BLANCO 375
BOSTON 176
BOSTWANA AGED HOME 59
BOSTWANA ANTICATO 59
BRIDGE 159
BUDDHA 131
BURKHARA ANTICATO 60

C

CAIRO PULIDO 105
CALACATTA CIRCOLARE PULIDO 149
CALACATTA ELISSE PULIDO 150
CALACATTA OVALE PULIDO 151
CALACATTA PIAZZA PULIDO 149
CALACATTA RETTANGOLARE PULIDO 150
CALGARY CLASSICO 52
CALPE BLACK 364
CALPE BLANCO 364
CALPE CONCRETE 365
CALPE NIEVE 365
CALPE SEAGREEN 366
CALPE WARMGREY 366
CANTOS 221
CAPADOCIA SAND HOME 24
CAPUCCINO LINED HOME 32
CAPUCCINO PULIDO 33
CAPUCCINO SAND HOME 32
CHENNAI WHITE FLAMED HOME 46
CLASSIC EBANO LUXOR 404
CLASSIC ESPIGA MERBAU KENYA OSC. 406
CLASSIC ESPIGA NATURA 407
CLASSIC ESPIGA YUTE 406
CLASSIC LUXOR CEPILLADO 404
CLEAN & GREEN ACTIVE 1L. 593
CLEAN & GREEN ACTIVE 1L. 626
CLEAN & GREEN ACTIVE 1L. 499
CLEAN & GREEN AQUA OIL 1L. 499
COLA BLANCA 750 GR. 500
COLA SLC ECO L34 CLARO A+B 500
COLA SLC FLEX 16 KGR. 500
CONJUNTO ZEN STONE 139
CONJUNTO ZEN WOOD 138
CORE 142
CORTES 221
CREAM AGED ANTICATO 55
CREMA GRECIA ANTICATO 29
CREMA GRECIA CLASSICO 29

D

DADOS AMBAR 262
DADOS BLUE 262
DADOS EARTH 262
DADOS GEM 262
DADOS GEO FROST QUARTZ 263
DADOS GEO FROST SAPPHIRE 263
DADOS GEO SAPPHIRE 263
DADOS METAL 262
DADOS PEARL BLACK 263
DADOS PEARL BROWN 263
DADOS PEARL CREAM 263
DADOS PEARL GREY 262
DELHI NATURAL HOME 74
DELHI PULIDO 74
DENIA BLACK 364
DENIA BLANCO 364
DENIA CONCRETE 365
DENIA NIEVE 365
DENIA SEAGREEN 366
DENIA WARMGREY 366
DESERT SANDSTONE CLASSICO 64
DILUENTE DD 10 L. 500
DQS BLACK 114
DQS BLUE 115
DQS GREY 116
DQS RED 115
DQS WHITE 114
DREAM ANTHRACITE 281
DREAM BLUE 280
DREAM EMERALD 280

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

DREAM GREY 281
DREAM IVORY 280
DREAM JADE 280
DREAM MIX BLACKS 281
DREAM MIX WHITES 281
DREAM OLIVE 280
DREAM RED 281
DREAM SKY BLUE 280
DREAM WHITE 281
DROP 133
DUOMO 134
DUOMO ENCIMERA 133
DUOMO PLUS 134
DUOMO PLUS ENCIMERA 135

E

EDEN 1L BROWN 448
EDEN 1L CAMEL 449
EDEN 1L DARK GREY 452
EDEN 1L LIGHT GREY 452
EDEN 1L MARENGO 453
EDEN 1L NATURAL 450
EDEN 1L POLAR 449
EDEN 1L SAND 451
EDEN 1L WENGE 448
EDEN 1L WHITE 450
EDEN TEXTURE 1L ALMOND 464
EDEN TEXTURE 1L CINAMON 464
EDEN TEXTURE 1L HONEY 465
EDEN TEXTURE 1L NUT 466
EDEN TEXTURE 1L VANILLA 465
ELEMENTS MINI PATTERN DARKNESS 328
ELEMENTS MINI PATTERN DAWN 328
ELEMENTS MINI PATTERN EARTH 328
ELEMENTS MINI PATTERN WATER 329
ELEMENTS MINI PATTERN WIND 329
ELEMENTS PATTERN DARKNESS 328
ELEMENTS PATTERN DAWN 328
ELEMENTS PATTERN EARTH 328
ELEMENTS PATTERN WATER 329
ELEMENTS PATTERN WIND 329
ELITE BHUTAN COPPER 230
ELITE BHUTAN SILVER 230
ELITE BIG EVEN WHITE 230
ELITE BRICK ARIANA 231
ELITE BRICK CREAMS 232
ELITE BRICK SILVER WOOD 232
ELITE BRICK WHITES 232
ELITE CAPUCCINO TEXTURE - PUL. 230
ELITE CR. ALEJANDRIA CAPUC. TEXT. 230
ELITE CREMA ALEJAN. TEXTURE - PUL. 230
ELITE EVEN BANGALORE 231
ELITE EVEN BURMA 231
ELITE EVEN CREMA GRECIA 231
ELITE HABANA BROWN TEXT. - PUL. 231
ELITE SQUARE ARIANA 231
ELITE SQUARE CREAMS 232
ELITE SQUARE SILVER WOOD 232
ELITE SQUARE WHITES 232
EMBELLECEDOR LAVABO 155
EMBELLECEDORES PIEDRA 161
EMBELLECEDORES PIEDRA 165
EMOTIONS CALGARY CHANNEL 81
EMOTIONS CALGARY GROOVE 80
EMOTIONS CALGARY WIND 80
EMOTIONS HIGHLAND BLANCO 81
EMOTIONS SANDSTONE VALLEY 82
EMOTIONS SANDSTONE WAVE 82
ENCIMERA 110x52,5x2 168
ENCIMERA 160x60x2 169
ENCIMERA 80x52,5x2 168
ENCIMERA FALDON MLx52,5x10 169
ENDLESS 1L BROADWAY 584
ENDLESS 1L BROOKLYN 585
ENDLESS 1L LONG ISLAND 585
ENDLESS 1L QUEENS 584
ESSENCE 158
ESSENCE H48 148
ESSENCE H84 148
ESSENCE SH48 151
ESSENTIAL BASKET SILVER WOOD 245
ESSENTIAL BASKET THASSOS 244
ESSENTIAL CHESS SILVER WOOD 244
ESSENTIAL CHESS THASSOS 244
ESSENTIAL FLAG SILVER WOOD 245
ESSENTIAL FLAG THASSOS 244
ESSENTIAL STRIPES SILVER WOOD 244
ESSENTIAL STRIPES THASSOS 244
ETERNITY CREAM 314
ETERNITY EMPERADOR 314
ETERNITY GREY 314
ETERNITY MINI STRIP CREAM 314
ETERNITY MINI STRIP EMPERADOR 314
ETERNITY MINI STRIP GREY 314
ETERNITY MINI STRIP WHITE 315
ETERNITY WHITE 315
ETHNIC 1L NOGAL DUNE 395
ETHNIC 3L EBANO BOSQUE 394
EVOKE BLACK 274
EVOKE BROWN 274
EVOKE CARAMEL 274
EVOKE FORM BLACK 275
EVOKE FORM BROWN 275
EVOKE FORM CARAMEL 275
EVOKE FORM SILVER 275
EVOKE SILVER 274

F

FABRIC COPPER 261
FABRIC IRON 261
FABRIC LEAD 261
FABRIC NICKEL 261
FABRIC SILVER 261
FABRIC ZINC 261
FACES 196
FACES STAND 196
FASHION A COFFEE 282
FASHION A TOWN 282
FASHION B AQUA 282
FASHION B BOTTLE 282
FASHION B CITY 282
FASHION B CLOUD 282
FASHION B GRASS 283
FASHION B STORM 283
FASHION B WING 283
FASHION C BLACK 283
FASHION C BLUE 283
FASHION C GRAY 283
FASHION C JADE 284
FASHION C MARINE 284
FASHION C WHITE 284
FASHION MIX A GOLD WHITES 284
FASHION MIX B BLUES 285
FASHION MIX B+C BLACKS 284
FASHION MIX B+C RIVER 284
FASHION MIX C ACUARIO 285
FASHION MIX C ATLANTIC 285
FASHION MIX C PACIFIC 285
FASHION MIX C WHITES 285
FIDJI NATURAL HOME 75
FILA CLEANER 1L 118
FILA DETERDEK 1L 118
FILA FOB 1L 118
FILA HP98 1L 118
FILA HYDROREP 1L 118
FILA LONGLIFE 1L 118
FILA MATT 1L 118
FILA PS87 1L 118
FILA STONE PLUS 1L 118
FILA WET 1L 118
FORO 141
FORUM 1L IROKO 557
FORUM 1L LANDSCAPE 556
FORUM 1L MERBAU 557
FORUM 1L NOGAL NIZA 558
FORUM 1L OLMO BEIGE 556
FORUM 1L UNDERGROUND 558
FOUR 145
FOUR STAND 132
FUSION 3D CARAMEL 318
FUSION 3D CARAMEL MIX 318
FUSION 3D STEEL 318
FUSION 3D STEEL MIX 318
FUSION 3D WHITE 318
FUSION BIG BLACK 322
FUSION BIG BROWN 322
FUSION BIG STEEL 322
FUSION BIG WHITE 322
FUSION BRICK 3D CARAMEL 320
FUSION BRICK 3D CARAMEL MIX 320
FUSION BRICK 3D STEEL 320
FUSION BRICK 3D STEEL MIX 320
FUSION BRICK 3D WHITE 320
FUSION CARAMEL MIX 323
FUSION DICE 3D CARAMEL MIX 322
FUSION DICE 3D STEEL MIX 322
FUSION FLAT CARAMEL 319
FUSION FLAT CARAMEL MIX 319
FUSION FLAT STEEL 319
FUSION FLAT STEEL MIX 319

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

FUSION FLAT WHITE 319
FUSION HEXAGON CARAMEL MIX 323
FUSION HEXAGON STEEL 323
FUSION HEXAGON STEEL MIX 323
FUSION HEXAGON WHITE 323
FUSION MINI STRIP CARAMEL 321
FUSION MINI STRIP CARAMEL MIX 321
FUSION MINI STRIP STEEL 321
FUSION MINI STRIP STEEL MIX 321
FUSION MINI STRIP WHITE 321
FUSION STEEL MIX 323
FUTURE 165

G

GEISHA 137
GIALLO CONTE 109
GLACIER MOON DIAMOND BLACK 260
GLACIER MOON DIAMOND WHITE 260
GLACIER MOON METALLIC BLACK 260
GLACIER MOON METALLIC CREMAS 260
GLACIER MOON METALLIC TOBACCO 260
GLACIER MOON METALLIC WHITE 260
GLOBE BRICK BHUTAN 97
GLOBE BRICK BLANCO ALMERIA 97
GLOBE BRICK BOMBAY 97
GLOBE BRICK DELHI 96
GLOBE BRICK INDIRA 96
GLOBE BRICK LHASA 98
GLOBE BRICK NEPAL 96
GLOBE CASTLE BURMA 99
GLOBE CASTLE CREAM 99
GLOBE CASTLE CREAM AGED 100
GLOBE CORNER BRICK BHUTAN 97
GLOBE CORNER BRICK BLANCO ALMERIA 97
GLOBE CORNER BRICK BOMBAY 97
GLOBE CORNER BRICK DELHI 96
GLOBE CORNER BRICK INDIRA 96
GLOBE CORNER BRICK LHASA 98
GLOBE CORNER BRICK NEPAL 96
GLOBE CORNER STICK BHUTAN 98
GLOBE CORNER STICK MIX NEPAL BHUTAN 99
GLOBE CORNER STICK MIX NEPAL SHAN. 99
GLOBE CORNER STICK NEPAL 98
GLOBE STICK BHUTAN 98
GLOBE STICK MIX NEPAL BHUTAN 99
GLOBE STICK MIX NEPAL SHANNAN 99
GLOBE STICK NEPAL 98
GLOBE WALL BHUTAN 100
GLOBE WALL BURMA 101
GLOBE WALL NEPAL 100
GLOBE WALL SHANNAN 101
GLOBE WALL WHITE 101
GOLD 1X1 278
GOLD 2,3X2,3 278
GOLD WAVY 1X1 278
GOLD WAVY 2,3X2,3 278
GOLD WHITE 1X1 279
GOLD WHITE 2,3X2,3 279
GOLD WHITE WAVY 1X1 279
GOLD WHITE WAVY 2,3X2,3 279
GREY AGED ANTICATO 57
GREY AGED HOME 57

H

HABANA BROWN CLASSICO 34
HABANA BROWN LINED HOME 35
HABANA BROWN PULIDO 34
HABANA BROWN SAND HOME 35
HABANA DARK PULIDO 36
HAMPTON 176
HARMONY ARROW COLTAN 276
HARMONY ARROW GOLD 276
HARMONY ARROW SILVER 276
HARMONY STRIP COLTAN 277
HARMONY STRIP GOLD 277
HARMONY STRIP SILVER 277
HEXCUBE BLACK 264
HEXCUBE BLUE 264
HEXCUBE GREY 264
HEXCUBE RED 264
HEXCUBE WHITE 264

I

IGUALACIÓN ALUMINIO 592
IMPERIA BHUTAN BRONZE 308
IMPERIA BHUTAN MIRROR 307
IMPERIA BROWN 306
IMPERIA CARAMEL 306
IMPERIA GREYS 306
IMPERIA LIMESTONE GOLD 306
IMPERIA MIX SILVER BLACKS 306
IMPERIA MIX SILVER BLUE BLACKS 306
IMPERIA MIX SILVER GREYS 307
IMPERIA MIX SILVER WHITE 307
IMPERIA NEPAL BRONZE 307
IMPERIA ONIX GOLDEN 307
IMPERIA WHITE 307
IPE IGUAZU 510

J

JAVEA BLACK 364
JAVEA BLANCO 364
JAVEA CONCRETE 365
JAVEA NIEVE 365
JAVEA SEAGREEN 366
JAVEA WARMGREY 366

K

KATHMANDU NATURAL HOME 76
KATHMANDU PULIDO 76
KAYAK BEIGE PULIDO 28
KHOA 164
KIT MANTENIMIENTO HIGHEND BATHS 118
KOBE 136
KRABI 130
KUBE 145
KUBE TOP DOUBLE 152
KUBE TOP SINGLE 152

L

LAGOS BLACK HOME 48
LAMA VINTAGE 1L AMSTERDAM 574
LAMA VINTAGE 1L BERLIN 575
LAMA VINTAGE 1L PRAHA 575
LAMA VINTAGE 1L WIEN 574
LAMINA AISLANTE 498
LAMINA AISLANTE 592
LAMINA AISLANTE 626
LÁMINA ANTIHU. ANTIESTÁTICA 626
LAMINA ANTIHUMEDAD + ESPUMA 498
LAMINA ANTIHUMEDAD + ESPUMA 592
LAMINA ANTIHUMEDAD + ESPUMA 626
LÁMINA ANTIHUMEDAD ANTIESTÁTICA 592
LAMINA SUELO RADIANTE 498
LAMINA SUELO RADIANTE 592
LAMINA SUELO RADIANTE 626
LAVABO + ENCIMERA + BOSTON 180
LAVABO + ENCIMERA CREMA ITALIA 180
LAVABO+ENC.+P.DUCHA 120 CR. ITA. 181
LAVABO+ENC.+P.DUCHA 90 CR. ITA. 181
LEGEND 1L DARK 482
LEGEND 1L LIGHT 483
LEGEND 1L MEDIUM 482
LEGEND 1L NEUTRAL 483
LIFE 1L ATLAS 551
LIFE 1L CALIFORNIA 551
LIFE 1L DESERT 550
LIFE 1L RUSTIC 550
LIFE 1L SOLID WHITE 552
LIGHT STONE 160
LIMPIADOR INTENSIVO 593
LIMPIADOR INTENSIVO 626
LINES GEO CREMA GRECIA 233
LINES SAFARY BROWN 235
LINES SAFARY CREAM 235
LINES SAFARY GREY 234
LINES SAFARY MINI STRIP BROWN 235
LINES SAFARY MINI STRIP CREAM 235
LINES SAFARY MINI STRIP GREY 234
LINES SAFARY MINI STRIP WHITE 234
LINES SAFARY MODUL BROWN 235
LINES SAFARY MODUL CREAM 235
LINES SAFARY MODUL GREY 234
LINES SAFARY MODUL WHITE 234
LINES SAFARY WHITE 234
LINES SILVER WOOD GREY 233
LINKFLOOR CONTRACT CLAY 608
LINKFLOOR CONTRACT COTTON 609
LINKFLOOR CONTRACT DIAMOND 607
LINKFLOOR CONTRACT GRAPHITE 606
LINKFLOOR CONTRACT GRAVEL 608
LINKFLOOR CONTRACT IRON 606
LINKFLOOR CONTRACT SAND 609
LINKFLOOR CONTRACT STEEL 607
LINKFLOOR OAK BROWN 612
LINKFLOOR OAK CINAMON 613
LINKFLOOR OAK DARK 612
LINKFLOOR OAK GREY 614
LINKFLOOR OAK NATURAL 613
LINKFLOOR OAK WHITE 615
LINKFLOOR PROJECT ALMOND 618

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LINKFLOOR PROJECT CHESTNUT 618
LINKFLOOR PROJECT SNOW OAK 619
LINKFLOOR TECHNIC 1L BRISTOL 622
LINKFLOOR TECHNIC 1L CAMBRIDGE 624
LINKFLOOR TECHNIC 1L CARDIF 625
LINKFLOOR TECHNIC 1L DUBLIN 624
LINKFLOOR TECHNIC 1L LONDON 623
LINKFLOOR TECHNIC 1L MANCHESTER 623
LINKFLOOR TECHNIC 1L SOUTHAMPTON 625
LINKFLOOR TECHNIC 2L GLASGOW 622
LS 1L AFRICA 539
LS 1L AMAZON 540
LS 1L AMAZON DECAPE 545
LS 1L BLANCO DECAPE 546
LS 1L BOSTON 544
LS 1L CASTAÑO SUNSET 545
LS 1L CHICAGO 538
LS 1L DENVER 543
LS 1L EBANO 538
LS 1L ILLINOIS 541
LS 1L MICHIGAN BROWN 541
LS 1L MICHIGAN CLEAR 542
LS 1L MICHIGAN DARK BROWN 539
LS 1L MICHIGAN GREY 543
LS 1L NOGAL NIZA 540
LS 1L TEXAS 544
LS 1L VALLEY 542
LUXURY BLACK AGATA 88
LUXURY BLACK AGORA 89
LUXURY BLACK NEREA 86
LUXURY BLACK NEREA GOLD 86
LUXURY BLACK SAVAGE 90
LUXURY BLACK SAVAGE GOLD 90
LUXURY BLOCK COPPER 251
LUXURY BLOCK GOLD 251
LUXURY BLOCK SILVER 251
LUXURY CALGARY AGATA 88
LUXURY CALGARY AGORA 89
LUXURY CALGARY NEREA 87
LUXURY CALGARY NEREA GOLD 87
LUXURY CALGARY SAVAGE 91
LUXURY CALGARY SAVAGE GOLD 91
LUXURY COPPER 250
LUXURY CUBE COPPER 251
LUXURY CUBE GOLD 251
LUXURY CUBE SILVER 251
LUXURY EBONY GOLD 93
LUXURY EBONY SILVER 93
LUXURY GOLD 250
LUXURY MODUL COPPER 250
LUXURY MODUL GOLD 250
LUXURY MODUL SILVER 250
LUXURY SILVER 250

M

MAYA 146
MEN{H}IR 184
MEN{H}IR BAÑERA 186
MEN{H}IR ENCIMERA L 193
MEN{H}IR ENCIMERA S 192
MEN{H}IR ESPEJO 188
MEN{H}IR ESPEJO L 188
MEN{H}IR ESPEJO S 189
MEN{H}IR ESTANTE D 187
MEN{H}IR ESTANTE I 187
MEN{H}IR ESTANTE L 192
MEN{H}IR ESTANTE S 191
MEN{H}IR ESTANTE XS 191
MEN{H}IR MODULO 186
MEN{H}IR MUEBLE L 190
MEN{H}IR MUEBLE S 190
MEN{H}IR MUEBLE S 3C 189
MEN{H}IR PLATO DUCHA D 185
MEN{H}IR PLATO DUCHA I 185
MEN{H}IR STAND 184
METAL ACERO 338
METAL ACERO HEXAGON 338
METAL ACERO HEXAGON ANTHRACITE 338
METAL ACERO HIGHLIGHTS 338
METAL ACERO HIGHLIGHTS GOLDEN 338
METAL ACERO RETRO 339
METAL ACERO RETRO ANTHRACITE 339
METAL BRICK ACERO 338
MINI BRICK BOSTWANA ANTICATO 61
MINI BRICK BOSTWANA BURKHARA ANTICATO 61
MINI BRICK BURKHARA ANTICATO 61
MINI EDEN 1L BROWN 459
MINI EDEN 1L CAMEL 456
MINI EDEN 1L DARK GREY 460
MINI EDEN 1L LIGHT GREY 460
MINI EDEN 1L MARENGO 458
MINI EDEN 1L NATURAL 456
MINI EDEN 1L POLAR 457
MINI EDEN 1L SAND 458
MINI EDEN 1L WENGE 461
MINI EDEN 1L WHITE 457
MINI EDEN TEXTURE 1L ALMOND 470
MINI EDEN TEXTURE 1L CINAMON 472
MINI EDEN TEXTURE 1L HONEY 471
MINI EDEN TEXTURE 1L NUT 470
MINI EDEN TEXTURE 1L VANILLA 471
MINI FAN BOSTWANA ANTICATO 61
MINI FAN BOSTW. BURKHARA ANTICATO 61
MINI FAN BURKHARA ANTICATO 61
MINI IRIS BLACK PEARL 265
MINI IRIS CREAM PEARL 265
MINI IRIS GREY PEARL 265
MINI IRIS STONE BROWNS 312
MINI IRIS STONE CREAMS 312
MINI IRIS STONE GREYS 312
MINI IRIS STONE WHITES 312
MINI IRIS WHITE PEARL 265
MODERN LOUVRE CENIZA 400
MODERN LOUVRE NATURAL 400
MODERN LOUVRE SIENA 401
MODERN MULTIFORMATO CENIZA 398
MODERN MULTIFORMATO GRAFITO 398
MODERN MULTIFORMATO NATURAL 399
MODERN MULTIFORMATO SIENA 399
MOKA ANTICATO 40
MOKA CLASSICO 40
MOON MARMARA 243
MOON MIX BROWNS 243
MOON MIX GREYS 243
MOON SATURN BLANCO 243
MOON SILVER WOOD 243

N

NAIROBI CREMA CLASSICO 30
NAIROBI CREMA PULIDO 30
NAIROBI CREMA TEXTURE HOME 31
NATURAL 1L AMAZON LIGHT 531
NATURAL 1L BEIGE DECAPE 533
NATURAL 1L EBANO 528
NATURAL 1L FORTE 533
NATURAL 1L LOFT 530
NATURAL 1L MARRON DECAPE 529
NATURAL 1L MICHIGAN BROWN 531
NATURAL 1L MICHIGAN CLEAR 532
NATURAL 1L MICHIGAN GREY 528
NATURAL 1L MICHIGAN WHITE 534
NATURAL 1L NORDICO 535
NATURAL 1L ROBLE LIFE 532
NATURAL 1L TEXAS 530
NATURAL 2L EIFFEL BLANC 534
NATURAL 2L EIFFEL GRIS 529
NAVONA 142
NAVONA ABUJARDADA 143
NAVONA PULIDO 143
NAVONA TOP DOUBLE 153
NAVONA TOP SINGLE 153
NEPAL NATURAL 72
NUBIA PULIDO 106

O

ONIX BOTAFOGO 109
ONIX ETNIA 108
ONIX IGUAZU 108
ONIX IPANEMA 110
ONIX LAGOA 110
ONIX LAVA 111
ONIX ROSATO 111
OUTLINES BARS CAPUCCINO LIN. HOM. 241
OUTLINES BARS HAB. BROWN LIN. HOM. 241
OUTLINES BRICK BURMA 240
OUTLINES BRICK LHASA-SHA.-BURMA 241
OUTLINES MINI STRIP BHUTAN 241
OUTLINES MINI STRIP CANYON 240
OUTLINES MINI STRIP NEPAL 240
OUTLINES MINI STRIP SHANNAN 240
OUTLINES STRIP BHUTAN 240
OUTLINES STRIP CREMA GRECIA 241
OUTLINES STRIP NEPAL 240

P

PAMPA HOME 71
PARADISE ARROW BLANCO 247
PARADISE ARROW GRIS 247
PARADISE ARROW NEGRO 247

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PARADISE BAIA STONE BLANCO 246
PARADISE BAIA STONE CREMAS 246
PARADISE BAIA STONE NEGRO 246
PARADISE LAKE STONE BLANCO 246
PARADISE LAKE STONE CREMAS 246
PARADISE LAKE STONE NEGRO 246
PARADISE MINIBROKEN EDGE BLANCO 248
PARADISE MINIBROKEN EDGE NEGRO 248
PARADISE ROUND STONE BLANCO 248
PARADISE ROUND STONE NEGRO 248
PARADISE TINYBROKEN EDGE BLANCO 247
PARADISE TINYBROKEN EDGE GRIS 247
PARADISE TINYBROKEN EDGE NEGRO 247
PARAIBA 107
PATAGONIA HOME 69
PERFIL IGUALACIÓN ALUMINIO 498
PERFIL IGUALACIÓN ALUMINIO 498
PERFIL MULTIFUNCIÓN 3 en 1 - PML 592
PERFIL TERMINACIÓN ALUMINIO 498
PERSIAN WHITE CLASSICO 23
PERSIAN WHITE PULIDO 23
PHUKET 131
PICCOLA 1L BIANCO 411
PICCOLA 1L GRIGIO 410
PICCOLA 1L SCURO 410
PML ALUMINIO 592
PORT CANNES 107
PORT MONACO 106
PREPARATORE PULEP 10 L. 500
PRIMER EP21 PARTE A 5 L. 500
PRIMER EP21 PARTE B 2,5 L. 500
PRIMER PU31 10 L. 500

Q

QUEBEC CLASSICO 58

R

RENAISSANCE BRICKS BLACK 330
RENAISSANCE BRICKS SILVER WOOD 330
RENAISSANCE BRICKS WHITE 330
RENAISSANCE LINES BLACK 330
RENAISSANCE LINES SILVER WOOD 330
RENAISSANCE LINES WHITE 330
RENAISSANCE SQUARES BLACK 331
RENAISSANCE SQUARES SILVER WOOD 331
RENAISSANCE SQUARES WHITE 331
RESIDENCE 1L HAYA 564
RESIDENCE 1L NEW JERSEY 562
RESIDENCE 1L ROBLE 563
RESIDENCE 1L ROBLE DECAPE 564
RESIDENCE 1L VERMONT 566
RESIDENCE 1L VIRGINIA 566
RESIDENCE 2L IOWA 562
RESIDENCE 2L MAINE 565
RESIDENCE 3L HAYA 565
RESIDENCE 3L IROKO 427
RESIDENCE 3L JATOBA 426
RESIDENCE 3L OHIO 567
RESIDENCE 3L ROBLE 426
RESIDENCE 3L ROBLE 563
RETRO BLANCO 375
REVELATION 1L DENALI 578
REVELATION 1L EVERGLADES 580
REVELATION 1L KATMAI 581
REVELATION 1L REDWOOD 578
REVELATION 1L YELLOWSTONE 579
REVELATION 1L YOSEMITE 579
REVIVAL 1L BEIGE 487
REVIVAL 1L BROWN 486
REVIVAL 1L COGNAC 487
REVIVAL 1L GREY 486
REVIVAL 1L OYSTER 488
REVIVAL 1L SILVER 488
RMC GREASE REMOVE 499
RMC GREASE REMOVE 499
RMC LIMESPOT REMOVE 499
RMC LIMESPOT REMOVE 499
RMC SOAP 499
RMC SOAP SATIN INTERIOR 499
RMC SURFACE CARE 499
RMC SURFACE CARE 499
RMC UNIVER. MANTEN. OIL VOC FREE 499
RMC UNIVER. MANTEN.OIL VOC FREE 499
ROMO RETRO BLANCO 375
ROUND 146

S

S-TOWER 177
SAHARA ANTICATO 54
SAMARA 164
SAMUI 158
SEASONS 1L BLANCO 433
SEASONS 1L DARK 430
SEASONS 1L DECAPE 432
SEASONS 1L EBANO 430
SEASONS 1L EBANO GOLD 431
SEASONS 1L ETNA 433
SEASONS 1L ROBLE DUNE 432
SEASONS 1L YUTE 431
SHAPE 144
SHERPA BROWN HOME 47
SHIMA 137
SILK WOOD CLASSICO 43
SILVER WOOD CLASSICO 42
SKYLINE BIG TRIAL BOMBAY 238
SKYLINE BIG TRIAL DELHI 238
SKYLINE BIG TRIAL SABANA 238
SKYLINE CITY BEIGE 237
SKYLINE CITY EARTH 237
SKYLINE CITY VOLCANO 237
SKYLINE LINEAR BROKEN DARK 237
SKYLINE MIX BROKEN DARK 237
SKYLINE ROOF BANGALORE 236
SKYLINE ROOF DELHI 236
SKYLINE SCALE BANGALORE 236
SKYLINE STRIP CR. ALEJAN. MODUL 236
SKYLINE STRIP HAB. BROWN MODUL 236
SKYLINE TRIAL DELHI 236
SLATE AFRICA 370
SLATE BAHIA 370
SLATE DESERT 370
SLATE RIVER 370
SOLID NATURAL WOOD TOP CASTAÑO 170
SOLID NATURAL WOOD TOP ZEBRANO 171
SOPORTE ENCIMERA 150X55 172
SOPORTE ENCIMERA 70X47,5 172
SOPORTE ENCIMERA CON FORMA 172
SOPORTE ENCIMERA RECTO 172
SOUL 136
SOUL HOLLOW 135
SPIRIT BAÑERA 207
SPIRIT CURVAS 83
SPIRIT ESPEJO ALBOR 208
SPIRIT ESPEJO LAGOA 208
SPIRIT ESPEJO NEBOA 209
SPIRIT II ESPEJO 209
SPIRIT II LAVABO 206
SPIRIT II MUEBLE CAJON D 212
SPIRIT II MUEBLE CAJON I 213
SPIRIT II MUEBLE CURVADO D 210
SPIRIT II MUEBLE CURVADO I 211
SPIRIT II MUEBLE PIE D 211
SPIRIT II MUEBLE PIE I 212
SPIRIT LAVABO 206
SPIRIT MUEBLE 210
SPIRIT PLATO DE DUCHA 207
STARK BLACK 271
STARK GREY 271
STARK WHITE 271
STATUARIO ALTISSIMO PULIDO 105
STYLE 1L CALM 571
STYLE 1L MILD 570
STYLE 1L QUIET 571
STYLE 1L SMOOTH 570
STYLEDECK PLUS BROWN 515
STYLEDECK PLUS DARK 514
STYLEDECK PLUS GREY 514

T

TAILOR BLANCO ANDES 2X2 239
TAILOR BLANCO ANDES 5X5 239
TAILOR BLANCO ANDES BRICK 239
TAILOR BLANCO ANDES LINEAR 239
TAILOR BLANCO ANDES ROMBOS 239
TAILOR BLANCO ANDES STRIPES 239
TECNO BHUTAN SILVER GLASS 310
TECNO BR. BHUTAN SILVER GLASS 310
TECNO BR. NEPAL GOLDEN GLASS 310
TECNO GLASS COUNTRY 311
TECNO LINEAR BROWN CAPUCCINO 311
TECNO LINEAR CREAM CAPUCCINO 311
TECNO LINEAR CREAM HABANA 311
TECNO LINEAR SILVER WHITE 310
TECNO NEPAL DECOR 310
TECNO NEPAL GOLDEN GLASS 310
TECNO QUARZ EMERALD 311
TECNO QUARZ MOUNTAIN 311
TERMINACIÓN ALUMINIO 592
TETRIS BLACK 313
TETRIS GREY 313

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TETRIS WHITE 313
THAI 130
THAMEL 159
THASSOS ICE PULIDO 26
THULE 1L BLANCO 477
THULE 1L GRIS 478
THULE 1L MARENGO 476
THULE 1L NATURAL 477
THULE 1L WENGE 476
TIME BIG LINE BLACK 326
TIME BIG LINE CREAM 326
TIME BIG LINE SILK WOOD 326
TIME BIG LINE SILVER WOOD 326
TIME BIG LINE WHITE 326
TIME TEXT. BIG LIN. SILVER WOOD 327
TIME TEXT. BIG LIN. THASSOS 327
TIME TEXT. BIG LIN.SILK WOOD 327
TIME TEXT. LINEAR BLACK 324
TIME TEXT. LINEAR CREAM 324
TIME TEXT. LINEAR SILK WOOD 324
TIME TEXT. LINEAR SILVER WOOD 324
TIME TEXT. LINEAR WHITE 324
TIME TEXT. SILK WOOD 325
TIME TEXT.SILVER WOOD 325
TIME TEXTURE BLACK 325
TIME TEXTURE CREAM 325
TIME TEXTURE WHITE 325
TORTONA 1L BORGO 419
TORTONA 1L DUOMO 415
TORTONA 1L FIERA 414
TORTONA 1L FONTE 415
TORTONA 1L PALAZZO 417
TORTONA 1L PIAZZA 417
TORTONA 1L STRADA 418
TORTONA 1L VIALE 416
TORTONA 1L WALNUT 416
TORTONA 1L WENGE 414
TOSCANO ANTICATO 41
TRANSICIÓN ALUMINIO 592
TREAD RISER - CIRCULAR TREAD 221
TREAD RISER - TREAD RISER ON TEMPLATE 221
TREASURES BRONZ. EMPER. 316
TREASURES BRONZ. EMPER. 316
TREASURES BRONZ. EMPER. MOON 317
TREASURES BRONZ. EMPER. STRIP 317
TREASURES MIST SHANNAN 316
TREASURES MIST SHANNAN 316
TREASURES MIST SHANNAN MOON 317
TREASURES MIST SHANNAN STRIP 317
TREASURES NUDE NEPAL 316
TREASURES NUDE NEPAL 316
TREASURES NUDE NEPAL MOON 317
TREASURES NUDE NEPAL STRIP 317
TREND 140
TRIBAL PEARL BLACK 309
TRIBAL PEARL BROWN 309
TRIBAL PEARL WHITE 309
TUKUMAN HOME 70

U

URBAN BLACK 268
URBAN BLACK FROST 268
URBAN CREAM 269
URBAN CREAM FROST 269
URBAN GREY 268
URBAN GREY FROST 268
URBAN LINE COPPER 266
URBAN LINE IRON 266
URBAN LINE LEAD 266
URBAN LINE NICKEL 266
URBAN LINE SILVER 266
URBAN LINE ZINC 266
URBAN MINI STRIP BLACK 268
URBAN MINI STRIP CREAM 269
URBAN MINI STRIP GREY 268
URBAN MINI STRIP WHITE 269
URBAN RETRO COPPER 267
URBAN RETRO IRON 267
URBAN RETRO LEAD 267
URBAN RETRO NICKEL 267
URBAN RETRO SILVER 267
URBAN RETRO ZINC 267
URBAN WHITE 269
URBAN WHITE FROST 269

V

VANCOUVER CLASSICO 56
VICT. ALHAM. SILK WOOD-SILVER WOOD 257
VICT. ALHAM. THASSOS MARQUINA 257
VICT. CHAIN MARMARA-MARQUINA 255
VICT. DIAMOND MARMARA-MIRROR 254
VICT. MINIWIND. THASSOS-MARQUINA 255
VICT. NEW YORK THASSOS MIRROR 255
VICTORIAN ALHAM. CREMA ITALIA-EMP. 257
VICTORIAN BLANCO MARMARA 254
VICTORIAN CHAIN MARMARA MIRROR 255
VICTORIAN DIAMOND MARQ. MIRROR 254
VICTORIAN ISLAND STAR BLACK 254
VICTORIAN ISLAND STAR WHITE 254
VICTORIAN MINIBRICK THASSOS LUXE 255
VICTORIAN MOTHER OF PEARL BROWN 256
VICTORIAN MOTHER OF PEARL GREY 256
VICTORIAN MOTHER OF PEARL WHITE 256
VICTORIAN NEW YORK COAL MIRROR 255
VICTORIAN TRENZADO MARMARA 254

W

W-TOWER 177
WET PLUS 1L ANTHRACITE 588
WET PLUS 1L BROWN 590
WET PLUS 1L CREAM 589
WET PLUS 1L GREY 590
WET PLUS 1L NUT BROWN 589
WET PLUS 1L WARM GREY 588
WET PLUS 1L WHITE 591
WOOD BRICK 342
WOOD BRICK ANTIQUE 342
WOOD DUNA 343
WOOD EVEN 342
WOOD FEEL 342
WOOD LOVERS 1L BROWN 492
WOOD LOVERS 1L BROWN LISBON 492
WOOD LOVERS 1L GREY NEWMAN 492
WOOD LOVERS 1L GREY NIGHT 492
WOOD LOVERS 1L MEDITE. VINTAGE 492
WOOD LOVERS 1L NATURAL 492
WOOD LOVERS 1L WARM OCEAN 492
WOOD LOVERS 1L WARM SKY 492
WOOD MODUL 342
WOOD SQUARE ANTIQUE 342
WOOD TOP 170
WORLD BEIGE 228
WORLD BEIGE 228
WORLD BLANCO ALMERIA 2X2 228
WORLD BLANCO ALMERIA 5X5 228
WORLD CREMA ITALIA 2X2 228
WORLD CREMA ITALIA 5X5 228
WORLD MULTICOLOR BOMBAY 229
WORLD MULTICOLOR DELHI 229
WORLD MULTICOLOR SLATE 229
WORLD RANDOM NEPAL 229
WORLD RANDOM SHANNAN 229

Z

ZEN 160
ZENO 140
ZENO TOP DOUBLE 154
ZENO TOP SINGLE 154

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Remember

All natural products are perfectly imperfect. The differences found between pieces make each piece unique and unrepeatable. This feature is NOT A PRODUCT DEFECT but an inherent part of the beauty of the product.

If we are able to convey an understanding of the features of our products, we are sure that we will be able to meet all your expectations as regards quality and beauty. This is why it is essential that you are aware that you are buying a natural product, the characteristics of which may, on occasions, include:

1.- Pinhole cavities filled with grout

The surface of some materials, as for example the travertines, is covered with pinhole cavities. These cavities are treated with a grout, as similar as possible in colour to that of the stone. This characteristic is part of the nature of the product and at no time is it a sign of a defective product.

2.- Repaired fissures or cracks

It is normal for small cracks to appear on the surface of the stones. These are repaired with resins. This helps to strengthen the stone and increase its subsequent performance. This characteristic occurs frequently in natural products and should be taken into account when selecting products for a project.

3.- Changes in shade

All the natural products vary in shade and in the structure of the piece. The pieces undergo an exhaustive sorting process at L'Antic Colonial and any that do not meet our exacting quality standards are rejected.
Possible variations are listed in the technical specifications of the products. If you have chosen one of our products for your project, we suggest you request photos of the panels or a few square metres of sample before making your purchase.

"IF YOU INVEST IN BEAUTY, IT WILL REMAIN WITH YOU FOR THE REST OF YOUR LIFE"

Frank Lloyd Wright

Travertine

Marble

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Quartzite

Limestone

NATURAL **STONE**

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TABLA 2cm / 3cm
SLAB 3/4" / 1 1/8"

160x60 cm
63"x23 5/8"

50x100 cm
19 5/8"x9 3/8"

40x80cm
15 3/4"x31 1/2"

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MULTIFORMATO 40,6x61cm / 40,6x40,6cm / 20x40,6cm / 20x20cm
MULTIFORMAT 16"x24" / 16"x16" / 7 7/8"x16" / 7 7/8"x7 7/8"



60x60cm
23 5/8"x23 5/8"

30x60cm
11 3/4"x23 5/8"

10x60cm
3 7/8"x23 5/8"

7,5x30cm
3"x11 3/4"

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

POLISHED

Featuring a mechanically achieved high-gloss finish.

CLASSICO

Featuring a mechanically achieved satin finish.

HOME

Through mechanical brushing, a smooth, satin, silky finish is achieved. Practical and easy to care for, it can be used on walls and floors.

TEXTURE

A natural, rustic finish with a rough, grooved texture is achieved by pounding the stone with pointed machine heads.

SAND HOME

Featuring a very slightly rough surface, achieved by sandblasting the stone.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



LINED HOME

Featuring an uneven, grooved finish, achieved by scratching the stone with diamond heads.

TUMBLED

The stone is naturally aged to give it a warm, traditional look.

FLAMED

Featuring a rough texture, achieved through exposure. to fire.



FLAMED HOME

Featuring a rough texture, achieved through exposure to fire and mechanical brushing.

NATURAL

The natural relief surface of slate and quartzite is conserved, although the inner sides are calibrated to make the stone easy to lay.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



BIOprot

Is a liquid treatment. Once applied, it radically reduces the domestic bacteria most commonly found throughout the home, including kitchens and bathrooms.

This transparent, non-toxic liquid creates a barrier that prevents bacteria from growing on surfaces.

All stone products by L'Antic Colonial are protected with this treatment. With BIOprot, our stone is assured an almost unparalleled level of safety and cleanliness. The treatment has been designed with the whole family's safety and health in mind.

HOW IT WORKS

-Bioprot is based on the use of nanoclays, functionalized with silver particles.

-Bioprot's silver ions interact with the cellular membranes of bacteria, preventing nutrients from reaching the latter or leading to the release of their cellular contents-

-The nanoclay-anchored silver particles are evenly spread across the surface of the protected stone, ensuring uniform, long-lasting anti-bacterial protection.

PROPERTIES

-Based on silver, a safe inert metal for humans, whose anti-bacterial properties have been known since ancient times.

-Bioprot prevents the surface formation of fungus, mould, bacteria and other microorganisms.

-Thanks to its properties, it provides anti-microbial protection against salmonella, legionella and pseudonomas, among other bacteria.

-It prevents the build-up of odours and stains.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Floor Coverings: *Persian White Pulido Bioprot 60x60x2 cm*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MARBLES

BLANCO ALMERIA
PERSIAN WHITE
CAPADOCIA
BLANCO ANDES
THASSOS ICE
ARCTIC WHITE
KAYAK BEIGE
CREMA GRECIA
NAIROBI CREMA
CAPUCCINO
HABANA BROWN
HABANA DARK
A-CERO DARK

Floor Coverings: *Mini Eden Texture 1L Almond 19x210x1,15 cm.*
Wall Coverings: *Arctic White Pulido Bioprot 40x80x1,5 cm.*
Complementary products: *Men{H}ir Espejo S Natural 60x90x5 cm, Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Mueble S 3C Natural Athenas 94x56,6x71 cm, Men{H}ir Bañera Crema Italia-Natural Bioprot 185x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

BLANCO ALMERIA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid blanco***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ALMERIA ANTICATO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000179 L112971001	G-153	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	23,16 x Cj 1019,22 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100087380 L100600361	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100087379 L100600251	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

Floor Coverings: *Capuccino Sand Home 40x80x1,5 cm.*
Wall Coverings: *Blanco Almeria Anticato Bioprot 30x60x1,2 cm.*
Complementary products: *Wood Top Nogal Warm 160x50x10 cm, Lavabo Basic Blanco Athenas Bioprot 40x40x10 cm, Hampton Nogal Warm 160x44x40 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

PERSIAN WHITE PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid blanco***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	PERSIAN WHITE PULIDO BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100102697 L119294131	G-155	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	23,39 x Cj 1029,34 x Pal
	PERSIAN WHITE PULIDO BPT	40x80x2 cm 15 3/4"x31 1/2"x5/8"	100142942 L108025901	G-163	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	18,48 x Cj 1441,67 x Pal
	PERSIAN WHITE PULIDO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100098384 L100200191	G-163	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	20,80 x Cj 831,80 x Pal
	PERSIAN WHITE PULIDO BPT	Tabla 2 cm Slab 3/4"	100155542 L108029771	G-157	- -	- -	- -
	PERSIAN WHITE PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155543 L108029781	G-171	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126845 L108023331	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126866 L108023351	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

PERSIAN WHITE CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid blanco***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	PERSIAN WHITE CLASSICO BPT	30x60x1,5 cm 11 3/4"x23 5/8"x1/2"	100142837 L112995691	G-155	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	23,39 x Cj 1029,07 x Pal
	PERSIAN WHITE CLASSICO BPT	40x80x2 cm 15 3/4"x31 1/2"x5/8"	100142941 L108025891	G-163	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	18,47 x Cj 1440,66 x Pal
	PERSIAN WHITE CLASSICO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100142838 L116688241	G-163	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	20,78 x Cj 831,20 x Pal
	PERSIAN WHITE CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155540 L108029741	G-157	- -	- -	- -
	PERSIAN WHITE CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155541 L108029731	G-171	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156697 L108030191	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156707 L108030201	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

CAPADOCIA SAND HOME BIOprot

Board recommends Butech: ***colorstuk rapid blanco***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CAPADOCIA SAND HOME BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100114124 L108020551	G-171	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	25 x Cj 1100,18 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126839 L108023501	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126859 L108024481	G-060	- -	- -	- -

***NOTE:** Placement is recommended with quick-setting cement glue Super One Flex Blanco.

Floor Coverings: *Capadocia Sand Home Bioprot 30x60x1,2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

BLANCO ANDES PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ANDES PULIDO BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100153274 L119294221	G-181	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	10,12 x Cj 445,28 x Pal
	BLANCO ANDES PULIDO BPT	40x80x1 cm 15 3/4"x31 1/2"x3/8"	100153275 L108028701	G-182	2 x Cj 156 x Pal	0,64 x Cj 49,92 x Pal	17,16 x Cj 1338,32 x Pal
	BLANCO ANDES PULIDO BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100153276 L100200451	G-183	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	19,44 x Cj 894,24 x Pal
	BLANCO ANDES PULIDO BPT	Tabla 2 cm Slab 3/4"	100153277 L108028711	G-168	-	-	-
	BLANCO ANDES PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100153278 L108028731	G-182	-	-	-
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156699 L108030171	G-070	-	-	-
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156705 L108030211	G-060	-	-	-

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

BLANCO ANDES CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ANDES CLASSICO BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100153179 L112995721	G-181	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	10,12 x Cj 445,28 x Pal
	BLANCO ANDES CLASSICO BPT	40x80x1 cm 15 3/4"x31 1/2"x3/8"	100153270 L108028681	G-182	2 x Cj 156 x Pal	0,64 x Cj 49,92 x Pal	17,16 x Cj 1338,32 x Pal
	BLANCO ANDES CLASSICO BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100153271 L116688251	G-183	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	19,44 x Cj 894,24 x Pal
	BLANCO ANDES CLASSICO BPT	Tabla 2 cm Slab 3/4"	100153272 L108028721	G-168	-	-	-
	BLANCO ANDES CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100153273 L108028691	G-182	-	-	-
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156696 L108030131	G-070	-	-	-
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156726 L108030251	G-060	-	-	-

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

THASSOS ICE PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
THASSOS ICE PULIDO BPT	40x80x2 cm 15 3/4"x31 1/2"x5/8"	100146074 L108026381	G-192	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	18,02 x Cj 1405,79 x Pal

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

Floor Coverings: *Grey Aged Home Bioprot 50x100x2 cm.*
Wall Coverings: *Thassos Ice Pulido Bioprot 40x80x2 cm, Annapurna Home Bioprot 40x80x1,5 cm.*
Complementary products: *Conjunto Zen Nogal Warm Blanco Athenas Classico Bioprot 87,5x40x47 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

ARCTIC WHITE PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ARCTIC WHITE PULIDO BPT	30x60x1,5 cm 11 3/4"x23 5/8"x1/2"	100146821 L119294201	G-155	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	23,10 x Cj 1016,40 x Pal
	ARCTIC WHITE PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x1/2"	100146008 L108026371	G-163	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	11,32 x Cj 883,04 x Pal
	ARCTIC WHITE PULIDO BPT	Tabla 2 cm Slab 3/4"	100155457 L108029471	G-157	- -	- -	- -
	ARCTIC WHITE PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155458 L108029521	G-171	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156698 L108030161	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156725 L108030261	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
Placement is recommended with quick-setting cement glue Super One Flex Blanco.

Wall Coverings: *Arctic White Pulido Bioprot Pedido especial | Special order.*
Complementary products: *Lavabo Basic Stand Blanco Athenas Classico Bioprot 40x40x85 cm, Plato ducha Basic Blanco Athenas Classico Bioprot 90x90x5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

KAYAK BEIGE PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	KAYAK BEIGE PULIDO BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100156153 L119294241	G-181	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	17,63 x Cj 775,98 x Pal
	KAYAK BEIGE PULIDO BPT	40x80x1 cm 15 3/4"x31 1/2"x3/8"	100156154 L108029991	G-182	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	8,94 x Cj 697,47 x Pal
	KAYAK BEIGE PULIDO BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100156155 L100200481	G-183	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	20,12 x Cj 925,52 x Pal
	KAYAK BEIGE PULIDO BPT	Tabla 2 cm Slab 3/4"	100156156 L108029981	G-182	- -	- -	- -
	KAYAK BEIGE PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100156157 L108029971	G-190	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156710 L108030181	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156706 L108030221	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.

Floor Coverings: *Kayak Beige Pulido Bioprot 40x80x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

CREMA GRECIA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CREMA GRECIA ANTICATO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000184 L112982001	G-153	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	25 x Cj 1100,18 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100087370 L100600381	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100087369 L100600321	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

CREMA GRECIA CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CREMA GRECIA CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000188 L112992001	G-166	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24 x Cj 1056 x Pal
	CREMA GRECIA CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100082211 L108008941	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	11,50 x Cj 897 x Pal
	CREMA GRECIA CLASSICO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100003812 L113098021	G-177	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	20 x Cj 800 x Pal
	CREMA GRECIA CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155525 L108029541	G-181	- -	- -	- -
	CREMA GRECIA CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155526 L108029511	G-190	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100086353 L108010361	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100086371 L108010411	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

NAIROBI CREMA CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NAIROBI CREMA CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100089719 L112995351	G-163	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24,22 x Cj 1065,68 x Pal
	NAIROBI CREMA CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100089720 L108011571	G-175	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,20 x Cj 1029,6 x Pal
	NAIROBI CREMA CLASSICO BPT	60x60x1,5 cm 23 5/8"x23 5/8"x5/8"	100098366 L116688121	G-171	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	14,72 x Cj 588,92 x Pal
	NAIROBI CREMA CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155506 L108029711	G-166	- -	- -	- -
	NAIROBI CREMA CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155507 L108029761	G-177	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126844 L108023481	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126865 L108023301	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

NAIROBI CREMA PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NAIROBI CREMA PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100045556 L100300071	G-163	4 x Cj 132 x Pal	0,72 x Cj 31,68 x Pal	24,22 x Cj 1065,68 x Pal
	NAIROBI CREMA PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100073337 L108006921	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	11,50 x Cj 897 x Pal
	NAIROBI CREMA PULIDO BPT	60x60x1,5 cm 23 5/8"x23 5/8"x5/8"	100045557 L100300081	G-171	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	15,71 x Cj 628,52 x Pal
	NAIROBI CREMA PULIDO BPT	Tabla 2 cm Slab 3/4"	100155508 L108029701	G-166	- -	- -	- -
	NAIROBI CREMA PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155509 L108029721	G-167	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100086358 L108010251	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100086357 L108010291	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R13**

NAIROBI CREMA TEXTURE HOME BIOprot

Board recommends Butech: ***colorstuk rapid marfil***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
NAIROBI CREMA TEXTURE HOME BPT	Multiformato Multiformat	100103992 L108017251	G-155	1 x Cj 23 x Pal	0,72 x Cj 16,56 x Pal	21,43 x Cj 492,78 x Pal

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

Floor Coverings: *Nairobi Crema Pulido Bioprot 60x60x1,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

CAPUCCINO LINED HOME BIOprot

Board recommends Butech: ***colorstuk rapid beige***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CAPUCCINO LINED HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100114601 L108020771	G-166	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	17,82 x Cj 784,08 x Pal
	CAPUCCINO LINED HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100092935 L108013271	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,69 x Cj 1068 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126840 L108023551	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126860 L108023531	G-060	- -	- -	- -

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

CAPUCCINO SAND HOME BIOprot

Board recommends Butech: ***colorstuk rapid beige***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CAPUCCINO SAND HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100114602 L108020741	G-166	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	17,82 x Cj 784,08 x Pal
	CAPUCCINO SAND HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100096778 L108015071	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,22 x Cj 1031 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126841 L108023541	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126861 L108024431	G-060	- -	- -	- -

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

CAPUCCINO PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid beige***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CAPUCCINO PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000160 L112925161	G-153	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24,09 x Cj 1060,05 x Pal
	CAPUCCINO PULIDO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100000462 L116686001	G-171	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	21,34 x Cj 853,52 x Pal
	CAPUCCINO PULIDO BPT	Tabla 2 cm Slab 3/4"	100155523 L108029481	G-171	- -	- -	- -
	CAPUCCINO PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155524 L108029551	G-183	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100086352 L108010241	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100086351 L108010371	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.

Floor Coverings: *Capuccino Pulido Bioprot 60x60x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

HABANA BROWN CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid cemento***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HABANA BROWN CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100092925 L112995361	G-157	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24,84 x Cj 1092,96 x Pal
	HABANA BROWN CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100092715 L108012931	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	113,06 1019 x Pal
	HABANA BROWN CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155531 L108029611	G-177	- -	- -	- -
	HABANA BROWN CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155532 L108029591	G-183	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126830 L108023431	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126863 L108023341	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

HABANA BROWN PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid antracita***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HABANA BROWN PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100001541 L150501001	G-163	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24,84 x Cj 1092,96 x Pal
	HABANA BROWN PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100073336 L108006911	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,64 x Cj 1064 x Pal
	HABANA BROWN PULIDO BPT	Tabla 2 cm Slab 3/4"	100155533 L108029571	G-177	- -	- -	- -
	HABANA BROWN PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155533 L108029661	G-183	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100087390 L100600161	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100087389 L100600211	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

HABANA BROWN SAND HOME BIOprot

Board recommends Butech: ***colorstuk rapid manhattan***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HABANA BROWN SAND HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100115881 L108021111	G-169	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	23,29 x Cj 1024,58 x Pal
	HABANA BROWN SAND HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100096784 L108015081	G-181	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,44 x Cj 1048 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126832 L108023401	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126852 L108024441	G-060	- -	- -	- -

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

HABANA BROWN LINED HOME BIOprot

Board recommends Butech: ***colorstuk rapid manhattan***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HABANA BROWN LINED HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100115880 L108021121	G-169	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	21,89 x Cj 1024,58 x Pal
	HABANA BROWN LINED HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100092714 L108012941	G-181	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,46 x Cj 1050 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126831 L108023411	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126851 L108023461	G-060	- -	- -	- -

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

HABANA DARK PULIDO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid antracita***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HABANA DARK PULIDO BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100086382 L119294091	G-173	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	21,89 x Cj 963,20 x Pal
	HABANA DARK PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100086383 L108010481	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,79 x Cj 1076 x Pal
	HABANA DARK PULIDO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100086384 L100200081	G-185	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	19,46 x Cj 778,32 x Pal
	HABANA DARK PULIDO BPT	Tabla 2 cm Slab 3/4"	100155502 L108029671	G-177	- -	- -	- -
	HABANA DARK PULIDO BPT	Tabla 3 cm Slab 1 1/8"	100155503 L108029691	G-190	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100087392 L100600511	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100087391 L100600331	G-060	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
Placement is recommended with quick-setting cement glue Super One.

Floor Coverings: *Nairobi Crema Classico Bioprot 40x80x1,5 cm.*
Wall Coverings: *Habana Dark Pulido Bioprot 40x80x1,5 cm, Metal Acero Highlights (2) 30,5x30,5x0,8 cm.*
Complementary products: *Shima Crema Nilo Classico Bioprot 169x48x9 cm, Hampton Nogal Warm 160x44x40 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

A-CERO DARK CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid antracita***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
A-CERO DARK CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100098034 L108015901	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,72 x Cj 1070 x Pal

Floor Coverings: *A-cero Dark Bioprot 40x80x1,5 cm.*
Wall Coverings: *A-cero Dark Bioprot 40x80x1,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TRAVERTINES

MOKA
TOSCANO
SILVER WOOD
SILK WOOD

Floor Coverings: *Silver Wood Classico Bioprot 40x80x1,5 cm.*
Wall Coverings: *Silver Wood Classico Bioprot 40x80x1,5 cm.*
Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Encimera L Roble Antracita 150x60x5 cm, Men{H}ir Mueble L Crema Italia-Roble Antracita 183x59,5x22 cm, Men{H}ir Plato de Ducha D Crema Italia Classico Bioprot 150x92x5 cm, Men{H}ir Espejo Roble Antracita 90x60 cm, Men{H}ir Estante Vertical I Roble Antracita 90x30x25,7 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

MOKA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid beige***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	MOKA ANTICATO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000183 L112981001	G-153	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	23,16 x Cj 1019,22 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126843 L107600681	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126864 L107600711	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Occasionally holes may appear after installation, you can easily repaired with grout.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

MOKA CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	MOKA CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100000187 L112991001	G-163	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	21,03 x Cj 925,41 x Pal
	MOKA CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100073340 L108006961	G-177	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	12,65 x Cj 997 x Pal
	MOKA CLASSICO BPT	60x60x2 cm 23 5/8"x23 5/8"x3/4"	100000456 L116661501	G-171	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	17,87 x Cj 714,84 x Pal
	MOKA CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155504 L108029751	G-173	- -	- -	- -
	MOKA CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155505 L108029681	G-183	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100086359 L108010341	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100086372 L108010421	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Not recommended for outdoor use in areas at risk of frost.
Occasionally holes may appear after installation, you can easily repaired with grout.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TOSCANO ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid beige***

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
TOSCANO ANTICATO BPT	Multiformato Multiformat	100107322 L107600221	G-140	1 x Cj 23 x Pal	0,72 x Cj 16,56 x Pal	23,57 x Cj 542,20 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Occasionally holes may appear after installation, you can easily repaired with grout.

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

Floor Coverings: *Multiformato Toscano Anticato Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

SILVER WOOD CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	SILVER WOOD CLASSICO BPT	7,5x30x1,2 cm 3"x11 3/4"x1/2"	100116171 L108021211	G-168	24 x Cj 2040 x Pal	0,54 x Cj 45,90 x Pal	17,97 x Cj 1527,96 x Pal
	SILVER WOOD CLASSICO BPT	10x60x1,2 cm 3 7/8"x23 5/8"x1/2"	100116170 L108021221	G-173	8 x Cj 480 x Pal	0,48 x Cj 28,80 x Pal	15,69 x Cj 941,76 x Pal
	SILVER WOOD CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100110502 L112995631	G-181	4 x Cj 176 x Pal	0,73 x Cj 32 x Pal	22,48 x Cj 989,12 x Pal
	SILVER WOOD CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100114132 L108020501	G-183	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	12,93 x Cj 1008,15 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126848 L108023511	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126869 L108023311	G-060	- -	- -	- -

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Not recommended for outdoor use in areas at risk of frost.
Occasionally holes may appear after installation, you can easily repaired with grout.

Floor Coverings: *Silk Wood Classico Bioprot.*
Wall Coverings: *Silver Wood Classico Bioprot, Aichi Mix Wood 29,8x29,8x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

SILK WOOD CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
SILK WOOD CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100120899 L112995651	G-181	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	23,66 x Cj 1041,22 x Pal
SILK WOOD CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100120900 L108021961	G-183	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	12,91 x Cj 1007,45 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
Not recommended for outdoor use in areas at risk of frost.
Occasionally holes may appear after installation, you can easily repaired with grout.

Floor Coverings: *Silk Wood Classico Bioprot.*
Wall Coverings: *Silver Wood Classico Bioprot, Aichi Mix Wood 29,8x29,8x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

QUARTZITES

CHENNAI WHITE
SHERPA BROWN
LAGOS BLACK
ANNAPURNA

Floor Coverings: *Grey Aged Home Bioprot 50x100x2 cm.*
Wall Coverings: *Annapurna Home Bioprot 40x80x1,5 cm, Thassos Ice Pulido Bioprot 40x80x2 cm.*
Complementary products: *Conjunto Zen Nogal Warm Blanco Athenas Classico Bioprot 87,5x40x47 cm, Plato de Ducha Zen Blanco Athenas Classico Bioprot 120x90x5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

CHENNAI WHITE FLAMED HOME BIOprot

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
CHENNAI WHITE FLAMED HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100086252 L107000151	G-150	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,33 x Cj 1117,82 x Pal

Wall Coverings: *Chennai White Flamed Home Bioprot 40x80x1,5 cm.*
Complementary products: *Geisha Crema Nilo Bioprot 84,5x48x9 cm, Khoa Light Caliza Moka Bioprot 185x90x54 cm, Mylos Light Stone Crema Nilo Bioprot 90x90x3 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

SHERPA BROWN HOME BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	SHERPA BROWN HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100081826 L112995131	G-163	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	23,51 x Cj 1034,48 x Pal
	SHERPA BROWN HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100073338 L106200121	G-166	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,93 x Cj 1086,85 x Pal
	SHERPA BROWN HOME BPT	60x60x1,5 cm 23 5/8"x23 5/8"x5/8"	100098379 L107000571	G-166	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	15,53 x Cj 621 x Pal
	SHERPA BROWN HOME BPT	80x80x1,5 cm 31 1/2"x31 1/2"x5/8"	100088499 L106200381	G-181	1 x Cj 37 x Pal	0,64 x Cj 23,68 x Pal	27,86 x Cj 1030,82 x Pal
	SHERPA BROWN HOME BPT	Tabla 2 cm Slab 3/4"	100155574 L107601051	G-166	-	-	-
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126847 L107600691	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126870 L107600721	G-060	- -	- -	- -

Floor Coverings: *Eden 1L Polar 20x240x2 cm.*
Wall Coverings: *Sherpa Brown Home Bioprot 80x80x1,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

LAGOS BLACK HOME BIOprot

Board recommends Butech: ***colorstuk rapid negro***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LAGOS BLACK HOME BPT	30x60x1,5 cm 11 3/4"x23 5/8"x5/8"	100120894 L107600251	G-155	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	41,74 x Cj 1836,78 x Pal
LAGOS BLACK HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100120895 L107600241	G-158	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,91 x Cj 1085,37 x Pal

Wall Coverings: *Lagos Black Home Bioprot 40x80x1,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

ANNAPURNA HOME BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ANNAPURNA HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100146004 L107600961	G-166	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	12,55 x Cj 979,05 x Pal

Floor Coverings: *Grey Aged Home Bioprot 50x100x2 cm.*
Wall Coverings: *Annapurna Home Bioprot 40x80x1,5 cm, Thassos Ice Pulido Bioprot 40x80x2 cm.*
Complementary products: *Conjunto Zen Nogal Warm Blanco Athenas Classico Bioprot 87,5x40x47 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LIMESTONES

CALGARY
A-CERO GLOSS
SAHARA
CREAM AGED
VANCOUVER
GREY AGED
QUEBEC
BOSTWANA
BURKHARA

Floor Coverings: *Calgary Classico Bioprot.*
Wall Coverings: *Calgary Classico Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

CALGARY CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid blanco / marfil***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALGARY CLASSICO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100098313 L112995511	G-141	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	23,18 x Cj 1020,10 x Pal
	CALGARY CLASSICO BPT	60x60x1,5 cm 23 5/8"x23 5/8"x5/8"	100098317 L105000561	G-149	1 x Cj 40 x Pal	0,36 x Cj 14,40 x Pal	14,39 x Cj 575,48 x Pal
	CALGARY CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155518 L105002501	G-157	- -	- -	- -
	CALGARY CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155519 L105002471	G-169	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126838 L108023491	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126858 L108024471	G-060	- -	- -	- -

***NOTE:** Occasionally holes may appear after installation. These can easily be repaired using a tile grout.
In addition, fossils may be found in the composition of this stone. These are usually circular and white.

Floor Coverings: *Calgary Classico Bioprot 60x60x1,5 cm.*
Wall Coverings: *Sherpa Brown Home Bioprot 80x80x1,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

A-CERO GLOSS CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid blanco***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	A-CERO GLOSS CLASSICO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100098316 L108016151	G-155	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	12,15 x Cj 948 x Pal
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100126835 L108023471	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100126855 L108024461	G-060	- -	- -	- -

***NOTE:** Occasionally holes may appear after installation. These can easily be repaired using a tile grout.
In addition, fossils may be found in the composition of this stone. These are usually circular and white.

Floor Coverings: *A-cero Dark Classico Bioprot 40x80x1,5 cm.*
Wall Coverings: *A-cero Dark Classico Bioprot 40x80x1,5 cm, A-cero Gloss Classico Bioprot 40x80x1,5 cm.*
Complementary products: *Spirit Lavabo A-cero Dark Bioprot 145x42x12 cm, Spirit Mueble Roble Ceniza 180x20x40 cm, Spirit Espejo Lagoa 226,7x97 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

SAHARA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid bahama***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
SAHARA ANTICATO BPT	Multiformato Multiformat	100107321 L105001821	G-155	1 x Cj 23 x Pal	0,72 x Cj 16,56 x Pal	24,18 x Cj 556,16 x Pal

***NOTE:** We recommend the use of materials with a thickness of 2 cm in vehicle transit zones and in climates with a risk of frosts.

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

Floor Coverings: *Sahara Anticato Multiformato Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CREAM AGED ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
CREAM AGED ANTICATO BPT	Multiformato Multiformat	100099768 L108016751	G-141	1 x Cj 38 x Pal	0,72 x Cj 27,36 x Pal	28,94 x Cj 1099,98 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,5 (2 pzs.). 20x20x1,5 (2 pzs.). 40,6x61x1,5 (1 pzs.). 20x40,6x1,5 (1 pzs.)

Floor Coverings: *Cream Aged Anticato Multiformato Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

VANCOUVER CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	VANCOUVER CLASSICO BPT	30x60x1,4 cm 11 3/4"x23 5/8"x1/2"	100146823 L108026641	G-157	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	19,05 x Cj 838,20 x Pal
	VANCOUVER CLASSICO BPT	40x80x2 cm 15 3/4"x31 1/2"x5/8"	100146082 L105002311	G-168	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	16,24 x Cj 1267,11 x Pal
	VANCOUVER CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155575 L105002491	G-155	- -	- -	- -
	VANCOUVER CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155576 L105002511	G-168	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156712 L108030141	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156709 L108030231	G-060	- -	- -	- -

Floor Coverings: *Quebec Classico Bioprot 40x80x2 cm.*
Wall Coverings: *Vancouver Classico Bioprot 40x80x2 cm, Quebec Classico Bioprot 40x80x2 cm.*
Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Encimera L Roble Antracita 150x60x5 cm, Men{H}ir Estante L Roble Antracita 150x60x5 cm, Men{H}ir Espejo L Roble Antracita 150x60x5 cm, Men{H}ir Estante XS Roble Antracita 30x20x5 cm, Men{H}ir Modulo Roble Antracita 33x35,6x150 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

GREY AGED ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GREY AGED ANTICATO BPT	Multiformato Multiformat	100099769 L108016741	G-141	1 x Cj 38 x Pal	0,72 x Cj 27,36 x Pal	30,26 x Cj 1149,84 x Pal

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m² per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

GREY AGED HOME BIOprot

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GREY AGED HOME BPT	50x100x2 cm 19 5/8"x39 3/8"x3/4"	100139180 L107600881	G-171	1 x Cj 35 x Pal	0,50 x Cj 17,50 x Pal	25 x Cj 875 x Pal

***NOTE:** Small white crystalline formations may appear due to the natural stone formation process.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

QUEBEC CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	QUEBEC CLASSICO BPT	30x60x1,4 cm 11 3/4"x23 5/8"x1/2"	100146822 L108026631	G-166	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	25,05 x Cj 1102,20 x Pal
	QUEBEC CLASSICO BPT	40x80x2 cm 15 3/4"x31 1/2"x5/8"	100146067 L105002321	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	16,13 x Cj 1257,98 x Pal
	QUEBEC CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155572 L105002461	G-157	- -	- -	- -
	QUEBEC CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155573 L105002481	G-169	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156711 L108030151	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156708 L108030241	G-060	- -	- -	- -

***NOTE:** We recommend the use of the double gluing system when laying pieces using a fast-drying cement-glue Super One.

Floor Coverings: *Quebec Classico Bioprot 40x80x2 cm.*
Wall Coverings: *Vancouver Classico Bioprot 40x80x2 cm, Quebec Classico Bioprot 40x80x2 cm.*
Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Encimera L Roble Antracita 150x60x5 cm, Men{H}ir Espejo L Roble Antracita 150x60x5 cm, Men{H}ir Modulo Roble Antracita 33x35,6x150 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

BOSTWANA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

MULTIFORMAT



DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BOSTWANA ANTICATO BPT	Multiformato Multiformat	100086511 L107000181	G-157	1 x Cj 38 x Pal	0,72 x Cj 27,36 x Pal	26,06 x Cj 990,32 x Pal

Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

BOSTWANA AGED HOME BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BOSTWANA AGED HOME BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100103983 L112995561	G-142	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	15,48 x Cj 681,12 x Pal
BOSTWANA AGED HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100103984 L105001051	G-147	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	11,47 x Cj 894,35 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BURKHARA ANTICATO BIOprot

Board recommends Butech: ***colorstuk rapid gris / beige***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BURKHARA ANTICATO BPT	Multiformato Multiformat	100086512 L108010501	G-157	1 x Cj 38 x Pal	0,72 x Cj 27,36 x Pal	25,82 x Cj 981,16 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R11**

MULTIFORMAT



Instructions for laying
Packet is served. 0,74 m^2 per pack. composed of 40,6x40,6x1,2 (2 pzs.). 20x20x1,2 (2 pzs.). 40,6x61x1,2 (1 pzs.). 20x40,6x1,2 (1 pzs.)

Floor Coverings: *Burkhara Anticato Multiformato Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***

MINI FAN BOSTWANA ANTICATO

65x47x2cm - 25 5/8"x18 1/2"x3/4"

100086237 - L105000221 - G-121

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***

MINI FAN BURKHARA ANTICATO

65x47x2cm - 25 5/8"x18 1/2"x3/4"

100086239 - L105000211 - G-121

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***

MINI FAN BOSTWANA BURKHARA ANTICATO

65x47x2cm - 25 5/8"x18 1/2"x3/4"

100086238 - L105000181 - G-121

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***

MINI BRICK BOSTWANA ANTICATO

60,5x40x2cm - 23 7/8"x15 3/4"x3/4"

100086235 - L105000191 - G-129

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***

MINI BRICK BURKHARA ANTICATO

60,5x40x2cm - 23 7/8"x15 3/4"x3/4"

100086236 - L105000231 - G-129

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***

MINI BRICK BOSTWANA BURKHARA ANTICATO

60,5x40x2cm - 23 7/8"x15 3/4"x3/4"

100086234 - L105000201 - G-129

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
MINI BRICK BOSTWANA	60,5x40x2 cm 23 7/8"x15 3/4"x3/4"	100086235 L105000191	G-129	1 x Cj 54 x Pal	0,24 x Cj 13,07 x Pal	11,88 x Cj 641,63 x Pal
MINI BRICK BOSTWANA-BURKHARA	60,5x40x2 cm 23 7/8"x15 3/4"x3/4"	100086234 L105000201	G-129	1 x Cj 54 x Pal	0,24 x Cj 13,07 x Pal	11,88 x Cj 641,63 x Pal
MINI BRICK BURKHARA	60,5x40x2 cm 23 7/8"x15 3/4"x3/4"	100086236 L105000231	G-129	1 x Cj 54 x Pal	0,24 x Cj 13,07 x Pal	11,88 x Cj 641,63 x Pal
MINI FAN BOSTWANA	65x47x2 cm 25 5/8"x18 1/2"x3/4"	100086237 L105000221	G-121	1 x Cj 54 x Pal	0,19 x Cj 10,26 x Pal	9,26 x Cj 500 x Pal
MINI FAN BOSTWANA-BURKHARA	65x47x2 cm 25 5/8"x18 1/2"x3/4"	100086238 L105000181	G-121	1 x Cj 54 x Pal	0,19 x Cj 10,26 x Pal	9,26 x Cj 500 x Pal
MINI FAN BURKHARA	65x47x2 cm 25 5/8"x18 1/2"x3/4"	100086239 L105000211	G-121	1 x Cj 54 x Pal	0,19 x Cj 10,26 x Pal	9,26 x Cj 500 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SANDSTONES

DESERT SANDSTONE

Floor Coverings: *Desert Sandstone Classico Bioprot.*
Wall Coverings: *Desert Sandstone Classico Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DESERT SANDSTONE CLASSICO BIOprot

Bevel

Board recommends Butech: ***colorstuk rapid gris***

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	DESERT SANDSTONE CLASSICO BPT	40x80x2 cm 15 3/4"x31 1/2"x3/4"	100120889 L107500471	G-155	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	15,87 x Cj 1238 x Pal
	DESERT SANDSTONE CLASSICO BPT	Tabla 2 cm Slab 3/4"	100155570 L107500531	G-138	- -	- -	- -
	DESERT SANDSTONE CLASSICO BPT	Tabla 3 cm Slab 1 1/8"	100155571 L107500541	G-140	- -	- -	- -
	PELDAÑO ML (CANTO RECTO) STEP ML (EASED EDGE)	MLx35x3 cm MLx13 3/4"x1 1/8"	100156695 L107500561	G-070	- -	- -	- -
	TABICA ML RISER ML	MLx15x2 cm MLx5 7/8"x3/4"	100156724 L107500551	G-060	- -	- -	- -

***NOTE:** Occasionally holes may appear after installation, you can easily repaired with grout.
Placement is recommended with quick-setting cement glue Super One.

Floor Coverings: *Desert Sandstone Classico Bioprot 40x80x2 cm.*
Wall Coverings: *Desert Sandstone Classico Bioprot 40x80x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Floor Coverings: *Desert Sandstone Classico Bioprot 40x80x2 cm.*
Wall Coverings: *Bhutan Natural Bioprot 40x80x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SLATES

BHUTAN
PATAGONIA
TUKUMAN
PAMPA
NEPAL
BOMBAY
DELHI
FIDJI
KATHMANDU

Floor Coverings: *Kathmandu Pulido Bioprot 40x80x1,5 cm.*
Wall Coverings: *Kathmandu Natural Home Bioprot 40x80x1,5 cm, Wood Feel (6) 30x30x1 cm.*
Complementary products: *Trend Blanco Athenas Bioprot 68x39x13 cm, Future Blanco Athenas Bioprot 216x86x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

BHUTAN NATURAL BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BHUTAN NATURAL BPT	30x60x1,2 cm 11 3/4"x23 5/8"x3/8"	100069634 L112995111	G-142	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	23,76 x Cj 1045,44 x Pal
BHUTAN NATURAL BPT	40x80x2 cm 15 3/4"x31 1/2"x3/4"	100081435 L106200181	G-173	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	19,23 x Cj 1499,94 x Pal

***NOTE:** Slate is an exfoliative rock. This means it is made up of different layers, one on top of the other, which may eventually flake off; however, this does not affect product quality. Given the relief of slate,make sure that pieces are blemished as little as possible when grouting joints so as to make cleaning them afterwards easier and to prevent grout from getting lodged in the crevices.
This is usually found with metal incrustations that are inherent to the slate.
The thicknesses of the pieces are always approximate due to the characteristics of the stone.

Floor Coverings: *Bhutan Natural Bioprot 40x80x2 cm.*
Wall Coverings: *Bhutan Natural Bioprot 40x80x2 cm, Wood Even (1,9) 28x28x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

PATAGONIA HOME BIOprot

Board recommends Butech: ***colorstuk rapid antracita / negro***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
PATAGONIA HOME BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100000176 L112952031	G-140	4 x Cj 176 x Pal	0,72 x Cj 31,66 x Pal	26,28 x Cj 1156,32 x Pal
PATAGONIA HOME BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100007870 L116648011	G-150	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	20,95 x Cj 963,61 x Pal
PATAGONIA HOME BPT	160x60x2 cm 63"x23 5/8"x3/4"	100001538 L150301031	G-171	1 x Cj 21 x Pal	0,96 x Cj 20,19 x Pal	56,30 x Cj 1182,30 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
The thicknesses of the boards are always approximate due to the characteristics of the stone.

Wall Coverings: *Patagonia Home Bioprot 30x60x1 cm, Globe Stick Nepal 10x40x2/2,5 cm.*

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

TUKUMAN HOME BIOprot

Board recommends Butech: ***colorstuk rapid moka***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
TUKUMAN HOME BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100000177 L112952041	G-140	4 x Cj 176 x Pal	0,72 x Cj 31,66 x Pal	25,90 x Cj 1139,60 x Pal
TUKUMAN HOME BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100007871 L116648021	G-150	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	21,43 x Cj 985,96 x Pal
TUKUMAN HOME BPT	160x60x2 cm 63"x23 5/8"x3/4"	100001539 L150301041	G-171	1 x Cj 21 x Pal	0,96 x Cj 20,19 x Pal	55,89 x Cj 1173,69 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
The thicknesses of the boards are always approximate due to the characteristics of the stone.

Floor Coverings: *Tukuman Home Bioprot 30x60x1 cm.*
Wall Coverings: *Tukuman Home Bioprot 30x60x1 cm, Paradise Round Stone Negro 31,5x31,5x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors*
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

PAMPA HOME BIOprot

Board recommends Butech: ***colorstuk rapid cemento***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
PAMPA HOME BPT	30x60x1 cm 11 3/4"x23 5/8"x3/8"	100000175 L112952021	G-140	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	26,28 x Cj 1156,32 x Pal
PAMPA HOME BPT	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100007869 L116648001	G-150	2 x Cj 92 x Pal	0,72 x Cj 33,12 x Pal	20,95 x Cj 963,61 x Pal
PAMPA HOME BPT	160x60x2 cm 63"x23 5/8"x3/4"	100001537 L150301021	G-171	1 x Cj 21 x Pal	0,96 x Cj 20,19 x Pal	56,30 x Cj 1182,30 x Pal

***NOTE:** We do not recommend the use of this material in standard finishes L'ANTIC COLONIAL for external paving. Productions can be made suitable for exterior finish as special order.
The thicknesses of the boards are always approximate due to the characteristics of the stone.

Wall Coverings: *Pampa Home Bioprot 30x60x1 cm, Globe Stick Nepal 10x40x2/2,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls*
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R12**

NEPAL NATURAL BIOprot

Board recommends Butech: ***colorstuk rapid cemento***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
NEPAL NATURAL BPT	30x60x1,2-1,4 cm 11 3/4"x23 5/8"x1/2"	100069167 L112995101	G-139	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	19,71 x Cj 27,61 x Pal
NEPAL NATURAL BPT	60x90x1,4-1,8 cm 23 5/8"x35 3/8"x5/8"-3/4"	100081419 L151501511	G-153	1 x Cj 46 x Pal	0,54 x Cj 24,84 x Pal	867,24 x Cj 1269,88 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.
This slate may contain traces of metal which could rust.

Floor Coverings: *Nepal Natural Bioprot 60x90x1,5 cm.*
Wall Coverings: *Outlines Ministrip Nepal 29,9x22,7x1 cm.*
Complementary products: *Buddha Brown Stone Classico Bioprot 47øx85 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

BOMBAY NATURAL HOME BIOprot

Board recommends Butech: ***colorstuk rapid caramelo***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BOMBAY NATURAL HOME BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100065522 L108005901	G-140	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	20,25 x Cj 891 x Pal
BOMBAY NATURAL HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100078649 L106200141	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,10 x Cj 1100 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

BOMBAY PULIDO BIOprot

Board recommends Butech: ***colorstuk rapid caramelo***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BOMBAY PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100065786 L106400011	G-140	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	26,81 x Cj 1179,55 x Pal
BOMBAY PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100080210 L106200151	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,46 x Cj 1050 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.
The polished slate when used as paving, is recommended only for domestic areas of low traffic.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DELHI NATURAL HOME BIOprot

Board recommends Butech: ***colorstuk rapid cemento***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DELHI NATURAL HOME BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100065523 L108005911	G-140	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	20,25 x Cj 891 x Pal
DELHI NATURAL HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100078650 L106200131	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,10 x Cj 1100 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

DELHI PULIDO BIOprot

Board recommends Butech: ***colorstuk rapid cemento***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DELHI PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100082874 L106400021	G-147	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	28,19 x Cj 1240,45 x Pal
DELHI PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100080212 L106200161	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,10 x Cj 1100 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.
The polished slate when used as paving, is recommended only for domestic areas of low traffic.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

FIDJI NATURAL HOME BIOprot

Board recommends Butech: ***colorstuk rapid cemento / antracita***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
FIDJI NATURAL HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100099457 L107500421	G-163	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,10 x Cj 1100 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.
This slate may contain traces of metal which could rust.

Floor Coverings: *Fidji Natural Home Bioprot 40x80x1,5 cm.*
Complementary products: *Round Blanco Athenas Bioprot 42øx10 cm, Wood Nogal Warm 160x50x10 cm, Hampton Nogal Warm 160x44x40cm, Khoa Blanco Athenas Bioprot 185x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

KATHMANDU NATURAL HOME BIOprot

Board recommends Butech: ***colorstuk rapid gris***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KATHMANDU NATURAL HOME BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100090983 L107000321	G-147	3 x Cj 132 x Pal	0,54 x Cj 23,76 x Pal	21,78 x Cj 958,45 x Pal
KATHMANDU NATURAL HOME BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100086259 L107000161	G-161	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,62 x Cj 1140 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

KATHMANDU PULIDO BIOprot

Board recommends Butech: ***colorstuk rapid manhattan***

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KATHMANDU PULIDO BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100090984 L107000331	G-147	4 x Cj 176 x Pal	0,72 x Cj 31,68 x Pal	24,70 x Cj 1086,62 x Pal
KATHMANDU PULIDO BPT	40x80x1,5 cm 15 3/4"x31 1/2"x5/8"	100086260 L107000131	G-161	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,93 x Cj 1086,70 x Pal

***NOTE:** The thicknesses of the pieces are always approximate due to the characteristics of the stone.
The polished slate when used as paving, is recommended only for domestic areas of low traffic.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Floor Coverings: *Kathmandu Pulido Bioprot 40x80x1,5 cm.*
Wall Coverings: *Kathmandu Natural Home Bioprot 40x80x1,5 cm, Wood Feel (6) 30x30x1 cm.*
Complementary products: *Trend Blanco Athenas Bioprot 68x39x13 cm, Future Blanco Athenas Bioprot 216x86x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

EMOTIONS

CALGARY GROOVE
CALGARY WIND
CALGARY CHANNEL
HIGHLAND BLANCO
SANDSTONE WAVE
SANDSTONE VALLEY
SPIRIT CURVAS

Wall Coverings: *Sandstone Wave Bioprot 30x30x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS CALGARY GROOVE

No supported grouting

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS CALGARY GROOVE	30x60x3 cm 11 3/4"x23 5/8"x1 1/8"	100103985 L112995571	G-129	1 x Cj 44 x Pal	0,18 x Cj 7,92 x Pal	13,04 x Cj 573,80 x Pal
EMOTIONS CALGARY GROOVE	40x80x3 cm 15 3/4"x31 1/2"x1 1/8"	100103986 L105001061	G-137	1 x Cj 39 x Pal	0,32 x Cj 12,48 x Pal	19,23 x Cj 749,97 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS CALGARY WIND

No supported grouting

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS CALGARY WIND	30x60x2 cm 11 3/4"x23 5/8"x1 1/8"	100103987 L112995581	G-148	2 x Cj 88 x Pal	0,36 x Cj 15,84 x Pal	14,80 x Cj 651,20 x Pal
EMOTIONS CALGARY WIND	40x80x2 cm 15 3/4"x31 1/2"x1 1/8"	100103988 L105001071	G-165	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	14,10 x Cj 1100,03 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS CALGARY CHANNEL

No supported grouting

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS CALGARY CHANNEL	40x80x2 cm 15 3/4"x31 1/2"x3/4"	100113742 L105001811	G-171	1 x Cj 78 x Pal	0,32 x Cj 24,96 x Pal	13,04 x Cj 1017,20 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS HIGHLAND BLANCO

Board recommends Butech: ***colorstuk rapid manhattan***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS HIGHLAND BLANCO	15x60x1,4 cm 5 7/8"x23 5/8"x1/2"	100124710 L118994271	G-121	5 x Cj 150 x Pal	0,45 x Cj 27 x Pal	20,70 x Cj 1200,42 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS SANDSTONE WAVE

No supported grouting

Sandstone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS SANDSTONE WAVE	30x30x2 cm 11 3/4"x11 3/4"x3/4"	100081217 L107500271	G-164	5 x Cj 180 x Pal	0,45 x Cj 16,20 x Pal	18,51 x Cj 666,36 x Pal

***NOTE:** Placement is recommended with quick-setting cement glue Super One.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

EMOTIONS SANDSTONE VALLEY

No supported grouting

Sandstone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
EMOTIONS SANDSTONE VALLEY	30x30x2,3 cm 11 3/4"x11 3/4"x7/8"	100146028 L107500501	G-164	5 x Cj 180 x Pal	0,45 x Cj 16,20 x Pal	22,60 x Cj 778 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | *Slight | Moderate | *Pronounced

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

*Las **VARIACIONES** de **DESTONIFICACIÓN** será ligera en el caso del A-cero Gloss y fuerte en el caso del A-cero Dark.

SPIRIT CURVAS BIOprot

No supported grouting

Natural stone cladding. A stroke transformed into a mural where lines and the relief are the main features.



	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	SPIRIT CURVAS A-CERO DARK BPT	320x400x2-4 cm 126"x157 4/8"x3/4"-1 5/8"	100098341 L108016171	G-083	1 x Cj 1 x Pal	12,80 x Cj 12,80 x Pal	1037,73 x Cj 1037,73 x x Pal
	SPIRIT CURVAS A-CERO GLOSS BPT*	320x400x2-4 cm 126"x157 4/8"x3/4"-1 5/8"	100098343 L105000571	G-080	1 x Cj 1 x Pal	12,80 x Cj 12,80 x Pal	765 x Cj 765 x Pal

***NOTE:** Occasionally holes may appear after installation. These can easily be repaired using a tile grout. In addition, fossils may be found in the composition of this stone. These are usually circular and white. The Spirit Curvas cladding is not compatible with the A-cero Dark and A-cero Gloss bases.

Floor Coverings: *A-cero Dark Bioprot 40x80x1,5 cm.*
Wall Coverings: *Spirit Curvas A-cero Gloss.*
Complementary products: *Lavabo Spirit A-cero Gloss 145x42x12 cm, Mueble Spirit Roble Intenso 180x20x40 cm, Espejo Spirit Neboa 246,3x130,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LUXURY

NEREA
AGATA
AGORA
SAVAGE
EBONY

Floor Coverings: *AC4 Vintage 1L Berlin 24,3x217,4x0,8 cm.*
Wall Coverings: *Luxury Calgary Agata Bioprot 30x60x1,2 cm, Calgary Classico Bioprot 30x60x1,2 cm.*
Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Mueble S 3C Antracita Athenas 94x56,6x71 cm, Men{H}ir Espejo S Antracita 60x90x5 cm, Men{H}ir Bañera Crema Italia Antracita Bioprot 185x90x54 cm*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK NEREA BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK NEREA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156499 L108030071	G-551	3 x Cj 120 x Pal	0,36 x Cj 14,40 x Pal	8,80 x Cj 352 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK NEREA GOLD BIOprot

Board recommends Butech: ***colorstuk rapid negro***

Glazed Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK NEREA GOLD BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156540 L108030111	G-553	3 x Cj 120 x Pal	0,36 x Cj 14,40 x Pal	8,80 x Cj 352 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY NEREA BIOprot

Board recommends Butech: ***colorstuk rapid beige***

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY NEREA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156499 L108030071	G-551	3 x Cj 120 x Pal	0,36 x Cj 14,40 x Pal	8,80 x Cj 352 x Pal

***NOTE:** Grey and yellow grain, uneven edges and shade variations.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY NEREA GOLD BIOprot

Board recommends Butech: ***colorstuk rapid bahama***

Limestone Glazed

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY NEREA GOLD BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156302 L108030011	G-554	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK AGATA BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK AGATA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156207 L112995751	G-551	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY AGATA BIOprot

Board recommends Butech: ***colorstuk rapid beige***

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY AGATA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156300 L108030001	G-551	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

***NOTE:** Grey and yellow grain, uneven edges and shade variations.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK AGORA BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK AGORA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156208 L112995741	G-551	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY AGORA BIOprot

Board recommends Butech: ***colorstuk rapid beige***

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY AGORA BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156301 L108030021	G-552	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

***NOTE:** Grey and yellow grain, uneven edges and shade variations.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK SAVAGE BIOprot

Board recommends Butech: ***colorstuk rapid antracita***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK SAVAGE BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156209 L112995731	G-551	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY BLACK SAVAGE GOLD BIOprot

Board recommends Butech: ***colorstuk rapid negro***

Glazed Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY BLACK SAVAGE GOLD BPT	45,7x45,7x1,2 cm 18"x18"x1/2"	100156541 L108030101	G-554	2 x Cj 100 x Pal	0,21 x Cj 10,44 x Pal	6,22 x Cj 311 x Pal

***NOTE:** The use of suitable cutting tools in good condition is essential when cutting pieces to avoid damaging the decorative layer. L'Antic Colonial recommends the use of a diamond disc cutter for wet-cutting and hard materials.



Instructions for laying
Tiles should be laid alternately

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY SAVAGE BIOprot

Board recommends Butech: ***colorstuk rapid beige***

Limestone

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY SAVAGE BPT	30x60x1,2 cm 11 3/4"x23 5/8"x1/2"	100156303 L108030031	G-551	3 x Cj 120 x Pal	0,54 x Cj 21,60 x Pal	18,66 x Cj 746,40 x Pal

***NOTE:** Grey and yellow grain, uneven edges and shade variations.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

LUXURY CALGARY SAVAGE GOLD BIOprot

Board recommends Butech: ***colorstuk rapid bahama***

Limestone Glazed

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY CALGARY SAVAGE GOLD BPT	45,7x45,7x1,2 cm 18"x18"x1/2"	100156304 L108030041	G-554	2 x Cj 52 x Pal	0,42 x Cj 10,87 x Pal	12,57 x Cj 326,92 x Pal

***NOTE:** The use of suitable cutting tools in good condition is essential when cutting pieces to avoid damaging the decorative layer. L'Antic Colonial recommends the use of a diamond disc cutter for wet-cutting and hard materials.



Instructions for laying
Tiles should be laid alternately

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Wall Coverings: *Luxury Calgary Savage Gold 45,7x45,7x1,2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

LUXURY EBONY SILVER BIOprot

Board recommends Butech: ***colorstuk rapid cemento***

Glazed Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY EBONY SILVER BPT	45,7x45,7x1,2 cm 18"x18"x1/2"	100156533 L108030121	G-554	2 x Cj 100 x Pal	0,21 x Cj 10,44 x Pal	6,22 x Cj 311 x Pal

***NOTE:** The use of suitable cutting tools in good condition is essential when cutting pieces to avoid damaging the decorative layer. L'Antic Colonial recommends the use of a diamond disc cutter for wet-cutting and hard materials.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

LUXURY EBONY GOLD BIOprot

Board recommends Butech: ***colorstuk rapid beige***

Glazed Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
LUXURY EBONY GOLD BPT	45,7x45,7x1,2 cm 18"x18"x1/2"	100156543 L108030091	G-553	2 x Cj 100 x Pal	0,21 x Cj 10,44 x Pal	6,22 x Cj 311 x Pal

***NOTE:** The use of suitable cutting tools in good condition is essential when cutting pieces to avoid damaging the decorative layer. L'Antic Colonial recommends the use of a diamond disc cutter for wet-cutting and hard materials.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

GLOBE

BRICK
STICK
CASTLE
WALL

Floor Coverings: *Habana Brown Classico Bioprot 30x60x1,2 cm.*
Wall Coverings: *Globe Brick Bhutan 10x40x2-2,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

GLOBE BRICK NEPAL

10x40x1,5-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100001583 - L153201501 - G-161

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE BRICK INDIRA

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100044752 - L153201581 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · **Pronounced**

No supported grouting

GLOBE BRICK DELHI

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100057247 - L106300011 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CORNER BRICK NEPAL

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"
100032187 - L153201571 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CORNER BRICK INDIRA

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"
100044753 - L153201591 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · **Pronounced**

No supported grouting

GLOBE CORNER BRICK DELHI

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"
100060208 - L153201641 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GLOBE BRICK NEPAL	10x40x1,5-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100001583 L153201501	G-161	10 x Cj 420 x Pal	0,40 x Cj 16,80 x Pal	26,19 x Cj 1099,98 x Pal
GLOBE CORNER BRICK NEPAL	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100032187 L153201571	G-182	10 x Cj 420 x Pal	0,38 x Cj 15,96 x Pal	19,77 x Cj 830,34 x Pal
GLOBE BRICK INDIRA	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100044752 L153201581	G-157	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	18,50 x Cj 777,17 x Pal
GLOBE CORNER BRICK INDIRA	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100044753 L153201591	G-182	12 x Cj 504 x Pal	0,45 x Cj 19,15 x Pal	28,76 x Cj 1208,09 x Pal
GLOBE BRICK DELHI	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100057247 L106300011	G-157	10 x Cj 420 x Pal	0,40 x Cj 16,80 x Pal	18,63 x Cj 782,46 x Pal
GLOBE CORNER BRICK DELHI	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100060208 L153201641	G-182	10 x Cj 420 x Pal	0,38 x Cj 15,96 x Pal	24,43 x Cj 1026,06 x Pal

***NOTE:** This slate may contain traces of metal which could rust.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

GLOBE BRICK BLANCO ALMERIA

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100031998 - L153201541 - G-190

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE BRICK BHUTAN

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100001585 - L153201521 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE BRICK BOMBAY

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100057262 - L106300021 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CORNER BRICK BLANCO ALMERIA

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"

100032128 - L153201531 - G-191

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CORNER BRICK BHUTAN

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"

100032184 - L153201551 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE CORNER BRICK BOMBAY

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"

100060209 - L153201651 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GLOBE BRICK BLANCO ALMERIA	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100031998 L153201541	G-190	10 x Cj 420 x Pal	0,40 x Cj 16,80 x Pal	17,85 x Cj 749,70 x Pal
GLOBE CORNER BRICK BCO. ALMERIA	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100032128 L153201531	G-191	10 x Cj 420 x Pal	0,38 x Cj 15,96 x Pal	17,18 x Cj 721,56 x Pal
GLOBE BRICK BHUTAN	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100001585 L153201521	G-157	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	21,37 x Cj 897,62 x Pal
GLOBE CORNER BRICK BHUTAN	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100032184 L153201551	G-182	12 x Cj 504 x Pal	0,45 x Cj 19,15 x Pal	18,02 x Cj 757,01 x Pal
GLOBE BRICK BOMBAY	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100057262 L106300021	G-157	10 x Cj 420 x Pal	0,40 x Cj 16,80 x Pal	16,60 x Cj 697,20 x Pal
GLOBE CORNER BRICK BOMBAY	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100060209 L153201651	G-182	10 x Cj 420 x Pal	0,38 x Cj 15,96 x Pal	24,43 x Cj 1026,06 x Pal

***NOTE:** This slate may contain traces of metal which could rust.

No supported grouting

GLOBE BRICK LHASA

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100001584 - L153201511 - G-161

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

No supported grouting

GLOBE STICK NEPAL

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100001565 - L151701001 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

No supported grouting

GLOBE STICK BHUTAN

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100001566 - L151701021 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

No supported grouting

GLOBE CORNER BRICK LHASA

10x38x2-2,5cm - 3 7/8"x15"x3/4"-1"
100032196 - L153201561 - G-182

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

No supported grouting

GLOBE CORNER STICK NEPAL

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100032191 - L153201601 - G-191

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

No supported grouting

GLOBE CORNER STICK BHUTAN

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"
100032195 - L153201621 - G-191

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GLOBE BRICK LHASA	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100001584 L153201511	G-161	10 x Cj 420 x Pal	0,40 x Cj 16,80 x Pal	24,32 x Cj 1021,44 x Pal
GLOBE CORNER BRICK LHASA	10x38x2-2,5 cm 3 7/8"x15x3/4"-1"	100032196 L153201561	G-182	10 x Cj 420 x Pal	0,38 x Cj 15,96 x Pal	19,77 x Cj 830,34 x Pal
GLOBE STICK NEPAL	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100001565 L151701001	G-157	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	20,38 x Cj 856,29 x Pal
GLOBE CORNER STICK NEPAL	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100032191 L153201601	G-191	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	21,21 x Cj 891,07 x Pal
GLOBE STICK BHUTAN	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100001566 L151701021	G-157	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	20,38 x Cj 856,29 x Pal
GLOBE CORNER STICK BHUTAN	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100032195 L153201621	G-191	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	21,21 x Cj 891,07 x Pal

***NOTE:** This slate may contain traces of metal which could rust.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

GLOBE STICK MIX NEPAL BHUTAN

10x40x1,2-2,5cm - 3 7/8"x15 3/4"x1/2"-1"

100099458 - L106300241 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE STICK MIX NEPAL SHANNAN

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100057245 - L106300001 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CASTLE BURMA

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100086086 - L106300111 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE CORNER STICK MIX NEPAL BHUTAN

10x40x1,2-2,5cm - 3 7/8"x15 3/4"x1/2"-1"

100114595 - L108020671 - G-183

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE CORNER STICK MIX NEPAL SHANNAN

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100060207 - L153201631 - G-191

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE CASTLE CREAM

10x40x2-2,5cm - 3 7/8"x15 3/4"x3/4"-1"

100086087 - L106300121 - G-158

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GLOBE STICK MIX NEPAL BHUTAN	10x40x1,2-2,5 cm 3 7/8"x15 3/4x1/2"-1"	100099458 L106300241	G-157	8 x Cj 640 x Pal	0,32 x Cj 25,60 x Pal	11,92 x Cj 953,60 x Pal
GLOBE CORNER STICK MIX NEPAL BHUTAN	10x40x1,2-2,5 cm 3 7/8"x15 3/4x1/2"-1"	100114595 L108020671	G-183	8 x Cj 640 x Pal	0,32 x Cj 25,60 x Pal	14,14 x Cj 1131,52 x Pal
GLOBE CORNER STICK MIX NEPAL/SHAN.	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100060207 L153201631	G-191	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	20,18 x Cj 847,73 x Pal
GLOBE STICK MIX NEPAL/SHANNAN	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100057245 L106300001	G-157	12 x Cj 504 x Pal	0,48 x Cj 20,16 x Pal	21,42 x Cj 899,64 x Pal
GLOBE CASTLE BURMA	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100086086 L106300111	G-158	10 x Cj 360 x Pal	0,40 x Cj 14,40 x Pal	21 x Cj 756 x Pal
GLOBE CASTLE CREAM	10x40x2-2,5 cm 3 7/8"x15 3/4x3/4"-1"	100086087 L106300121	G-158	10 x Cj 360 x Pal	0,40 x Cj 14,40 x Pal	22 x Cj 792 x Pal

***NOTE:** This slate may contain traces of metal which could rust.

No supported grouting

GLOBE CASTLE CREAM AGED

10x40x2-3cm - 3 7/8"x15 3/4"x3/4"-1 1/8"
100099453 - L106300231 - G-157

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE WALL NEPAL

15x54,8x1,2-3,5cm - 5 7/8"x21 5/8" x1/2"-1 3/8"
100086108 - L119165211 - G-144

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · Moderate · **Pronounced**

No supported grouting

GLOBE WALL BHUTAN

15x54,8x1,2-2,5cm - 5 7/8"x21 5/8"x1/2"-1"
100086107 - L119165231 - G-144

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls*	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GLOBE CASTLE CREAM AGED	10x40x2-3 cm 3 7/8"x15 3/4x3/4"-1 1/8"	100099453 L106300231	G-157	10 x Cj 360 x Pal	0,40 x Cj 14,40 x Pal	22,98 x Cj 827,28 x Pal
GLOBE WALL NEPAL	15x54,8x1,2-3,5 cm 5 7/8"x21 5/8" 1/2"-1 3/8"	100086108 L119165211	G-144	6 x Cj 180 x Pal	0,49 x Cj 14,80 x Pal	20,68 x Cj 620,46 x Pal
GLOBE WALL BHUTAN	15x54,8x1,2-2,5 cm 5 7/8"x21 5/8"x1/2"-1"	100086107 L119165231	G-144	6 x Cj 180 x Pal	0,49 x Cj 14,80 x Pal	23,34 x Cj 700,20 x Pal

***NOTE:** This slate may contain traces of metal which could rust.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

GLOBE WALL SHANNAN

15x54,8x1,2-2,5cm - 5 7/8"x21 5/8"x1/2"-1"
100086109 - L119165221 - G-144

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

No supported grouting

GLOBE WALL BURMA

15x54,8x1,2-2,5cm - 5 7/8"x21 5/8"x1/2"-1"
100099459 - L107000621 - G-147

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · **Slight** · Moderate · Fuerte

No supported grouting

GLOBE WALL WHITE

15x54,8x1,2-2,5cm - 5 7/8"x21 5/8"x1/2"-1"
100096194 - L108014841 - G-155

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Bajo Transito	Medium Traffic	High Traffic

VARIATIONS IN SHADE

Uniform · Slight · **Moderate** · Fuerte

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
Globe Wall Shannan	15x54,8x1,2-2,5 cm 21 5/8"x5 7/8"x1/2"-1"	100086109 L119165221	G-144	6 x Cj 180 x Pal	0,49 x Cj 14,80 x Pal	25,02 x Cj 750,60 x Pal
Globe Wall Burma	15x54,8x1,2-2,5 cm 21 5/8"x5 7/8"x1/2"-1"	100099459 L107000621	G-147	7 x Cj 210 x Pal	0,58 x Cj 17,26 x Pal	27,53 x Cj 825,93 x Pal
Globe Wall White	15x54,8x1,2-2,5 cm 21 5/8"x5 7/8"x1/2"/1"	100096194 L108014841	G-155	6 x Cj 180 x Pal	0,49 x Cj 20,16 x Pal	28,75 x Cj 862,50 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

HERITAGE

BLANCO CALACATTA
STATUARIO ALTISSIMO
CAIRO
NUBIA
PORT MONACO
PORT CANNES
PARAIBA
ONIX IGUAZU
ONIX ETNIA
ONIX BOTAFOGO
GIALLO CONTE
ONIX LAGOA
ONIX IPANEMA
ONIX LAVA
ONIX ROSATO

Synonymous with **EXCLUSIVITY** in the world of interior design and high decoration. His treatment 100% **HANDMADE** from choosing to placement conveys a **PERSONAL** touch to projects hard to forget and, above all, **IMITAR**. Gracias to modern techniques of locating deposits, mining, transport, handling and processing are achieved sophisticated blocks and slabs of considerable size to work semi-precious stone not only in **JEWELRY** but also in the world of interior decorating **HIGH-END**, giving us all their properties, characteristics, mannerisms, quirks and nuances to create unique and sensory unrepeatable. No standardized measure therefore all start from a block work increasingly **DISTINCT** and different **POSSIBILITIES**. Some blocks may have made simulating continuous veining.

Wall Coverings: *Port Cannes.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

BLANCO CALACATTA PULIDO

Bevel

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BLANCO CALACATTA PULIDO	Tabla 2 cm Slab 3/4"	100156918 L108030431	G-820	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **10**

BLANCO CALACATTA HOME

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
BLANCO CALACATTA HOME	Tabla 1,2 cm Slab 1/2"	100146090 L108026481	G-827	- -	- -	- -
BLANCO CALACATTA HOME	Tabla 2 cm Slab 3/4"	100146091 L108026471	G-823	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

STATUARIO ALTISSIMO PULIDO

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
STATUARIO ALTISSIMO PULIDO	Tabla 1,2 cm Slab 1/2"	100146098 L108026391	G-828	- -	- -	- -
STATUARIO ALTISSIMO PULIDO	Tabla 2 cm Slab 3/4"	100146099 L108026401	G-826	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

CAIRO PULIDO

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
CAIRO PULIDO	Tabla 1,2 cm Slab 1/2"	100146094 L108026441	G-817	- -	- -	- -
CAIRO PULIDO	Tabla 2 cm Slab 3/4"	100146095 L108026431	G-816	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R9**

NUBIA PULIDO

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
NUBIA PULIDO PULIDO	Tabla 1,2 cm Slab 1/2"	100146096 L108026421	G-819	- -	- -	- -
NUBIA PULIDO PULIDO	Tabla 2 cm Slab 3/4"	100146097 L108026411	G-816	- -	- -	- -

***NOTE:** Polished materials with continuous exposure to sunlight may tarnish.
The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **AFRICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

PORT MONACO

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
PORT MONACO	Tabla 2 cm Slab 3/4"	100157004 L108030441	G-822	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

PORT CANNES

Board recommends Butech: ***colorstuk rapid gris***

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
PORT CANNES	Tabla 2 cm Slab 3/4"	100157003 L108030451	G-820	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.



ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

PARAIBA

Board recommends Butech: ***colorstuk rapid gris***

Granite

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
PARAIBA	Tabla 2 cm Slab 3/4"	100157068 L108030551	G-850	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

ONIX IGUAZU

Board recommends Butech: ***colorstuk rapid gris***

Granite

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX IGUAZU	Tabla 2 cm Slab 3/4"	100157065 L108030541	G-850	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

ONIX ETNIA

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX ETNIA	Tabla 2 cm Slab 3/4"	100157064 L108030571	G-843	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | **Moderate** | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

ONIX BOTAFOGO

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX BOTAFOGO	Tabla 2 cm Slab 3/4"	100157000 L108030421	G-843	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | **Slight** | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

GIALLO CONTE

No supported grouting

Marble

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
GIALLO CONTE	Tabla 2 cm Slab 3/4"	100156919 L108030461	G-825	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

ONIX LAGOA

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX LAGOA	Tabla 2 cm Slab 3/4"	100157001 L108030471	G-840	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **AMERICA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **NA**

ONIX IPANEMA

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX IPANEMA	Tabla 2 cm Slab 3/4"	100157066 L108030531	G-843	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

ONIX LAVA

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX LAVA	Tabla 2 cm Slab 3/4"	100157067 L108030561	G-830	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

ORIGIN: **ASIA**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors | Outdoor Floors
Indoor Walls | Outdoor Walls
Shower Walls | Shower Floors
Worktops | Swimming-Pool Surrounds
Light Traffic | Medium Traffic
High Traffic | Ramp Test Rating (DIN 51130): **NA**

ONIX ROSATO

No supported grouting

Onix

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
ONIX ROSATO	Tabla 2 cm Slab 3/4"	100157002 L108030481	G-850	- -	- -	- -

***NOTE:** The price groups are an estimation of the amount per MT2 of the panel.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

DQS
design quartz stone

BLACK
WHITE
BLUE
RED
GREY

Wall Coverings: *DQS White 60x60x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DQS BLACK

Bevel

Board recommends Butech: ***colorstuk 0-4 negro + cl-stuk***

Mixture of natural quartz glass and resin bonded, which allows a material that is very resistant to scratching and acids. Likewise it has a low absorption coefficient in liquid and high stain resistance.

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DQS BLACK	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100096053 L107000471	G-182	3 x Cj 96 x Pal	1,08 x Cj 34,56 x Pal	27,56 x Cj 881,95 x Pal

***NOTE:** Material sensitive to changes in temperature and sunlight.
These should be laid using the two-component adhesive, SUPER-ONE, and the additive, UNILAX.
In the event of prolonged exposure to direct sunlight, POLITECH should be used.
Suitable for water heating systems.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DQS WHITE

Bevel

Board recommends Butech: ***colorstuk 0-4 blanco + cl-stuk***

Mixture of natural quartz glass and resin bonded, which allows a material that is very resistant to scratching and acids. Likewise it has a low absorption coefficient in liquid and high stain resistance.

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DQS WHITE	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100096059 L107000531	G-182	3 x Cj 96 x Pal	1,08 x Cj 34,56 x Pal	27,56 x Cj 881,95 x Pal

***NOTE:** Material sensitive to changes in temperature and sunlight.
These should be laid using the two-component adhesive, SUPER-ONE, and the additive, UNILAX.
In the event of prolonged exposure to direct sunlight, POLITECH should be used.
Suitable for water heating systems.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DQS BLUE

Bevel

Board recommends Butech: ***colorstuk 0-4 cemento + cl-stuk***

Mixture of natural quartz glass and resin bonded, which allows a material that is very resistant to scratching and acids. Likewise it has a low absorption coefficient in liquid and high stain resistance.

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DQS BLUE	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100096054 L107000481	G-182	3 x Cj 96 x Pal	1,08 x Cj 34,56 x Pal	27,56 x Cj 881,95 x Pal

***NOTE:** Material sensitive to changes in temperature and sunlight.
These should be laid using the two-component adhesive, SUPER-ONE, and the additive, UNILAX.
In the event of prolonged exposure to direct sunlight, POLITECH should be used.
Suitable for water heating systems.

ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DQS RED

Bevel

Board recommends Butech: ***colorstuk 0-4 cemento + cl-stuk***

Mixture of natural quartz glass and resin bonded, which allows a material that is very resistant to scratching and acids. Likewise it has a low absorption coefficient in liquid and high stain resistance.

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DQS RED	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100096058 L107000521	G-182	3 x Cj 96 x Pal	1,08 x Cj 34,56 x Pal	27,56 x Cj 881,95 x Pal

***NOTE:** Material sensitive to changes in temperature and sunlight.
These should be laid using the two-component adhesive, SUPER-ONE, and the additive, UNILAX.
In the event of prolonged exposure to direct sunlight, POLITECH should be used.
Suitable for water heating systems.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



ORIGIN: **EUROPE**

VARIATIONS IN SHADE

Uniform | Slight | Moderate | Fuerte

USE RECOMMENDATIONS BY PRODUCT

Indoor Floors	Outdoor Floors
Indoor Walls	Outdoor Walls
Shower Walls	Shower Floors
Worktops	Swimming-Pool Surrounds
Light Traffic	Medium Traffic
High Traffic	Ramp Test Rating (DIN 51130): **R10**

DQS GREY

Bevel

Board recommends Butech: ***colorstuk 0-4 cemento + cl-stuk***

Mixture of natural quartz glass and resin bonded, which allows a material that is very resistant to scratching and acids. Likewise it has a low absorption coefficient in liquid and high stain resistance.

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
DQS GREY	60x60x1 cm 23 5/8"x23 5/8"x3/8"	100096055 L107000491	G-182	3 x Cj 96 x Pal	1,08 x Cj 34,56 x Pal	27,56 x Cj 881,95 x Pal

***NOTE:** Material sensitive to changes in temperature and sunlight.
These should be laid using the two-component adhesive, SUPER-ONE, and the additive, UNILAX.
In the event of prolonged exposure to direct sunlight, POLITECH should be used.
Suitable for water heating systems.

Floor Coverings: *DQS Grey 60x60x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Floor Coverings: *DQS Grey 60x60x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Concentrated neutral detergent ideal for washing after laying the natural stone paving.

FILA CLEANER 1L

100093624 - L180300233 - G-920

Dilution 1:200
One litre covers 1500 m2/L

Descaler for removing grout residue and building-site dirt.

FILA DETERDEK 1L

100086918 - L180300226 - G-920

Dilution 1:5 - 1:10
One litre covers 20-35 m2/L

Cleaner, stain remover and wax stripper ideal for basic cleaning of acid-sensitive stone paving.

FILA PS87 1L

100097854 - L180300237 - G-930

Dilution 1:20
One litre covers 200 m2/L

Wax with matt finish for paving that makes cleaning and standard maintenance easier.

FILA MATT 1L

100086923 - L180300230 - G-930

Use without diluting
One litre covers 20 m2/L

Glossy-look self-polishing wax for paving that makes cleaning and standard maintenance easier.

FILA LONGLIFE 1L

100086922 - L180300229 - G-930

Use without diluting
One litre covers 30-40 m2/L

Water-based water-repellent protection that prevents efflorescence, ageing and decomposition of the product.

FILA HP98 1L

100086919 - L180300227 - G-930

Use without diluting
One litre covers 10-20 m2/L

Stain protection that does not alter original tone, texture or colour of the product.

FILA FOB 1L

100086920 - L180300231 - G-940

Use without diluting
One litre covers 10-20 m2/L

Anti-ageing water-repellent protection for interior and exterior surfaces.

FILA HYDROREP 1L

100095177 - L180001173 - G-940

Use without diluting
One litre covers 10-20 m2/L

Colour-enhancing protection for all types of polished, honed, rough and tumbled natural stone.

FILA STONE PLUS 1L

100086921 - L180300228 - G-933

Use without diluting
One litre covers 15-50 m2/L

Pleasant wet-look glossy protection.

FILA WET 1L

100098018 - L180300238 - G-930

Use without diluting
One litre covers 10-20 m2/L

Maintenance kit for the restoration of small marble, travertine and limestone surfaces.

HIGH-END BATHS MAINTENANCE KIT

100143706 - L179702365 - G-535

Use without diluting

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TECHNICAL FEATURES

	RESISTANCE TO ABRASION NORMA UNE-EN 14157:2005 (mm)	DETERMINATION OF THE FLEXURAL STRENGTH NORMA UNE-EN 12371:2007 (MPa)	DETERMINATION OF THE FROST RESISTANCE NORMA UNE-EN 12371: 2002 (MPa)	DETERMINATION OF THE UNPOLISHED SLIP RESISTANCE VALUE NORMA UNE-EN 1341: 2002 (USRV)
MARBLES	< 25.0	> 7.0	> 5.0	> 10
TRAVERTINE	< 25.0	> 7.0	> 5.0	> 10
GRANITES	< 17.5	> 8.0	> 7.5	> 55
LIMESTONES	< 25.0	> 7.0	> 5.0	> 15
SLATES	< 39.0	> 21.0	> 7.0	> 25
QUARTZITES	< 29.0	> 16.5	> 10.5	> 45

*The technical specification of all the materials are available on request.

Wall Coverings: *Emotions Highland Blanco 15x60x1,4 cm.*







RECOMMENDATIONS FOR LAYING, PROTECTING AND SEALING THE JOINTS OF NATURAL STONE.

1. INSTALLATION SUBSTRATE.
The "thin layer" installation method is recommended. Therefore the installation substrate should be dimensionally stable and non-deformable, with any possible contractions due to drying having taken place. The entire surface and thickness of the substrate should be compact. It should be completely free of dust, grease or any other substance that may hinder adhesion. Use a 2-metre rule to check that planarity is not off by more than 2 mm.

2. INSTALLATION.
We recommend the adhesive ONE-FLEX. Its ease of use, excellent adjustability, zero vertical slippage and thixotropic properties give it outstanding performance. Suitable for use both indoors and out. Due to its excellent flexibility and adherence, it can be used with a variety of substrates, such as existing ceramic tiles, floors with built-in heating and outdoor terraces. ONE-FLEX is mixed with water in a proportion of 38 %. The size of the notched trowel used to apply the product will depend on the sizes of the pieces being installed. It is important not to lay tiles so that they are touching one another.They are manufactured in a totally artisanal fashion and the sizes of each tile may vary slightly. Suitable joints should be left between the tiles, proportional to the size of the piece. It is extremely important that floors are given expansion joints. These shall not protect an exterior surface area of more than 16 m2. Perimeter expansion joints of 8 to 10 mm should also be left in the different rooms.

3. GROUTING OF INSTALLATION JOINTS.
This process should be carried out 24 hours after the protector has been applied. We recommend the use of the COLORSTUK 2-12 range, as its grain size distribution is in accord with joint size. Mix the product with water until a creamy clot-free paste has been obtained. Use a hard rubber trowel to apply the product, repeatedly passing it over the joints in a diagonal direction. Pick up any excess product with the trowel. The surface should be cleaned with a fine, hard sponge once the grout has begun to harden.

4. PROTECTION OF NATURAL STONE.
All natural stone from L'Antic Colonial is supplied protected (except Multiformats and Nepal Gold). For this purpose, we use ahigh quality water-oil repellent sealer that protects the stone from moisture, saltpetre and other household stains, while also enhancing the natural colour of the stone. Please note however that the properties of the tile may vary slightly following the application of the protection due to differences in porosity and texture, inherent to the stone.
The natural stone supplied protected from the factory is ready for installation. In normal conditions, a further application of any other sealer is not necessary. Nevertheless, an additional application of FILA FOB or FILA STONE PLUS on a pre-protected stone surface is also possible to deepen the tone, protect the joints or for any special circumstances, as required. These are applied as follows:
After checking that the stone is thoroughly clean and dry, proceed to apply the protector that best suits our needs. Both protectors should be applied undiluted, using a fine foam roller, in two criss-crossed coats directly on the pieces. The product should only be applied once. If the protection is applied to flooring, avoid walking on the floor until the protector has had time to dry completely.
All these products protect the marble from moisture stains, saltpetre and other household stains. Depending on the desired finish, apply one of the following products:
-FILA FOB: Natural Effect.
-FILA STONE PLUS: Intense lustre effect.

5. CARE.
INDOORS: Clean regularly with water and a neutral soap. Depending on the volume of usage, we recommend you protect the floor again, after a thorough clean, should you observe that the protection is wearing away. To clean it , we recommend FilaCleaner. OUTDOORS: If the surface is very exposed to the weather, we recommend washing it once a year with a slightly acid solution of FilaCleaner to remove any lime scale that has built up due to the weather conditions. Stone tiles used in outdoor environments tend to change in appearance over the course of time. Traffic, rain, sunlight, etc. all affect the stone's surface, enhancing it in a natural and exclusive manner. To improve the resistance of exterior stone tiling to staining, we recommend the application of one coat of FILAFOB or FILASTONE PLUS every two or three years after first washing the surface with FILACLEANER.

Natural stone is particularly susceptible to variations in shade and thickness; a fact that customers should be made aware of.

L'Antic Colonial offers 4 different natural stone finishes:

Antiqued
Pieces are naturally aged in order to achieve a warm traditional look that fills homes with a classical and personal touch. The variety of colours and formats available can be used to create highly creative layouts.

Reminders:
1. The surfaces of marble and antiqued stone are usually pitted with holes that need to be filled with tile grout.
2. It should be noted that antiqued travertines are not suitable for use as worktops.
3. Larger formats (30 x 30 and above) must be handled with care.

Classic
A soft satiny finish is achieved by brushing the stone surface. In the case of travertines, surface pores are filled with cement beforehand. The classic finish combines all of the ingredients necessary to make it the perfect choice for both highly traditional and cutting-edge settings.

Reminders:
1. Travertine with a classic finish is only recommended for residential use in interiors.
2. Holes may occasionally appear after installation that are easily repaired by filling them in with grout.

Polished
Polished stone is characterised by a high lustre achieved with mechanical processes, making it ideally suited for a host of different decorative applications. It infuses settings with personality and radiance.

Reminders:
1. Delhi, Bombay and Bangalore slate with a polished finish are products with a high degree of bending strength but which may become scratched if they are exposed to heavy traffic. This is an inherent characteristic of the product that should be taken into account, only recommending this product for residential areas with little traffic. Nevertheless, if scratches do appear, they can be lessened by applying a protective treatment for natural stone.
2. Polished Travertine is only recommended for residential use in interiors.
3. Holes may occasionally appear after installation that are easily repaired by filling them in with grout.

Natural Relief
The fascination produced by genuine slate and quartzite increases once it is known that these are natural products suited to any setting. In this same spirit, L'Antic Colonial has maintained this natural relief on some of its slates and quartzite's, while calibrating the underside of pieces to facilitate installation

Reminders:
1. Slate is an exfoliative rock. This means it is made up of different layers, one on top of the other, which may eventually flake off; however, this does not affect product quality.
2. Given the relief of slate,make sure that pieces are blemished as little as possible when grouting joints so as to make cleaning them afterwards easier and to prevent grout from getting lodged in the crevices.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

INSTALLATION - CLEANING - MAINTENANCE

STORING DQS

Avoid exposure of tiles to direct sunlight. Do not leave material unprotected IN THE OPEN AIR, prior to installation. Tiles mounted on triangular frames or packed in wooden boxes should be stored indoors wherever possible.

INSTRUCTIONS FOR LAYING

Preparation of the screed

Substrates (screeds) should be thoroughly dry (residual moisture must not exceed 2.5 %), stable, solid, compression-resistant, correctly levelled and free from dust, grease, wax, paints, stripping agents or any other element that may hinder adhesion.
Screed maturity is calculated at between 6 and 8 days per cm thickness, unless quick drying cements are used. Any cement substrate, tiles or marble already in existence should be solid and crack-free, firmly attached to the base, able to resist predicted loads and completed with suitable structural joints.

How and when to lay the tiles

Ambient temperature should be between +5° and +30° C; the residual humidity of the substrate (screed) must not be above 2.5 %; the difference in the level of the substrate must not be greater than 3 mm/l per m. Wet or dry cutting with diamond discs should be used to cut tiles. We recommend that larger tiles are laid using a suction cup. To ensure that all of the tile surface is in contact with the substrate, gently tap the tiles with a rubber mallet to prevent the formation of air bubbles and hollow spaces. To ensure the correct laying and alignment of the tiles,insert nylon spacers between the tiles to keep the joints open.

Recommended adhesives

When installing DQS, the traditional method using sand and cement (mortar) must be avoided at all costs. Instead, we recommend the use of two-component fast drying adhesives, consisting of: component A (sack of cement) and component B (tin of latex), especially designed for use with DQS, and which react well to thermal stress and strain. These should be C2FTE type class S2 (EN12004, EN: 12002).
L'Antic Colonial recommends the use of SUPER ONE+ UNILAX by Butech.
The above recommendation is also valid for use with floors laid over radiant floor heating systems or in very hot climates where the material is subject to significant expansion.
An R2T (EN:12004) adhesive should be used with flooring that will be exposed to direct sunlight .
L' Antic Colonial recommends the use of Politech by Butech.
DQS tiles are supplied finished and ready for laying.
They have been calibrated, ground, polished and bevelled.
DQS tiles absorb the minimum of water as they are manufactured using high pressure vacuum industrial processes. The result is a high level of compacting, compounded by the low percentage of structural polyester resin subject to catalysis while hot. As a result of the compacting and the minimum levels of water absorption, these tiles cannot be laid using the traditional cement and sand (mortar) system, which requires the use of large quantities of water.
If the water cannot escape through the screed or the joints, the DQS tiles may become totally misshapen.
When laying flooring or cladding INDOORS, we recommend the use of two-component adhesives.
For special uses or on certain screeds, we recommend a high performance adhesive (two-component polyurethane adhesive). This permits the adhesion to PVC, metal,wood, etc., especially in moist locations, with the use of large formats and in environments with large swings in temperature (and the resultant risk of expansion), and in zones exposed to sunlight. The adhesive is prepared by pouring hardener B into the mixture and then stirring with a mechanical mixer to obtain a completely uniform paste.

The use of DQS OUTDOORS is not recommended, except in certain specific cases: cladding of well-ventilated walls that use a suitable mechanical anchorage system.

Use of adhesives

The correct use of an adhesive guarantees that the DQS adheres well. We recommend the adhesive is applied with a notched trowel, ensuring that the quantity spread over the substrate (screed) covers at least 80 % of the DQS tiles. To lay larger formats, (60 x 60 cm and larger) and in zones with heavy traffic (hospitals, shopping centres, etc.), we recommend the double gluing system, (adhesive also applied on the reverse of the tile) to ensure that 100 % of the surface is impregnated with the adhesive. Once the tiles have been laid, we recommend placing a weight of approximately 18-20 kg on the 4 corners of the tiles for a few hours, until the adhesive has hardened. This will prevent the corners from curling.
Always follow the instructions and the recommended doses.
The size of the notched trowel will depend on the size of the tiles and the condition of the substrate (screed). We recommend you apply a small amount of adhesive each time, making sure that the tiles are laid within the adhesive laying time.

Grouting the joints

Tiles must never be laid without joints. The width of the joints depends on the size of the tiles in accordance with European legislation.
(Minimum values of 3 to 5 mm):
1 cm wide perimeter joints should be left around walls and around the perimeter of tiled areas. 0.5 cm wide expansion joints should be inserted every 40 m2 or every 8 linear metres. DQS has a thermal expansion of between 1.5 and 2 mm per lineal metre for a temperature difference of 40º C. As a result, tile joints of at least 3 mm should be left between tiles.
The joints should be grouted with a high performance mortar ready for use in the required colour. For example, COLORSTUK grouting cement by Butech, adding CL-stuk latex additive to the mix so that any expansion movement by the tiles is absorbed.

Expansion joints

The expansion joints should be cut once the floor has been laid, dividing the flooring into squares measuring 4x4 metres. Joints should be wide enough to be filled with a monocomponent silicone sealant around the perimeter and where they meet walls, columns, steps, etc.

Structural joints

Structural joints must be respected, and should be clearly visible in the screed and specified in the project; in new buildings they should be placed in areas where the ground has settled and "natural" openings have appeared over the years.

Installation in zones subject to direct sunlight

In zones subject to significant exposure to direct sunlight (e.g. by windows, in direct light) the windows should be made using total UV protection glass, and the tiles/panels laid using a fast-drying two-component polyurethane adhesive which offers improved elasticity. In this situation, recomposed quartz is subject to demanding conditions and significant strain.
DQS is not recommended for use OUTDOORS.

INSTRUCTIONS FOR CLEANING AND CARE OF DQS

REGULAR CARE

Required products:
FILACLEANER (a neutral detergent), DETERDEK (a slightly acid detergent).
- FILACLEANER
  Solution: 30 g of product to 5 l water.
  Coverage: From 25 to 35 m2 (using the recommended proportions).
- DETERDEK (do not use with materials containing mother of pearl).
  Solution: 1 part product to 2 parts water (1 l per 2 l water).
  Coverage: From 70 to 100 m2 (using the recommended ratio).

INSTRUCTIONS FOR CLEANING

Clean the surface with our neutral detergent FILACLEANER or the slightly acid detergent DETERDEK, diluted in the recommended proportions. Rinse well after washing.

NOTE FOR MATERIALS THAT ARE HARDER TO CLEAN

From time to time, clear-coloured flooring may need to be cleaned with undiluted DETERDEK; always rinsing the floor well afterwards. Do not use DETERDEK on surfaces containing mother of pearl.

TROUBLESHOOTING

A cloudy surface when seen with the light behind you. The floor stains easily. In most cases, this is because unsuitable cleaning products have been used. These leave a thin surface film behind that makes it easier for dirt to build up.
Product required: DETERDEK (slightly acid detergent)
Solution: undiluted
Coverage: From 20 to 30 m2/l
Recommended cleaning tools: adjustable mop stick + soft white mop.

INSTRUCTIONS FOR CLEANING
- Spread a thin,uniform coat of DETERDEK across the floor and leave for 15 to 30 minutes, rubbing the floor surface from time to time.
- Then rinse well with clean water. Repeat the process if necessary. Never use DETERDEK on surfaces containing mother of pearl.

IMPORTANT NOTE

There are many products on the market for first-time cleaning and the regular care of floors, but they are not all suitable. Avoid acid or alkaline cleaning products, ones containing wax, solvents, ammonia, sodium hypochlorite, Marseille soap or silicon-based products (normally called polysiloxane on the product label). If, as a result of heavy traffic, the colour of the flooring turns grey (in the case of pale-coloured flooring), we recommend you alternate your normal cleaning product with FILACLEANER, a detergent with a neutral pH, and DETERDEK, in the recommended solutions,and rinse well afterwards. By alternating with DETERDEK and FILACLEANER, you will be able to keep your floor absolutely clean. Remember that DETERDEK.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Washbasin

Shower Trays

Bathroom Units

Design Series

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Bathtubs

Worktops

BATHROOMS

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

L'Antic Colonial has a technical team that specializes in making made-to-measure complementary items to meet specific project requirements.

**Special countertops do not include brackets.*

Download form

L'ANTIC COLONIAL
Inspiring spaces. Inspired by nature

PORCELANOSA

Crta. Nacional 340, Km. 54. 12540 Vila-real
tel: (+34) 964 534 545
fax: (+34) 964 534 258
www.anticcolonial.com
anticcolonial@anticcolonial.com

Plano | Plan | Plan | Pianta | Plano | Plan | План

Fecha | Date | Date | Data | Data | Datum | Дата

Delegacion-Distribuidor | Branch-Distributor | Délégation-Distributeur | Filiale-Distributore | Delegação-Distribuidor | Niederlassung-Vertriebshändler

- ☐ Encimera | Vanity top | Tablette | Top | Bancada | Abdeckplatte | Столешница
- ☐ Lavabo | Washbasin | Lavabo | Lavabo | Lavatório | Waschtisch | Умывальная раковина
- ☐ Plato de Ducha | Shower tray | Receveur de douche | Piatto doccia | Prato de Duche | Duschbecken | Поддон для душа
- ☐ Peldaño | Step | Marche | Gradino | Degrau | Stufe | Ступенька
- ☐ Otros | Others | Autres | Altri | Outros | Andere | Прочее

Material | Material | Matériau | Materiale | Material | Material | Материал

Acabado | Finish | Finition | Finitura | Acabamento | Ausführung | Отделка

- ☐ Pulido | Polished | Polie | Lucidato | Polido | Poliert | Полировка
- ☐ Apomazado | Honed | Poncée | Impomiciato | Alisado | Feingeschliffen | Пемзование
- ☐ Cepillado | Brushed | Brossée | Spazzolato | Escovado | Gebürstet | Обработка щеткой
- ☐ Natural | Natural | Naturelle | Naturale | Natural | Natur | Натуральная
- ☐ Otros | Others | Autres | Altri | Outros | Andere | Прочее

Tipo de canto | Edge type | Type de bord | Tipo di spigolo | Tipo de canto | Art der Kanten | Тип края

- ☐ Matado | Blunted | Adouci | Smussato | Suavizado | Abgestumpft | Сглаженный
- ☐ Redondeado | Rounded | Arrondi | Arrotondato | Arredondado | Abgerundet | Закругленный
- ☐ 1/2 Redondeado | 1/2 Rounded | 1/2 Arrondi | 1/2 Arrotondato | 1/2 Arredondado | ½ abgerundet | ½ Закругленный

Lavabo | Towel rail | Lavabo | Lavabo | Lavatório | Waschtisch | Умывальная раковина

Modelo, Disposición y Fabricante | Model, layout and manufacturer | Modèle, disposition et fabricant | Modello, disposizione e produttore | Modelo, Disposição e Fabricante | Modell, Anbringung und Hersteller | Модель, Расположение и Изготовител

Plano | Plan | Plan | Pianta | Plano | Plan | План

Notas | Comments | Remarques | Note | Notas | Anmerkungen | Примечания

Firma | Signature | Signature | Firma | Notas | Unterschrift | Подпись

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Mueble S 3C Roble Antracita Crema Italia 94x56,6x71 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Special sizes can be made to meet specific customer requirements.

L´Antic Colonial recommends the use of taps with an aerator in all its washbasins to reduce splashing.

Floor-standing washbasin

Semi-recessed washbasin

Wall-hung washbasin

Undermount washbasin

Countertop washbasin

Material which lacks luster surface

Material whose surface has the ability to produce reflections

Material noted for its irregular surface

Complementary products: *Spirit Lavabo II A-cero Dark BioProt 53,1x58,3x50 cm, Mueble Spirit II Curv D Roble Ceniza 53,1x85x50 cm, Spirit Espejo II 90x46,5x2,5 cm, Bañera Samara Negro Marquina Bioprot 190x95x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WASHBASIN

KRABI
THAI
PHUKET
BUDDHA
FOUR STAND
BASIC STAND
DROP
DUOMO ENCIMERA
DUOMO
DUOMO PLUS
DUOMO PLUS ENCIMERA
SOUL HOLLOW
SOUL
KOBE
SHIMA
GEISHA
ZEN
ZENO
TREND
BODRUM
FORO
CORE
NAVONA
NAVONA PULIDO
NAVONA ABUJARDADA

SHAPE
BASIC
KUBE
FOUR
MAYA
ROUND
BASIC H84
BASIC H40
ESSENCE H84
ESSENCE H48
CALACATTA PIAZZA
CALACATTA CIRCOLARE
CALACATTA RETTANGOLARE
CALACATTA ELISSE
CALACATTA OVALE
ESSENCE SH48
KUBE TOP SINGLE
KUBE TOP DOUBLE
NAVONA TOP SINGLE
NAVONA TOP DOUBLE
ZENO TOP SINGLE
ZENO TOP DOUBLE

Complementary products: *Four Stand Crema Italia Classico Bioprot 52,5x35x85 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Maintenance kit

KRABI

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100032019 L170801072	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	BLANCO ALMERIA CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100032015 L170801063	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	BLANCO ATHENAS CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100057395 L171301062	G-753	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	HABANA DARK CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100045561 L170801102	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	CREMA ITALIA CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100032018 L170801064	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	CREMA NILO CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100008409 L170801059	G-746	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	GREY STONE CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100045562 L170801099	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto
	NEGRO MARQUINA CLASSICO	42øx85 cm 16 9/16"øx33 7/16"	100056854 L170801114	G-748	1 x Cj 1 x Pal	- -	269 x Cj 206 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Maintenance kit

THAI

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100068206 L170302266	G-753	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	BLANCO ALMERIA CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100068200 L170302263	G-753	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	BLANCO ATHENAS CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100067105 L170302185	G-757	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	HABANA DARK CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100067107 L170302187	G-750	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	CREMA ITALIA CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100068204 L170302264	G-753	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	CREMA NILO CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100067106 L170302188	G-753	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	GREY STONE CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100068201 L170302262	G-750	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	NEGRO MARQUINA CLASSICO	46x43x85 cm 18 1/8"x16 15/16"x33 7/16"	100068771 L170302389	G-760	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Wash basin
-Maintenance kit

PHUKET

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100068752 L170302276	G-749	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	BLANCO ALMERIA CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100068747 L170302275	G-749	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	BLANCO ATHENAS CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100057411 L171301056	G-753	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	HABANA DARK CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100057408 L171301061	G-751	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	CREMA ITALIA CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100068748 L170302277	G-749	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	CREMA NILO CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100057407 L171301057	G-749	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	GREY STONE CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100068749 L170302272	G-751	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto
	NEGRO MARQUINA CLASSICO	50x33,9x85 cm 19 11/16"x13 5/16"x33 7/16"	100068750 L170302273	G-750	1 x Cj 1 x Pal	- -	300 x Cj 237 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)



The set includes:
-Wash basin
-Maintenance kit

BUDDHA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100068770 L170302393	G-745	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	BLANCO ALMERIA CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100062164 L171301072	G-752	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	BLANCO ATHENAS CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100057406 L171301059	G-753	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	HABANA DARK CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100057405 L171301060	G-752	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	CREMA ITALIA CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100068767 L170302400	G-745	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	CREMA NILO CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100057412 L171301058	G-745	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	GREY STONE CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100068745 L170302388	G-752	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto
	NEGRO MARQUINA CLASSICO	47øx85 cm 18 1/2"øx33 7/16"	100068768 L170302395	G-750	1 x Cj 1 x Pal	- -	297 x Cj 234 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Wash basin
-Maintenance kit

FOUR STAND

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113762 L170302664	G-756	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	BLANCO ALMERIA CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113743 L170302659	G-756	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	BLANCO ATHENAS CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113746 L170302661	G-752	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	HABANA DARK CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113747 L170302660	G-751	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	CREMA ITALIA CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113763 L170302663	G-756	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	CREMA NILO CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113744 L170302658	G-756	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	GREY STONE CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113764 L170302665	G-751	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto
	NEGRO MARQUINA CLASSICO	52,5x35x85 cm 20 11/16"x13 3/4"x33 1/16"	100113765 L170302662	G-752	1 x Cj 1 x Pal	- -	208 x Cj 145 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)



The set includes:
-Wash basin
-Stone Pedestal
-Maintenance kit

BASIC STAND

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146426 L179702409	G-758	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	BLANCO ALMERIA CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146424 L179702438	G-752	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	BLANCO ATHENAS CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146425 L179702430	G-750	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	HABANA DARK CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146488 L179702421	G-758	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	CREMA ITALIA CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146427 L179702431	G-752	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	CREMA NILO CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146428 L179702433	G-752	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	GREY STONE CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146489 L179702441	G-758	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto
	NEGRO MARQUINA CLASSICO	40x40x85 cm 15 3/4"x15 3/4"x33 7/16"	100146530 L179702444	G-758	1 x Cj 1 x Pal	- -	294 x Cj 234 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Bracket
-Screws

DROP

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092852 L170302489	G-742	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	BLANCO ALMERIA CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092845 L170302484	G-742	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	BLANCO ATHENAS CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092846 L170302493	G-743	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	HABANA DARK CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092846 L170302490	G-743	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	CREMA ITALIA CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092847 L170302488	G-742	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	CREMA NILO CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092849 L170302486	G-742	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	GREY STONE CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092850 L170302487	G-743	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto
	NEGRO MARQUINA CLASSICO	90x55x9 cm 35 7/16"x21 5/8"x3 9/16"	100092865 L170302485	G-744	1 x Cj 1 x Pal	- -	91 x Cj 45 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Bracket
-Screws

DUOMO ENCIMERA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100002177 L170302004	G-732	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	BLANCO ALMERIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100002175 L170302001	G-732	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	BLANCO ATHENAS CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068784 L170302321	G-740	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	HABANA DARK CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068785 L170302291	G-734	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	CREMA ITALIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100002176 L170302002	G-732	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	CREMA NILO CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068786 L170302311	G-732	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	GREY STONE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068787 L170302301	G-734	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto
	NEGRO MARQUINA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068783 L170302281	G-740	1 x Cj 1 x Pal	- -	100 x Cj 54 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Bracket
-Screws

DUOMO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100002172 L170301004	G-731	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	BLANCO ALMERIA CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100002170 L170301001	G-731	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	BLANCO ATHENAS CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100068782 L170302322	G-734	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	HABANA DARK CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100068762 L170302391	G-733	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	CREMA ITALIA CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100002171 L170301002	G-731	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	CREMA NILO CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100068763 L170302392	G-731	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	GREY STONE CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100068764 L170302402	G-733	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto
	NEGRO MARQUINA CLASSICO	55x48x9 cm 21 5/8"x18 7/8"x3 9/16"	100068788 L170302312	G-734	1 x Cj 1 x Pal	- -	70 x Cj 49 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Stone Pedestal
-Bracket
-Screws

DUOMO PLUS

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113896 L170302707	G-732	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	BLANCO ALMERIA CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113893 L170302709	G-732	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	BLANCO ATHENAS CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113894 L170302704	G-738	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	HABANA DARK CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113895 L170302703	G-734	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	CREMA ITALIA CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113897 L170302700	G-732	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	CREMA NILO CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113898 L170302705	G-732	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	GREY STONE CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113899 L170302708	G-734	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto
	NEGRO MARQUINA CLASSICO	60x45x10 cm 23 5/8"x17 11/16"x3 7/8"	100113900 L170302706	G-738	1 x Cj 1 x Pal	- -	71 x Cj 50 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal
-Bracket
-Screws

DUOMO PLUS ENCIMERA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113909 L170302726	G-733	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	BLANCO ALMERIA CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113906 L170302713	G-733	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	BLANCO ATHENAS CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113907 L170302719	G-741	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	HABANA DARK CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113908 L170302715	G-738	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	CREMA ITALIA CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113910 L170302714	G-733	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	CREMA NILO CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113911 L170302721	G-733	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	GREY STONE CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113912 L170302722	G-738	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto
	NEGRO MARQUINA CLASSICO	90x45x10 cm 35 7/16"x17 11/16"x3 7/8"	100113913 L170302724	G-741	1 x Cj 1 x Pal	- -	126 x Cj 80 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws

SOUL HOLLOW

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113902 L170302701	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	BLANCO ALMERIA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113823 L170302689	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	BLANCO ATHENAS CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113848 L170302696	G-743	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	HABANA DARK CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113849 L170302695	G-742	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	CREMA ITALIA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113850 L170302698	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	CREMA NILO CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113851 L170302697	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	GREY STONE CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113903 L170302710	G-742	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	NEGRO MARQUINA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100113904 L170302711	G-744	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto

***NOTE:** All finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws

SOUL

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100032014 L170801075	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	BLANCO ALMERIA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100032010 L170801076	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	BLANCO ATHENAS CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100068894 L170302351	G-743	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	HABANA DARK CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100068895 L170302341	G-742	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	CREMA ITALIA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100032013 L170801061	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	CREMA NILO CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100032009 L170801066	G-740	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	GREY STONE CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100068896 L170302331	G-742	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto
	NEGRO MARQUINA CLASSICO	48x84,5x9 cm 18 7/8"x33 1/4"x3 9/16"	100068907 L170302361	G-744	1 x Cj 1 x Pal	- -	120 x Cj 74 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Wash basin
-Bracket
-Screws

KOBE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100003597 L170801046	G-732	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	BLANCO ALMERIA CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100003594 L170801053	G-732	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	BLANCO ATHENAS CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100068837 L170302385	G-742	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	HABANA DARK CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100068838 L170302364	G-740	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	CREMA ITALIA CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100003595 L170801045	G-732	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	CREMA NILO CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100068819 L170302384	G-732	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	GREY STONE CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100068839 L170302372	G-740	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto
	NEGRO MARQUINA CLASSICO	120x52,5x6 cm 47 1/4"x20 11/16"x2 3/8"	100068840 L170302371	G-743	1 x Cj 1 x Pal	- -	147 x Cj 97 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws

SHIMA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068093 L171301102	G-749	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	BLANCO ALMERIA CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068088 L171301106	G-749	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	BLANCO ATHENAS CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068101 L171301107	G-752	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	HABANA DARK CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068092 L171301101	G-751	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	CREMA ITALIA CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068089 L171301105	G-749	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	CREMA NILO CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068090 L171301104	G-749	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	GREY STONE CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068102 L171301108	G-751	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto
	NEGRO MARQUINA CLASSICO	169x48x9 cm 66 9/16"x18 7/8"x3 9/16"	100068790 L171301121	G-753	1 x Cj 1 x Pal	- -	260 x Cj 206 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws

GEISHA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068100 L170302231	G-740	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	BLANCO ALMERIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068095 L170302191	G-740	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	BLANCO ATHENAS CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068103 L170302261	G-744	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	HABANA DARK CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068098 L170302201	G-743	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	CREMA ITALIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068096 L170302211	G-733	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	CREMA NILO CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068097 L170302221	G-740	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	GREY STONE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068104 L170302251	G-743	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto
	NEGRO MARQUINA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100068797 L171301124	G-746	1 x Cj 1 x Pal	- -	110 x Cj 84 Neto

***NOTE:** All finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws
-Wash basin

CONJUNTO ZEN WOOD

		DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
		BLANCO ATHENAS / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155854 L179702548	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110774 L170302644	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155857 L179702553	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110775 L170302648	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155880 L179702549	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110776 L170302645	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155883 L179702555	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110777 L170302649	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155886 L179702556	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110778 L170302647	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155889 L179702559	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110779 L170302646	G-755	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155891 L179702562	G-748	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110766 L170302650	G-748	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155894 L179702568	G-748	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100110767 L170302651	G-748	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto

***NOTE:** All stone finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Coupling
-Bracket
-Screws
-Wash basin
-Stone Front

CONJUNTO ZEN STONE

		DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
		BLANCO ATHENAS / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155853 L179702545	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155855 L179702546	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155856 L179702550	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BLANCO ATHENAS / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155858 L179702547	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155859 L179702554	G-751	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155881 L179702551	G-751	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155882 L179702552	G-751	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		HABANA DARK / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155884 L179702558	G-751	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155885 L179702564	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155887 L179702560	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155888 L179702557	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		BEIGE / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155890 L179702561	G-756	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / ROBLE CLOUDY	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155892 L179702563	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / NOGAL INTENSE	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155893 L179702565	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / ROBLE SUNSET	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155895 L179702567	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto
		CREMA ITALIA / NOGAL WARM	87,5x40x47 cm 33 1/4"x18 7/8"x3 9/16"	100155896 L179702566	G-749	1 x Cj 1 x Pal	- -	110 x Cj 90 Neto

***NOTE:** All stone finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Wash basin

ZENO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100002226 L171301031	G-731	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	BLANCO ALMERIA PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100002227 L171301041	G-731	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	BLANCO ATHENAS PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100068841 L170302376	G-742	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	HABANA DARK PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100068842 L170302383	G-740	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	CREMA ITALIA PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100002223 L171301001	G-731	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	CREMA NILO PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100063208 L170801118	G-731	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	GREY STONE PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100068843 L170302366	G-740	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto
	NEGRO MARQUINA PULIDO	40,5øx14,6 cm 15 15/16"øx5 3/4"	100068844 L170302375	G-743	1 x Cj 6 x Pal	- -	23 x Cj 18,70 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin

TREND

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093140 L171301205	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	BLANCO ALMERIA CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093144 L171301206	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	BLANCO ATHENAS CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100091605 L171301164	G-743	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	HABANA DARK CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093145 L171301209	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	CREMA ITALIA CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093146 L171301211	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	CREMA NILO CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093147 L171301207	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	GREY STONE CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093148 L171301210	G-742	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto
	NEGRO MARQUINA CLASSICO	68x39x13 cm 26 3/4"x15 3/8"x5 1/8"	100093149 L171301208	G-744	1 x Cj 1 x Pal	- -	72 x Cj 48 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

BODRUM

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100002201 L170801113	G-733	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	BLANCO ALMERIA CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100002202 L170801041	G-732	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	BLANCO ATHENAS CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100068807 L170302373	G-742	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	HABANA DARK CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100068798 L170302362	G-740	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	CREMA ITALIA CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100002198 L170801001	G-732	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	CREMA NILO CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100068799 L170302377	G-732	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	GREY STONE CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100068800 L170302380	G-740	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto
	NEGRO MARQUINA CLASSICO	50x50x12 cm 19 11/16"x9 11/16"x4 3/4"	100068808 L170302363	G-743	1 x Cj 6 x Pal	- -	56,30 x Cj 52 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin

FORO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100002153 L170201004	G-730	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	BLANCO ALMERIA CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100002151 L170201001	G-730	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	BLANCO ATHENAS CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100068828 L171301137	G-732	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	HABANA DARK CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100068829 L171301133	G-731	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	CREMA ITALIA CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100002152 L170201002	G-730	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	CREMA NILO CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100068830 L171301132	G-730	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	GREY STONE CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100068831 L171301139	G-731	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto
	NEGRO MARQUINA CLASSICO	41øx16 cm 16 1/8"øx6 5/16"	100002164 L170202009	G-740	1 x Cj 6 x Pal	- -	22 x Cj 19 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

CORE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100032008 L170801112	G-733	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	BLANCO ALMERIA CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100032004 L170801074	G-732	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	BLANCO ATHENAS CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100068890 L171301129	G-740	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	HABANA DARK CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100068891 L171301128	G-740	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	CREMA ITALIA CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100032007 L170801110	G-731	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	CREMA NILO CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100032003 L170801062	G-732	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	GREY STONE CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100068892 L171301127	G-740	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto
	NEGRO MARQUINA CLASSICO	47x41,5x13,5 cm 18 1/2"x16 5/16"x5 5/16"	100068893 L171301126	G-742	1 x Cj 6 x Pal	- -	39 x Cj 35 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin

NAVONA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100002187 L170501004	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ALMERIA CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100002185 L170501001	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ATHENAS CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100068859 L170504009	G-733	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	HABANA DARK CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100068860 L170504008	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA ITALIA CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100002186 L170501002	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA NILO CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100068861 L170504010	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	GREY STONE CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100068862 L170504012	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	NEGRO MARQUINA CLASSICO	42øx14 cm 16 9/16"øx5 1/2"	100068863 L170504011	G-740	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

NAVONA PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100007866 L170504004	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ALMERIA PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100007864 L170504001	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ATHENAS PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100068881 L170504020	G-733	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	HABANA DARK PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100068882 L170504017	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA ITALIA PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100007865 L170504002	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA NILO PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100068883 L170504019	G-731	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	GREY STONE PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100068884 L170504015	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	NEGRO MARQUINA PULIDO	42øx14 cm 16 9/16"øx5 1/2"	100068885 L170504014	G-740	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin

NAVONA ABUJARDADA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100002193 L170502004	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ALMERIA ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100002191 L170502001	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	BLANCO ATHENAS ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100068897 L170504021	G-740	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	HABANA DARK ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100068878 L170504013	G-733	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA ITALIA ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100002192 L170502002	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	CREMA NILO ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100068879 L170504018	G-732	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	GREY STONE ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100068880 L170504016	G-733	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto
	NEGRO MARQUINA ABUJARDADO	42øx14 cm 16 9/16"øx5 1/2"	100068898 L170504022	G-742	1 x Cj 6 x Pal	- -	37 x Cj 33 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

SHAPE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113817 L170302692	G-740	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	BLANCO ALMERIA CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113815 L170302684	G-740	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	BLANCO ATHENAS CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113816 L170302687	G-743	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	HABANA DARK CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113818 L170302691	G-742	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	CREMA ITALIA CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113819 L170302690	G-740	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	CREMA NILO CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113820 L170302686	G-740	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	GREY STONE CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113821 L170302694	G-742	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto
	NEGRO MARQUINA CLASSICO	42,5x42,5x12 cm 16 3/4"x16 3/4"x4 3/4"	100113822 L170302685	G-744	1 x Cj 1 x Pal	- -	37 x Cj 33 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Stone Pedestal

BASIC

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113807 L170302688	G-733	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	BLANCO ALMERIA CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113790 L170302681	G-733	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	BLANCO ATHENAS CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113801 L170302678	G-741	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	HABANA DARK CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113791 L170302676	G-740	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	CREMA ITALIA CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113792 L170302674	G-733	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	CREMA NILO CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113793 L170302680	G-733	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	GREY STONE CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113794 L170302679	G-740	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto
	NEGRO MARQUINA CLASSICO	40x40x10 cm 15 3/4"x15 3/4"x3 15/16"	100113795 L170302675	G-742	1 x Cj 1 x Pal	- -	26 x Cj 22 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

KUBE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113915 L170302718	G-733	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	BLANCO ALMERIA CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113916 L170302717	G-733	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	BLANCO ATHENAS CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113917 L170302728	G-741	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	HABANA DARK CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113918 L170302716	G-740	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	CREMA ITALIA CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113919 L170302727	G-733	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	CREMA NILO CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113920 L170302725	G-733	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	GREY STONE CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113921 L170302720	G-740	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto
	NEGRO MARQUINA CLASSICO	42x42x12 cm 16 9/16"x16 9/16"x4 3/4"	100113922 L170302729	G-742	1 x Cj 1 x Pal	- -	21 x Cj 17 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)



The set includes:
-Wash basin

FOUR

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113800 L170302682	G-742	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	BLANCO ALMERIA CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113771 L170302669	G-742	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	BLANCO ATHENAS CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113772 L170302670	G-744	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	HABANA DARK CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113773 L170302667	G-743	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	CREMA ITALIA CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113774 L170302671	G-742	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	CREMA NILO CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113775 L170302668	G-742	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	GREY STONE CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113776 L170302672	G-743	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto
	NEGRO MARQUINA CLASSICO	52,5x35x12 cm 20 11/16"x13 3/4"x4 3/4"	100113802 L170302683	G-746	1 x Cj 1 x Pal	- -	31 x Cj 27 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin

MAYA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100046874 L171801004	G-740	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	BLANCO ALMERIA CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100046908 L171301063	G-740	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	BLANCO ATHENAS CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100068904 L170302368	G-743	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	HABANA DARK CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100068905 L170302378	G-742	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	CREMA ITALIA CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100046872 L171801003	G-740	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	CREMA NILO CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100068906 L170302367	G-740	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	GREY STONE CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100003572 L171801001	G-740	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto
	NEGRO MARQUINA CLASSICO	70x45x12,2 cm 27 9/16x17 11/16x4 13/16"	100068913 L170302386	G-744	1 x Cj 1 x Pal	- -	80 x Cj 56 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin

ROUND

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092832 L171301191	G-731	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	BLANCO ALMERIA CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092828 L171301184	G-731	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	BLANCO ATHENAS CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100091633 L171301165	G-733	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	HABANA DARK CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092840 L171301192	G-733	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	CREMA ITALIA CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092829 L171301183	G-731	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	CREMA NILO CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092830 L171301185	G-731	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	GREY STONE CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092841 L171301195	G-733	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto
	NEGRO MARQUINA CLASSICO	42øx10 cm 16 9/16"x16 9/16"x3 15/16"	100092842 L171301198	G-740	1 x Cj 6 x Pal	- -	25 x Cj 21 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal

BASIC H84

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146408 L179702396	G-743	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	BLANCO ALMERIA CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146405 L179702391	G-743	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	BLANCO ATHENAS CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146406 L179702392	G-744	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	HABANA DARK CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146407 L179702393	G-744	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	CREMA ITALIA CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146410 L179702395	G-743	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	CREMA NILO CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146412 L179702394	G-743	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	GREY STONE CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146409 L179702397	G-743	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto
	NEGRO MARQUINA CLASSICO	84,5x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146411 L179702398	G-744	1 x Cj 1 x Pal	- -	84 x Cj 58 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN





The set includes:
-Wash basin
-Stone Pedestal

BASIC H40

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146400 L179702440	G-742	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	BLANCO ALMERIA CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146347 L179702425	G-741	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	BLANCO ATHENAS CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146348 L179702412	G-743	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	HABANA DARK CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146349 L179702411	G-743	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	CREMA ITALIA CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146402 L179702410	G-741	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	CREMA NILO CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146404 L179702446	G-741	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	GREY STONE CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146401 L179702457	G-742	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto
	NEGRO MARQUINA CLASSICO	40x48x10 cm 33 1/4"x18 7/8"x3 15/16"	100146403 L179702437	G-743	1 x Cj 1 x Pal	- -	32 x Cj 28 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal

ESSENCE H84

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146444 L179702403	G-754	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	BLANCO ALMERIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146441 L179702400	G-746	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	BLANCO ATHENAS CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146442 L179702399	G-755	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	HABANA DARK CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146443 L179702401	G-754	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	CREMA ITALIA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146446 L179702404	G-746	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	CREMA NILO CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146448 L179702406	G-746	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	GREY STONE CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146445 L179702405	G-746	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto
	NEGRO MARQUINA CLASSICO	84,5x48x9 cm 33 1/4"x18 7/8"x3 9/16"	100146447 L179702402	G-754	1 x Cj 1 x Pal	- -	85 x Cj 59 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN





The set includes:
-Wash basin
-Stone Pedestal

ESSENCE H48

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146433 L179702420	G-746	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	BLANCO ALMERIA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146430 L179702439	G-743	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	BLANCO ATHENAS CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146431 L179702428	G-754	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	HABANA DARK CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146432 L179702436	G-746	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	CREMA ITALIA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146435 L179702424	G-744	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	CREMA NILO CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146440 L179702427	G-744	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	GREY STONE CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146434 L179702416	G-746	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto
	NEGRO MARQUINA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146436 L179702435	G-746	1 x Cj 1 x Pal	- -	39 x Cj 35 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal

CALACATTA PIAZZA PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALACATTA PULIDO	40x40x15 cm 15 3/4"x15 3/4"x5 7/8"	100146419 L179702413	G-746	1 x Cj 1 x Pal	- -	29 x Cj 25 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN





The set includes:
-Wash basin
-Stone Pedestal

CALACATTA CIRCOLARE PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALACATTA PULIDO	40øx15 cm 15 3/4"ø x5 7/8"	100146429 L179702447	G-746	1 x Cj 1 x Pal	- -	22 x Cj 18 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal

CALACATTA RETTANGOLARE PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALACATTA PULIDO	84,5x40x15 cm 33 1/4"x15 3/4"x5 7/8"	100157031 L179702607	G-751	1 x Cj 1 x Pal	- -	67 x Cj 41 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN





The set includes:
-Wash basin
-Stone Pedestal

CALACATTA ELISSE PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALACATTA PULIDO	84,5x40x15 cm 33 1/4"x15 3/4"x5 7/8"	100146417 L179702432	G-758	1 x Cj 1 x Pal	- -	65 x Cj 39 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Stone Pedestal

CALACATTA OVALE PULIDO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CALACATTA PULIDO	84,5x40x15 cm 33 1/4"x15 3/4"x5 7/8"	100146418 L179702426	G-758	1 x Cj 1 x Pal	- -	62 x Cj 36 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN





The set includes:
-Wash basin
-Stone Pedestal

ESSENCE SH48

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146451 L179702423	G-744	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	BLANCO ALMERIA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146449 L179702445	G-743	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	BLANCO ATHENAS CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146379 L179702415	G-746	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	HABANA DARK CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146450 L179702414	G-744	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	CREMA ITALIA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146453 L179702419	G-743	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	CREMA NILO CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146455 L179702429	G-743	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	GREY STONE CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146452 L179702434	G-744	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto
	NEGRO MARQUINA CLASSICO	48x48x9 cm 18 7/8"x18 7/8"x3 9/16"	100146454 L179702443	G-744	1 x Cj 1 x Pal	- -	38 x Cj 34 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Bracket
-Screws

KUBE TOP SINGLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113929 L170302744	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ALMERIA CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113926 L170302732	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ATHENAS CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113927 L170302746	G-748	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	HABANA DARK CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113928 L170302734	G-748	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA ITALIA CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113930 L170302740	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA NILO CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113931 L170302739	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	GREY STONE CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113932 L170302751	G-748	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	NEGRO MARQUINA CLASSICO	80x52,5x16 cm 31 1/2"x20 11/16"x6 5/16"	100113933 L170302736	G-749	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Bracket
-Screws

KUBE TOP DOUBLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113938 L170302748	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ALMERIA CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113935 L170302730	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ATHENAS CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113936 L170302752	G-758	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	HABANA DARK CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113937 L170302735	G-752	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA ITALIA CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113939 L170302745	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA NILO CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113940 L170302754	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	GREY STONE CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113941 L170302747	G-752	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	NEGRO MARQUINA CLASSICO	160x52,5x16 cm 58 1/4"x20 11/16"x6 1/4"	100113942 L170302742	G-753	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Bracket
-Screws

NAVONA TOP SINGLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113947 L170302758	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ALMERIA CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113944 L170302741	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ATHENAS CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113945 L170302737	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	HABANA DARK CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113946 L170302738	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA ITALIA CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113948 L170302749	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA NILO CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113949 L170302753	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	GREY STONE CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113950 L170302743	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	NEGRO MARQUINA CLASSICO	80x52,5x17 cm 31 1/2"x20 11/16"x6 11/16"	100113951 L170302755	G-748	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Bracket
-Screws

NAVONA TOP DOUBLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100114013 L170302773	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ALMERIA CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100113952 L170302750	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ATHENAS CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100113953 L170302756	G-752	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	HABANA DARK CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100113954 L170302757	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA ITALIA CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100114014 L170302777	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA NILO CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100114015 L170302771	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	GREY STONE CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100114016 L170302765	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	NEGRO MARQUINA CLASSICO	160x52,5x17 cm 63"x20 11/16"x6 11/16"	100114017 L170302786	G-758	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Bracket
-Screws

ZENO TOP SINGLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114021 L170302772	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ALMERIA CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114019 L170302768	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	BLANCO ATHENAS CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114020 L170302785	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	HABANA DARK CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114022 L170302774	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA ITALIA CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114023 L170302781	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	CREMA NILO CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114024 L170302782	G-744	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	GREY STONE CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114025 L170302769	G-746	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto
	NEGRO MARQUINA CLASSICO	80x52,5x17,3 cm 31 1/2"x20 11/16"6 13/16"	100114026 L170302780	G-748	1 x Cj 1 x Pal	- -	93 x Cj 50 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Bracket
-Screws

ZENO TOP DOUBLE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114031 L170302789	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ALMERIA CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114028 L170302787	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	BLANCO ATHENAS CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114029 L170302790	G-752	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	HABANA DARK CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114030 L170302783	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA ITALIA CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114032 L170302766	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	CREMA NILO CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114033 L170302791	G-749	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	GREY STONE CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114034 L170302770	G-751	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto
	NEGRO MARQUINA CLASSICO	160x52,5x17,3 cm 63"x20 11/16"x6 13/16"	100114035 L170302788	G-758	1 x Cj 1 x Pal	- -	140 x Cj 90 Neto

***NOTE:** All finishes come with Bioprot protection.

FIXED EMPTIER WITHOUT OVERFLOW CHROME *N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



WASHBASIN TRIMS

Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ALMERIA CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100154997 L179702529	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BLANCO ATHENAS CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100154998 L179702525	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CALACATTA PULIDO	6,6x3 cm 2 9/16"x1 3/16"	100154999 L179702533	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA ITALIA CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155000 L179702524	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA NILO CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155001 L179702531	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BEIGE CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155002 L179702537	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	GREY STONE CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155003 L179702527	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	NEGRO MARQUINA CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155004 L179702528	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	HABANA DARK CLASSICO	6,6x3 cm 2 9/16"x1 3/16"	100155005 L179702532	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal

***NOTE:** All finishes come with Bioprot protection.
Does not include emptier.

Complementary products: *Shape Crema Italia Bioprot 42,5x42,5x12 cm, Solid Natural Wood Top Castaño 80x50x4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SHOWER TRAYS

SAMUI
ESSENCE
BRIDGE
THAMEL
MYLOS LIGHT STONE
ZEN
BASIC

Floor Coverings: *Grey Aged Home Bioprot 50x100x2 cm.*
Wall Coverings: *Annapurna Home Bioprot 40x80x1,5 cm, Thassos Ice Pulido Bioprot 40x80x2 cm.*
Complementary products: *Conjunto Zen Nogal Warm Blanco Athenas Classico Bioprot 87,5x40x47 cm, Plato de Ducha Zen Blanco Athenas Classico Bioprot 120x90x5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray

SAMUI

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100068936 L173202020	G-743	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	BLANCO ALMERIA CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100068931 L173202023	G-743	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	BLANCO ATHENAS CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100057413 L173300079	G-748	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	HABANA DARK CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100057403 L173300082	G-746	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	CREMA ITALIA CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100068932 L173202021	G-743	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	CREMA NILO CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100057404 L173300081	G-743	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	GREY STONE CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100068933 L173202022	G-746	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto
	NEGRO MARQUINA CLASSICO	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100068934 L173202018	G-745	1 x Cj 1 x Pal	- -	174 x Cj 123 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower tray.
(See page 161)





The set includes:
-Shower tray

ESSENCE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100032061 L179702036	G-743	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	BLANCO ALMERIA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100032057 L179702021	G-744	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	BLANCO ATHENAS CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100068928 L173500003	G-746	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	HABANA DARK CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100068930 L173500004	G-746	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	CREMA ITALIA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100032060 L179702026	G-744	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	CREMA NILO CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100032020 L179702022	G-744	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	GREY STONE CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100068929 L173500002	G-746	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto
	NEGRO MARQUINA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100068922 L173500001	G-748	1 x Cj 1 x Pal	- -	172 x Cj 121 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower tray.
(See page 161)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray

BRIDGE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092864 L173500010	G-744	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	BLANCO ALMERIA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092859 L173500012	G-744	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	BLANCO ATHENAS CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092866 L173500015	G-746	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	HABANA DARK CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092867 L173500016	G-746	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	CREMA ITALIA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092860 L173500013	G-744	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	CREMA NILO CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092861 L173500009	G-744	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	GREY STONE CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092862 L173500011	G-746	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto
	NEGRO MARQUINA CLASSICO	120x80x5 cm 47 1/4"x31 1/2"x1 15/16"	100092868 L173500014	G-748	1 x Cj 1 x Pal	- -	170 x Cj 119 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower tray.
(See page 161)





The set includes:
-Shower tray

THAMEL

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100002241 L173201004	G-743	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	BLANCO ALMERIA CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100002239 L173201001	G-743	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	BLANCO ATHENAS CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100068948 L173300170	G-746	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	HABANA DARK CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100068949 L173300174	G-744	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	CREMA ITALIA CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100002240 L173201002	G-743	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	CREMA NILO CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100068950 L173300171	G-743	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	GREY STONE CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100068951 L173300172	G-744	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto
	NEGRO MARQUINA CLASSICO	120x90x6 cm 47 1/4"x35 7/16"x2 3/8"	100068952 L173300173	G-748	1 x Cj 1 x Pal	- -	155 x Cj 104 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower tray.
(See page 161)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray

LIGHT STONE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081492 L173300196	G-731	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	BLANCO ALMERIA CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081493 L173300200	G-731	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	BLANCO ATHENAS CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081496 L173300202	G-747	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	HABANA DARK CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081499 L173300204	G-747	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	CREMA ITALIA CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081494 L173300198	G-731	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	CREMA NILO CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081495 L173300199	G-731	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	GREY STONE CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081497 L173300201	G-747	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto
	NEGRO MARQUINA CLASSICO	90x90x3 cm 35 1/16"x35 1/16"x1 3/16"	100081498 L173300203	G-742	1 x Cj 1 x Pal	- -	93 x Cj 58 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower tray.
(See page 161)





The set includes:
-Shower tray

ZEN

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146388 L173300382	G-754	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	BLANCO ALMERIA TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146386 L173300381	G-746	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	BLANCO ATHENAS TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146387 L173300383	G-745	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	HABANA DARK TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146389 L173300384	G-754	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	CREMA ITALIA TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146471 L173300386	G-746	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	CREMA NILO TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146473 L173300387	G-746	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	GREY STONE TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146470 L173300388	G-746	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto
	NEGRO MARQUINA TEXTURE	120x90x5 cm 47 1/4"x35 7/16"x1 15/16"	100146472 L173300385	G-754	1 x Cj 1 x Pal	- -	176 x Cj 125 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO S904410002
SYSTEMPOOL

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray
-Stone Pedestal

BASIC

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146416 L173300373	G-754	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	BLANCO ALMERIA CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146413 L173300374	G-746	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	BLANCO ATHENAS CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146414 L173300376	G-748	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	HABANA DARK CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146415 L173300375	G-754	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	CREMA ITALIA CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146421 L173300377	G-746	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	CREMA NILO CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146423 L173300378	G-746	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	GREY STONE CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146420 L173300380	G-746	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto
	NEGRO MARQUINA CLASSICO	90x90x5 cm 35 7/16"x35 7/16"x1 15/16"	100146422 L173300379	G-754	1 x Cj 1 x Pal	- -	127 x Cj 76 Neto

***NOTE:** All finishes come with Bioprot protection.

KIT DRAIN S/PIP. PROJECT D.90 CROMO
S904410002
SYSTEMPOOL



STONE PEDESTAL

Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the shower trays..

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	ø 12 cm ø 4 3/4"	100092781 L179702065	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BLANCO ALMERIA CLASSICO	ø 12 cm ø 4 3/4"	100092773 L179702064	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BLANCO ATHENAS CLASSICO	ø 12 cm ø 4 3/4"	100092774 L179702067	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	HABANA DARK CLASSICO	ø 12 cm ø 4 3/4"	100092779 L179702069	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA ITALIA CLASSICO	ø 12 cm ø 4 3/4"	100092775 L179702070	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA NILO CLASSICO	ø 12 cm ø 4 3/4"	100092776 L179702068	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	GREY STONE CLASSICO	ø 12 cm ø 4 3/4"	100092777 L179702073	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	NEGRO MARQUNA CLASSICO	ø 12 cm ø 4 3/4"	100092778 L179702071	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal

***NOTE:** All finishes come with Bioprot protection.
Includes drainage.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BATHTUBS

SAMARA
KHOA
FUTURE

Floor Coverings: *Paradise Baia Stone Blanco 30x30x1 cm.*
Complementary products: *Conjunto Zen Crema Italia Bioprot Intense 87,5x40x47 cm, Samara Limestone Moka Classico Bioprot 190x95x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Bathtub
-Installation kit
-Gasket
-Maintenance kit

SAMARA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	190x95x54 cm 74 13/16"x37 3/8"x21 1/4"	100068736 L172502102	G-785	1 x Cj 1 x Pal	- -	653 x Cj 503 Neto
	CALIZA MOKA CLASSICO	190x95x54 cm 74 13/16"x37 3/8"x21 1/4"	100002230 L172502101	G-790	1 x Cj 1 x Pal	- -	580 x Cj 430 Neto
	NEGRO MARQUINA CLASSICO	190x95x54 cm 74 13/16"x37 3/8"x21 1/4"	100068968 L172502107	G-785	1 x Cj 1 x Pal	- -	653 x Cj 503 Neto

***NOTE:** All finishes come with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)





The set includes:
-Bathtub
-Installation kit
-Gasket
-Maintenance kit

KHOA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100064952 L170701003	G-791	1 x Cj 1 x Pal	- -	675 x Cj 525 Neto
	CALIZA MOKA CLASSICO	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100057410 L172600001	G-790	1 x Cj 1 x Pal	- -	600 x Cj 450 Neto
	NEGRO MARQUINA CLASSICO	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100068965 L172502103	G-791	1 x Cj 1 x Pal	- -	675 x Cj 525 Neto

***NOTE:** All finishes come with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Bathtub
-Installation kit
-Gasket
-Maintenance kit

FUTURE

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	216x86x54 cm 85 1/16"x33 7/8"x21 1/4"	100093141 L172600004	G-791	1 x Cj 1 x Pal	- -	675 x Cj 525 Neto
	CALIZA MOKA CLASSICO	216x86x54 cm 85 1/16"x33 7/8"x21 1/4"	100093151 L172600007	G-790	1 x Cj 1 x Pal	- -	600 x Cj 450 Neto
	NEGRO MARQUINA CLASSICO	216x86x54 cm 85 1/16"x33 7/8"x21 1/4"	100093142 L172600005	G-791	1 x Cj 1 x Pal	- -	675 x Cj 525 Neto

***NOTE:** All finishes come with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)



STONE PEDESTAL

Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BEIGE CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154959 L179702523	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BLANCO ALMERIA CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154990 L179702522	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	BLANCO ATHENAS CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154991 L179702530	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	HABANA DARK CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154996 L179702535	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA ITALIA CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154992 L179702534	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	CREMA NILO CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154993 L179702538	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	GREY STONE CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154994 L179702536	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal
	NEGRO MARQUINA CLASSICO	ø6,6x7,2cm ø2 5/8"x2 13/16"	100154995 L179702526	G-164	1 x Cj 50 x Pal	- -	3,10 x Cj 155,25 x Pal

***NOTE:** All finishes come with Bioprot protection.
Includes drainage.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WORKTOPS

NATURAL STONE
NATURAL WOOD

Complementary products: *Shape Crema Italia Bioprot 42,5x42,5x12 cm, Solid Natural Wood Top Castaño 80x50x4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Countertop
-Bracket
-Screws

ENCIMERA 80x52,5x2

* Slate only

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ALMERIA CLASSICO	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129000 L179702250	G-194	1 x Cj 10 x Pal	- -	28 x Cj 23,50 Neto
	CREMA ITALIA CLASSICO	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129002 L179702256	G-194	1 x Cj 10 x Pal	- -	27 x Cj 22,50 Neto
	MOKA CLASSICO	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129004 L179702254	G-194	1 x Cj 10 x Pal	- -	26 x Cj 21,50 Neto
	PAMPA HOME	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129008 L172111101	G-194	1 x Cj 10 x Pal	- -	26 x Cj 24,50 Neto
	TUKUMAN HOME	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129014 L179702247	G-194	1 x Cj 10 x Pal	- -	28 x Cj 23,50 Neto
	PATAGONIA HOME	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100129011 L179702245	G-194	1 x Cj 10 x Pal	- -	27 x Cj 22,50 Neto
	BHUTAN NATURAL	80x52,5x2 cm 31 1/2"x20 11/16"x3/4"	100128998 L179702253	G-194	1 x Cj 10 x Pal	- -	26 x Cj 20,50 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Countertop
-Bracket
-Screws

ENCIMERA 110x52,5x2

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	PAMPA HOME	110x52,5x2 cm 43 5/16"x20 11/16"x3/4"	100129006 L172111061	G-193	1 x Cj 1 x Pal	- -	37,50 x Cj 34 Neto
	TUKUMAN HOME	110x52,5x2 cm 43 5/16"x20 11/16"x3/4"	100129012 L172111081	G-193	1 x Cj 1 x Pal	- -	36,50 x Cj 32 Neto
	PATAGONIA HOME	110x52,5x2 cm 43 5/16"x20 11/16"x3/4"	100129009 L172111071	G-193	1 x Cj 1 x Pal	- -	35,50 x Cj 31 Neto
	BHUTAN NATURAL	110x52,5x2 cm 43 5/16"x20 11/16"x3/4"	100128999 L172111091	G-193	1 x Cj 1 x Pal	- -	32 x Cj 27,50 Neto

***NOTE:** All finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Countertop
-Bracket
-Screws

ENCIMERA 160x60x2

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	PAMPA HOME	160x60x2 cm 63 1/2"x23 5/8"x3/4"	100129007 L172111051	G-193	1 x Cj 1 x Pal	- -	61 x Cj 56,50 Neto
	TUKUMAN HOME	160x60x2 cm 63 1/2"x23 5/8"x3/4"	100129013 L172111041	G-193	1 x Cj 1 x Pal	- -	58 x Cj 53,50 Neto
	PATAGONIA HOME	160x60x2 cm 63 1/2"x23 5/8"x3/4"	100129010 L172111021	G-193	1 x Cj 1 x Pal	- -	55,50 x Cj 51 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Countertop

ENCIMERA FALDON MLx52,5x10

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	MLx52,5x10cm MLx20 11/16"x3 15/16"	Pedido Especial Special Order	G-719	- -	- -	- -
	HABANA DARK CLASSICO	MLx52,5x10cm MLx20 11/16"x3 15/16"	Pedido Especial Special Order	G-716	- -	- -	- -
	CREMA ITALIA CLASSICO	MLx52,5x10cm MLx20 11/16"x3 15/16"	Pedido Especial Special Order	G-716	- -	- -	- -
	GREY STONE CLASSICO	MLx52,5x10cm MLx20 11/16"x3 15/16"	Pedido Especial Special Order	G-716	- -	- -	- -

***NOTE:** All finishes come with Bioprot protection.
Supports are not included with the special countertops.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Canto Basto





The set includes:
-Countertop
-Bracket
-Screws

SOLID NATURAL WOOD TOP CASTAÑO

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	CASTAÑO	80x50x4 cm 31 1/2"x19 11/16"x1 9/16"	100114113 L172108821	G-730	1 x Cj 1 x Pal	- -	13 x Cj 12 Neto
	CASTAÑO	110x50x4 43 5/16"x19 11/16"x1 9/16"	100114111 L172108761	G-731	1 x Cj 1 x Pal	- -	17 x Cj 16 Neto
	CASTAÑO	160x50x4 63 1/2"x19 11/16"x1 9/16"	100114112 L172108801	G-733	1 x Cj 1 x Pal	- -	24 x Cj 23 Neto





The set includes:
-Countertop
-Bracket
-Screws

WOOD TOP

It can be adapted **to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NOGAL INTENSE	80x50x10 cm 31 1/2"x19 11/16"x3 15/16"	100114120 L172108781	G-730	1 x Cj 1 x Pal	- -	10 x Cj 9 Neto
	NOGAL INTENSE	110x50x10 cm 43 5/16"x19 11/16"x3 15/16"	100114118 L172108771	G-731	1 x Cj 1 x Pal	- -	12 x Cj 12 Neto
	NOGAL INTENSE	160x50x10 cm 63 1/2"x19 11/16"x3 15/16"	100114119 L172108791	G-733	1 x Cj 1 x Pal	- -	17 x Cj 16 Neto
	NOGAL WARM	80x50x10 cm 31 1/2"x19 11/16"x3 15/16"	100114123 L172108811	G-730	1 x Cj 1 x Pal	- -	10 x Cj 9 Neto
	NOGAL WARM	110x50x10 cm 43 5/16"x19 11/16"x3 15/16"	100114121 L172108721	G-731	1 x Cj 1 x Pal	- -	13 x Cj 12 Neto
	NOGAL WARM	160x50x10 cm 63 1/2"x19 11/16"x3 15/16"	100114122 L172108731	G-733	1 x Cj 1 x Pal	- -	17 x Cj 16 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Countertop
-Bracket
-Screws

SOLID NATURAL WOOD TOP ZEBRANO

It can be adapted* ***to all models of toilets for L'ANTIC COLONIAL countertop.*

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ZEBRANO	80x50x4 cm 31 1/2"x19 11/16"x1 9/16"	100114116 L172108741	G-731	1 x Cj 1 x Pal	- -	15 x Cj 14 Neto
	ZEBRANO	110x50x4 cm 43 5/16"x19 11/16"x1 9/16"	100114114 L172108831	G-732	1 x Cj 1 x Pal	- -	19 x Cj 18 Neto
	ZEBRANO	160x50x4 cm 63 1/2"x19 11/16"x1 9/16"	100114115 L172108751	G-738	1 x Cj 1 x Pal	- -	27 x Cj 26 Neto

Floor Coverings: *Nepal Natural Bioprot 60x90x1,4-1,8 cm.*
Wall Coverings: *Crema Grecia Classico Bioprot 40x80x1,5 cm*
Complementary products: *Maya Crema Italia Classico Bioprot 70x45x12,2cm, Wood Top Nogal Intense 160x50x10 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





SOPORTE ENCIMERA RECTO

35,8x8x10cm - 14 1/8"x3 1/8"x3 15/16"
100125549 - L109002091 - G-049



SOPORTE ENCIMERA CON FORMA

46x20cm - 18 1/8"x7 7/8"
100153032 - L179702506 - G-049



SOPORTE ENCIMERA 70X47,5

70x47,5cm - 27 9/16"x18 11/16"
100059784 - L179702041 - G-057



SOPORTE ENCIMERA 150X55

150x55cm - 59"x21 5/8"
100059780 - L179702040 - G-058

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
SOPORTE ENCIMERA RECTO	35,8x8x10 cm 14 1/8"x3 1/8"x3 15/16"	100125549 L109002091	G-049	1 x Cj 240 x Pal	- -	2 x Cj 1,5 Neto
SOPORTE ENCIMERA CON FORMA	46x20 cm 18 1/8"x7 7/8"	100153032 L179702506	G-049	1 x Cj 160 x Pal	- -	3 x Cj 2,2 Neto
SOPORTE + TORNILLOS ENCIMERA	70x47,5 cm 27 9/16"x18 11/16"	100151936 L179702489	G-057	1 x Cj 20 x Pal	- -	5 x Cj 4,2 Neto
SOPORTE ENCIMERA	150x55 cm 59"x21 5/8"	100059780 L179702040	G-058	1 x Cj 5 x Pal	- -	8 x Cj 7,5 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

EXAMPLES OF CUSTOM WORKTOPS



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BATHROOM UNITS

HAMPTON
BOSTON
TOWER
S-TOWER

Complementary products: *Kube Top Single Blanco Athenas Classico Bioprot 80x52,5x16 cm, Boston Nogal Intense 80x44x40 cm, Mylos Light Stone Blanco Athenas Classico Bioprot 90x90x3 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Screws
-Wheels

HAMPTON

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NOGAL INTENSE	160x44x40 cm 63"x17 3/8"x15 3/4"	100081288 L175000012	G-737	1 x Cj 4 x Pal	- -	72,45 x Cj 289,80 x Pal
	NOGAL WARM	160x44x40 cm 63"x17 3/8"x15 3/4"	100081289 L175000004	G-737	1 x Cj 4 x Pal	- -	72,45 x Cj 289,80 x Pal





The set includes:
-Wash basin
-Screws
-Wheels

BOSTON

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NOGAL INTENSE	80x44x40 cm 31 1/2"x17 3/8"x15 3/4"	100153000 L175000084	G-740	1 x Cj 1 x Pal	- -	38,81 x Cj 38,81 x Pal
	NOGAL WARM	80x44x40 cm 31 1/2"x17 3/8"x15 3/4"	100153001 L175000081	G-740	1 x Cj 1 x Pal	- -	38,81 x Cj 38,81 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Screws

W-TOWER

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NOGAL INTENSE	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155860 L179702584	G-732	1 x Cj 1 x Pal	- -	19,15 x Cj 18,50 Neto
	ROBLE SUNSET	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155875 L179702569	G-732	1 x Cj 1 x Pal	- -	19,15 x Cj 18,50 Neto
	NOGAL WARM	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155865 L179702572	G-732	1 x Cj 1 x Pal	- -	19,15 x Cj 18,50 Neto
	ROBLE CLOUDY	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155870 L179702576	G-732	1 x Cj 1 x Pal	- -	19,15 x Cj 18,50 Neto





The set includes:
-Wash basin
-Stone Front
-Screws

S-TOWER

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	NOGAL INTENSE / BEIGE	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155861 L179702583	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL INTENSE / BLANCO ATHENAS	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155862 L179702570	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL INTENSE / HABANA DARK	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155863 L179702587	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL INTENSE / CREMA ITALIA	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155864 L179702578	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL WARM / BEIGE	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155866 L179702581	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL WARM / BLANCO ATHENAS	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155867 L179702575	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL WARM / HABANA DARK	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155868 L179702580	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	NOGAL WARM / CREMA ITALIA	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155869 L179702574	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE CLOUDY / BEIGE	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155871 L179702582	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE CLOUDY / BLANCO ATHENAS	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155872 L179702579	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE CLOUDY / HABANA DARK	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155873 L179702586	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE CLOUDY / CREMA ITALIA	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155874 L179702577	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE SUNSET / BEIGE	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155876 L179702585	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE SUNSET / BLANCO ATHENAS	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155877 L179702571	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE SUNSET / HABANA DARK	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155878 L179702588	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto
	ROBLE SUNSET / CREMA ITALIA	60x37x40 cm 23 5/8"x14 9/16"x15 3/4"	100155879 L179702573	G-742	1 x Cj 1 x Pal	- -	32,49 x Cj 31,39 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

COMPLETE SETS

LAVABO + ENCIMERA

LAVABO + ENCIMERA + PLATO 90 CM

LAVABO + ENCIMERA + PLATO 120 CM

LAVABO + ENCIMERA + BOSTON

Complementary products: *Conjunto Lavabo + Encimera + Plato de Ducha 90cm Crema Italia Classico Bioprot..*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Countertop
-Bracket
-Screws

LAVABO + ENCIMERA CREMA ITALIA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LAVABO+ENCIMERA CR. ITALIA	- -	100151804 L179702484	G-734	- -	- -	64 x Cj 58,5 Neto

***NOTE:** This set comes with Bioprot protection.





LAVABO + ENCIMERA + BOSTON

The set includes:
-Wash basin
-Countertop
-Bracket
-Screws
-Wash basin

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LAVABO+ENCIMERA+BOSTON NOGAL INTENSE	- -	100153725 L170302865	G-737	- -	- -	102,81 x Cj 97,50 Neto
	LAVABO+ENCIMERA+BOSTON NOGAL WARM	- -	100153726 L170302864	G-737	- -	- -	102,81 x Cj 97,50 Neto

***NOTE:** This set comes with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





LAVABO+ENCIMERA+P.DUCHA 90 CR. ITALIA

The set includes:
-Wash basin
-Countertop
-Bracket
-Screws
-Shower tray

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LAVABO+ENCIMERA+P.DUCHA 90 CR. ITALIA	- -	100151803 L179702486	G-737	- -	- -	223,81 x Cj 167,50 Neto

***NOTE:** This set comes with Bioprot protection.





LAVABO+ENCIMERA+P.DUCHA 120 CR. ITALIA

The set includes:
-Wash basin
-Countertop
-Bracket
-Screws
-Shower tray

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LAVABO+ENCIMERA+P.DUCHA 120 CR. ITALIA	- -	100151802 L179702485	G-737	- -	- -	244,81 x Cj 189,50 Neto

***NOTE:** This set comes with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MEN{H}IR by
estudi{H}ac

Complementary products: *Men{H}ir Crema Italia Classico Bioprot 42x42x14 cm, Men{H}ir Encimera S Roble Antracita 90x55x5 cm, Men{H}ir Mueble S Crema Italia-Roble Antracita 94x56,5x22 cm, Men{H}ir Espejo Roble Antracita 90x60 cm, Men{H}ir Estante Vertical I Roble Antracita 90x30x25,7 cm, Men{H}ir Modulo Roble Antracita 33x35,6x150 cm, Men{h}ir Bañera Crema Italia Classico Bioprot Roble Antracita 185x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Wash basin

MEN{H}IR

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	42x42x14 cm 16 9/16"x16 9/16"x5 1/2"	100120595 L170302837	G-730	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto
	CREMA ITALIA CLASSICO	42x42x14 cm 16 9/16"x16 9/16"x5 1/2"	100120627 L170302838	G-730	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto

***NOTE:** All finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)





The set includes:
-Wash basin
-Shelf
-Maintenance kit

MEN{H}IR STAND

		DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
		BLANCO ATHENAS / ROBLE ANTRACITA	76,8x47x85 cm 30 1/4"x18 1/2"x33 1/2"	100121769 L179702178	G-755	1 x Cj 1 x Pal	- -	195 x Cj 132 Neto
		BLANCO ATHENAS / ROBLE NATURAL	76,8x47x85 cm 30 1/4"x18 1/2"x33 1/2"	100120636 L170302839	G-755	1 x Cj 1 x Pal	- -	195 x Cj 132 Neto
		CREMA ITALIA / ROBLE ANTRACITA	76,8x47x85 cm 30 1/4"x18 1/2"x33 1/2"	100121770 L179702179	G-755	1 x Cj 1 x Pal	- -	195 x Cj 132 Neto
		CREMA ITALIA / ROBLE NATURAL	76,8x47x85 cm 30 1/4"x18 1/2"x33 1/2"	100120654 L179702160	G-755	1 x Cj 1 x Pal	- -	195 x Cj 132 Neto

***NOTE:** All stone finishes come with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray

MEN{H}IR PLATO DUCHA D

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	150x92x5 cm 59 1/16"x36 1/4"x1 15/16"	100120650 L179702161	G-754	1 x Cj 1 x Pal	- -	210 x Cj 160 Neto
	CREMA ITALIA CLASSICO	150x92x5 cm 59 1/16"x36 1/4"x1 15/16"	100120651 L179702163	G-746	1 x Cj 1 x Pal	- -	210 x Cj 160 Neto

***NOTE:** All finishes come with Bioprot protection.

DRAIN 120MM
***SLIMLINE** S904410003*
SYSTEMPOOL





The set includes:
-Shower tray

MEN{H}IR PLATO DUCHA I

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	150x92x5 cm 59 1/16"x36 1/4"x1 15/16"	100120652 L179702162	G-754	1 x Cj 1 x Pal	- -	210 x Cj 160 Neto
	CREMA ITALIA CLASSICO	150x92x5 cm 59 1/16"x36 1/4"x1 15/16"	100120653 L179702164	G-746	1 x Cj 1 x Pal	- -	210 x Cj 160 Neto

***NOTE:** All finishes come with Bioprot protection.

DRAIN 120MM
SLIMLINE
S904410003
SYSTEMPOOL

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Bathtub
-Installation kit
-Shelf
-Gasket
-Maintenance kit

MEN{H}IR BAÑERA

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS / ROBLE ANTRACITA	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100147972 L179702450	G-791	1 x Cj 1 x Pal	- -	775 x Cj 575 Neto
	BLANCO ATHENAS / ROBLE NATURAL	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100146456 L179702422	G-791	1 x Cj 1 x Pal	- -	775 x Cj 575 Neto
	CREMA ITALIA / ROBLE ANTRACITA	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100147973 L179702451	G-790	1 x Cj 1 x Pal	- -	775 x Cj 575 Neto
	CREMA ITALIA / ROBLE NATURAL	185x90x54 cm 72 13/16"x35 7/16"x21 1/4"	100146457 L179702448	G-790	1 x Cj 1 x Pal	- -	775 x Cj 575 Neto

***NOTE:** All stone finishes come with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE PEDESTAL
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)



The set includes:
-Shelf
-Screws

MEN{H}IR MODULO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	33x35,6x150 cm 13"x14"x14"	100146532 L175000075	G-743	1 x Cj 1 x Pal	- -	34,42 x Cj 28,42 Neto
	ROBLE NATURAL	33x35,6x150 cm 13"x14"x14"	100146466 L175000072	G-743	1 x Cj 1 x Pal	- -	34,42 x Cj 28,42 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shelf
-Screws

MEN{H}IR ESTANTE I

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	90x30x25,7 cm 35 7/16"x11 13/16"x10 1/8"	100120599 L175000049	G-730	1 x Cj 4 x Pal	- -	11 x Cj 7 Neto
	ROBLE NATURAL	90x30x25,7 cm 35 7/16"x11 13/16"x10 1/8"	100120640 L175000053	G-730	1 x Cj 4 x Pal	- -	11 x Cj 7 Neto





The set includes:
-Shelf
-Screws

MEN{H}IR ESTANTE D

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	90x30x25,7 cm 35 7/16"x11 13/16"x10 1/8"	100120598 L175000048	G-730	1 x Cj 4 x Pal	- -	11 x Cj 7 Neto
	ROBLE NATURAL	90x30x25,7 cm 35 7/16"x11 13/16"x10 1/8"	100120639 L175000055	G-730	1 x Cj 4 x Pal	- -	11 x Cj 7 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Mirrors
-Screws

MEN{H}IR ESPEJO

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	90x60 cm 35 7/16"x23 5/8"	100153025 L175000082	G-730	1 x Cj 10 x Pal	- -	9,70 x Cj 5,70 Neto
	ROBLE NATURAL	90x30x25,7 cm 35 7/16"x11 13/16"x10 1/8"	100153019 L175000083	G-730	1 x Cj 10 x Pal	- -	9,70 x Cj 5,70 Neto



The set includes:
-Mirrors
-Screws

MEN{H}IR ESPEJO L

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	150x60x5 cm 59 1/16"x23 5/8"x1 15/16"	100146458 L175000070	G-734	1 x Cj 1 x Pal	- -	31,50 x Cj 26,50 Neto
	ROBLE NATURAL	150x60x5 cm 59 1/16"x23 5/8"x1 15/16"	100146437 L175000069	G-734	1 x Cj 1 x Pal	- -	31,50 x Cj 26,50 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Mirrors
-Screws

MEN{H}IR ESPEJO S

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	60x90x5 cm 23 5/8"x35 7/16"x1 15/16"	100146438 L175000064	G-732	1 x Cj 1 x Pal	- -	19 x Cj 14 Neto
	ROBLE NATURAL	60x90x5 cm 23 5/8"x35 7/16"x1 15/16"	100146439 L175000071	G-732	1 x Cj 1 x Pal	- -	19 x Cj 14 Neto





The set includes:
-Wash basin
-Screws
-Stone countertop

MEN{H}IR MUEBLE S 3C

		DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
		BLANCO ATHENAS / ROBLE ANTRACITA	94x56,6x71 cm 37"x22 5/16"x27 15/16"	100146533 L175000077	G-749	1 x Cj 1 x Pal	- -	96 x Cj 61 Neto
		BLANCO ATHENAS / ROBLE NATURAL	94x56,6x71 cm 37"x22 5/16"x27 15/16"	100146503 L175000076	G-749	1 x Cj 1 x Pal	- -	96 x Cj 61 Neto
		CREMA ITALIA / ROBLE ANTRACITA	94x56,6x71 cm 37"x22 5/16"x27 15/16"	100146534 L175000078	G-749	1 x Cj 1 x Pal	- -	96 x Cj 61 Neto
		CREMA ITALIA / ROBLE NATURAL	94x56,6x71 cm 37"x22 5/16"x27 15/16"	100146504 L175000079	G-749	1 x Cj 1 x Pal	- -	96 x Cj 61 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Screws
-Stone countertop

MEN{H}IR MUEBLE S

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS / ROBLE ANTRACITA	94x57x22 cm 37"x22 7/16"x8 11/16"	100120630 L175000051	G-742	1 x Cj 1 x Pal	- -	71 x Cj 48 Neto
	BLANCO ATHENAS / ROBLE NATURAL	94x57x22 cm 37"x22 7/16"x8 11/16"	100120635 L175000054	G-742	1 x Cj 1 x Pal	- -	71 x Cj 48 Neto
	CREMA ITALIA / ROBLE ANTRACITA	94x57x22 cm 37"x22 7/16"x8 11/16"	100120648 L175000058	G-742	1 x Cj 1 x Pal	- -	71 x Cj 48 Neto
	CREMA ITALIA / ROBLE NATURAL	94x57x22 cm 37"x22 7/16"x8 11/16"	100120649 L175000057	G-742	1 x Cj 1 x Pal	- -	71 x Cj 48 Neto





The set includes:
-Wash basin
-Screws
-Stone countertop

MEN{H}IR MUEBLE L

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS / ROBLE ANTRACITA	183x59,5x22 cm 72 1/16"x23 7/16"x8 11/16"	100120600 L175000047	G-748	1 x Cj 1 x Pal	- -	141 x Cj 90 Neto
	BLANCO ATHENAS / ROBLE NATURAL	183x59,5x22 cm 72 1/16"x23 7/16"x8 11/16"	100120646 L175000056	G-748	1 x Cj 1 x Pal	- -	141 x Cj 90 Neto
	CREMA ITALIA / ROBLE ANTRACITA	183x59,5x22 cm 72 1/16"x23 7/16"x8 11/16"	100120629 L175000050	G-748	1 x Cj 1 x Pal	- -	141 x Cj 90 Neto
	CREMA ITALIA / ROBLE NATURAL	183x59,5x22 cm 72 1/16"x23 7/16"x8 11/16"	100120647 L175000059	G-748	1 x Cj 1 x Pal	- -	141 x Cj 90 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



The set includes:
-Shelf
-Bracket
-Screws

MEN{H}IR ESTANTE XS

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	30x20x5 cm 11 13/16"x7 7/8"x1 15/16"	100146464 L175000065	G-706	1 x Cj 1 x Pal	- -	2,5 x Cj 1,5 Neto
	ROBLE NATURAL	30x20x5 cm 11 13/16"x7 7/8"x1 15/16"	100146465 L175000068	G-706	1 x Cj 1 x Pal	- -	2,5 x Cj 1,5 Neto





The set includes:
-Shelf
-Bracket
-Screws

MEN{H}IR ESTANTE S

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	93x56,5x5 cm 36 5/8"x22 1/4"x1 15/16"	100146462 L175000073	G-731	1 x Cj 1 x Pal	- -	19,50 x Cj 12,50 Neto
	ROBLE NATURAL	93x56,5x5 cm 36 5/8"x22 1/4"x1 15/16"	100146463 L175000067	G-731	1 x Cj 1 x Pal	- -	19,50 x Cj 12,50 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shelf
-Bracket
-Screws

MEN{H}IR ESTANTE L

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	150x60x5 cm 59 1/16"x23 5/8"x1 15/16"	100146460 L175000066	G-742	1 x Cj 1 x Pal	- -	35,50 x Cj 26,50 Neto
	ROBLE NATURAL	150x60x5 cm 59 1/16"x23 5/8"x1 15/16"	100146461 L175000074	G-742	1 x Cj 1 x Pal	- -	35,50 x Cj 26,50 Neto





The set includes:
-Countertop
-Bracket
-Screws

MEN{H}IR ENCIMERA S

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	90x55x5 cm 35 7/16"x21 5/8"x1 15/16"	100120628 L172109831	G-730	1 x Cj 5 x Pal	- -	27,50 x Cj 20,50 Neto
	ROBLE NATURAL	90x55x5 cm 35 7/16"x21 5/8"x1 15/16"	100120634 L172109841	G-730	1 x Cj 5 x Pal	- -	27,50 x Cj 20,50 Neto

***NOTE:** Only valid for washbasins Men{h}ir.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Countertop
-Bracket
-Screws

MEN{H}IR ENCIMERA L

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	ROBLE ANTRACITA	150x60x5 cm 59 1/16"x23 5/8"x1 1/16"	100120596 L172109821	G-747	1 x Cj 5 x Pal	- -	46,50 x Cj 37,50 Neto
	ROBLE NATURAL	150x60x5 cm 59 1/16"x23 5/8"x1 1/16"	100120643 L179702158	G-747	1 x Cj 5 x Pal	- -	46,50 x Cj 37,50 Neto

***NOTE:** Only valid for washbasins Men{h}ir.

Complementary products: *Men{H}ir Blanco Athenas Classico Bioprot 42x42x14 cm, Men{H}ir Encimera S Roble Natural 90x55x5 cm, Men{H}ir Mueble S Blanco Athenas-Roble Natural 94x57x22 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

FACES by

Ramón Esteve

Complementary products: *Faces Stand Habana Dark Classico Bioprot 55,2x60,8x96 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Coupling

FACES

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	45x48,5x13 cm 17 11/16"x19 1/8"x5 1/8"	100156487 L170302875	G-744	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto
	CREMA ITALIA CLASSICO	45x48,5x13 cm 17 11/16"x19 1/8"x5 1/8"	100156488 L170302874	G-747	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto
	GREY STONE CLASSICO	45x48,5x13 cm 17 11/16"x19 1/8"x5 1/8"	100156489 L170302873	G-747	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto
	HABANA DARK CLASSICO	45x48,5x13 cm 17 11/16"x19 1/8"x5 1/8"	100156520 L170302876	G-744	1 x Cj 6 x Pal	- -	31 x Cj 27 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Wash basin
-Coupling
-Maintenance kit

FACES STAND

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	BLANCO ATHENAS CLASSICO	55,2x60,8x96 cm 21 3/4"x23 15/16"x37 13/16"	100156521 L179702592	G-761	1 x Cj 1 x Pal	- -	389 x Cj 329 Neto
	CREMA ITALIA CLASSICO	55,2x60,8x96 cm 21 3/4"x23 15/16"x37 13/16"	100156522 L179702589	G-760	1 x Cj 1 x Pal	- -	389 x Cj 329 Neto
	GREY STONE CLASSICO	55,2x60,8x96 cm 21 3/4"x23 15/16"x37 13/16"	100156523 L179702590	G-760	1 x Cj 1 x Pal	- -	389 x Cj 329 Neto
	HABANA DARK CLASSICO	55,2x60,8x96 cm 21 3/4"x23 15/16"x37 13/16"	100156524 L179702591	G-761	1 x Cj 1 x Pal	- -	389 x Cj 329 Neto

***NOTE:** All stone finishes come with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Complementary products: *Faces Stand Habana Dark Classico Bioprot 55,2x60,8x96 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

INTERIOR DESIGN BEST OF YEAR 2013

AZRAMA by
clodagh

Complementary products: *Azrama Primitive Vanity Habana Brown Classico Bioprot 55,2x55,2x85 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Maintenance kit

AZRAMA PRIMITIVE VANITY

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	HABANA BROWN CLASSICO	55,2x55,2x85 cm 21 3/4"x21 3/4"x33 7/16"	100142876 L179702352	G-757	1 x Cj 1 x Pal	- -	437 x Cj 377 Neto

***NOTE:** Comes with Bioprot protection.

***FIXED EMPTIER WITHOUT OVERFLOW CHROME** N299606001*
NOKEN

STONE TRIMS
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the wash basin.
(See page 155)

Textured exterior surface





The set includes:
-Wash basin
-Steel frame
-Furniture

AZRAMA VANITY SINGLE

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	HABANA BROWN / IROKO	61x84,6x45,7 cm 24"x34"x18"	100146487 L179702442	G-749	1 x Cj 1 x Pal	- -	90 x Cj 53 Neto

***NOTE:** Qmax L/min = 5 litres/min (Pressure= 3 bar). The use of the 100072948 STANDARD AERATOR is recommended for reducing the flow to 3.5 litres/min. Comes with Bioprot protection.

Recommended taps
***HOTELS** N199999610*
***HOTELS** N194710553*
***ATLANTIC** N199999746*
***URBAN** N199999610 (con aireador)*
***LIBRA** N160010001 (Con Aireador)*
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Textured exterior surface





The set includes:
-Wash basin
-Steel frame
-Furniture

AZRAMA VANITY DOUBLE

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	HABANA BROWN / IROKO	120,8x86,4x45,7 cm 44"x34"x18"	100146486 L179702417	G-753	1 x Cj 1 x Pal	- -	140 x Cj 99 Neto

***NOTE:** Qmax L/min = 9 litres/min (Pressure= 3 bar). The use of the 100072948 STANDARD AERATOR is recommended for reducing the flow to 3.5 litres/min. Comes with Bioprot protection.

Textured exterior surface





The set includes:
-Wash basin
-Steel frame
-Furniture

AZRAMA VANITY DOORS

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	HABANA BROWN / IROKO	111,8x86,4x45,7 cm 44"x34"x18"	100146485 L179702458	G-758	1 x Cj 1 x Pal	- -	151 x Cj 110 Neto

***NOTE:** Qmax L/min = 9 litres/min (Pressure= 3 bar). The use of the 100072948 STANDARD AERATOR is recommended for reducing the flow to 3.5 litres/min. Comes with Bioprot protection.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Textured exterior surface





The set includes:
-Bathtub
-Installation kit
-Gasket
-Maintenance kit

AZRAMA HAMMOCK TUB

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	HABANA BROWN	213x100x54,4 cm 83 7/8"x39 3/8"x21 7/16"	100141167 L179702380	G-792	1 x Cj 1 x Pal	- -	1351 x Cj 1201 Neto

***NOTE:** Comes with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE TRIMS
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)

Floor Coverings: *Eden 1L Brown 20x240x2 cm.*
Wall Coverings: *Outlines Brick Burma (2,5x15) 31x30x1 cm.*
Complementary products: *Azrama Hammock Tub Habana Brown 213x100x54,4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

***Complementary products:** Azrama Vanity Single Classico BioProt 61x84,6x45,7 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SPIRIT by
A-cero

joaquin torres & rafael llamazares

Floor Coverings: *A-cero Dark Bioprot, A-cero Gloss Bioprot.*
Wall Coverings: *A-cero Dark Bioprot, Spirit Curvas A-cero Dark Bioprot.*
Complementary products: *Spirit Lavabo A-cero Gloss Bioprot 145x42x12 cm, Spirit Mueble Roble Intenso 180x20x40 cm, Spirit Espejo Neboa 246,3x130,5 cm, Spirit Bañera A-cero Gloss Bioprot 260x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Wash basin
-Steel frame
-Bracket
-Screws
-Maintenance kit

SPIRIT LAVABO

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	A-CERO DARK	145x42x12 cm 57 1/8"x16 9/16"x4 3/4"	100098337 L171301224	G-749	1 x Cj 1 x Pal	- -	125 x Cj 89 Neto
	A-CERO GLOSS	145x42x12 cm 57 1/8"x16 9/16"x4 3/4"	100098331 L171301223	G-748	1 x Cj 1 x Pal	- -	125 x Cj 89 Neto

***NOTE:** All finishes come with Bioprot protection.





The set includes:
-Wash basin
-Steel frame
-Bracket
-Screws
-Maintenance kit

SPIRIT II LAVABO

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	A-CERO DARK	53,1x50 cm 20 7/8"x19 11/16"	100112177 L170302655	G-751	1 x Cj 1 x Pal	- -	130 x Cj 95 Neto
	A-CERO GLOSS	53,1x50 cm 20 7/8"x19 11/16"	100112178 L170302656	G-749	1 x Cj 1 x Pal	- -	130 x Cj 95 Neto

***NOTE:** All finishes come with Bioprot protection.

LOUNGE TAPS
N199999990
AIREADOR
N299999432
NOKEN

ACRO TRAP
N172390018
NOKEN

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Shower tray

SPIRIT PLATO DE DUCHA

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	A-CERO DARK	170x80x5 cm 66 7/8"x31 1/2"x2"	100098338 L173300292	G-748	1 x Cj 1 x Pal	- -	196 x Cj 145 Neto
	A-CERO GLOSS	170x80x5 cm 66 7/8"x31 1/2"x2"	100098332 L173300291	G-754	1 x Cj 1 x Pal	- -	169 x Cj 145 Neto

***NOTE:** All finishes come with Bioprot protection.

DRAIN 120MM SLIMLINES
S904410003
SYSTEMPOOL



The set includes:
-Bathtub
-Installation kit
-Gasket
-Maintenance kit

SPIRIT BAÑERA

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	A-CERO DARK	260x90x54 cm 102 3/8"x35 3/8"x21 1/4"	100098336 L172600009	G-792	1 x Cj 1 x Pal	- -	610 x Cj 460 Neto
	A-CERO GLOSS	260x90x54 cm 102 3/8"x35 3/8"x21 1/4"	100098327 L172600008	G-791	1 x Cj 1 x Pal	- -	610 x Cj 460 Neto

***NOTE:** All finishes come with Bioprot protection.

VACIADOR CLICKER BUTTON WITHOUT OVERFLOW
100110743-N698350001
NOKEN

STONE TRIMS
Hidden-drain pedestals are available on order in the same material and with the same finish as that used for the bathtubs.
(See page 165)

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Mirrors
-Screws

SPIRIT ESPEJO LAGOA

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SPIRIT ESPEJO LAGOA	245,5x96 cm 96 5/8"x37 3/4"	100098329 L179702087	G-731	1 x Cj 5 x Pal	- -	72,45 x Cj 21,45 Neto



The set includes:
-Mirrors
-Screws

SPIRIT ESPEJO ALBOR

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SPIRIT ESPEJO ALBOR	96,1x88,4 cm 37 7/8"x34 13/16"	100098328 L179702085	G-732	1 x Cj 5 x Pal	- -	20,18 x Cj 6 Neto

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Mirrors
-Screws

SPIRIT ESPEJO NEBOA

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SPIRIT ESPEJO NEBOA	246,3x130,5 cm 96 15/16"x51 3/8"	100098330 L179702086	G-732	1 x Cj 5 x Pal	- -	82,80 x Cj 31,80 Neto

***NOTE:** If silicone is used to seal or glue the piece, use polyurethane or neutral silicone without acetic acid to prevent it attacking the lacquer finish of the mirror.

EEUU / NK LOGIC
N100143677
NOKEN

EMBEDDED WASH BASIN MIXER TAP. IRTA.WBAS IRTA MIXER TAP ENC.
N161011301
NOKEN





The set includes:
-Mirrors
-Screws

SPIRIT II ESPEJO

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SPIRIT ESPEJO II	90x46,5 cm 35 7/16"x18 5/16"	100112176 L175000023	G-712	1 x Cj 5 x Pal	- -	13,85 x Cj 6 Neto
SPIRIT ESPEJO II	130x46,5 cm 51 1/8"x18 5/16"	100112174 L175000024	G-713	1 x Cj 5 x Pal	- -	20,01 x Cj 8,50 Neto
SPIRIT ESPEJO II	150x46,5 cm 59"x18 5/16"	100112175 L175000022	G-714	1 x Cj 5 x Pal	- -	23,09 x Cj 9 Neto

150x46,5x2,5cm

130x46,5x2,5cm

90x46,5x2,5cm

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Furniture
-Screws

SPIRIT MUEBLE

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	180x20x40 cm 70 7/8"x7 7/8"x15 3/4"	100098321 L175000015	G-744	1 x Cj 8 x Pal	- -	13,85 x Cj 6 Neto
	ROBLE INTENSO	180x20x40 cm 70 7/8"x7 7/8"x15 3/4"	100098322 L175000016	G-744	1 x Cj 8 x Pal	- -	13,85 x Cj 6 Neto





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE CURVADO D

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112194 L175000028	G-744	1 x Cj 1 x Pal	- -	18,70 x Cj 14,70 Neto
	ROBLE INTENSO	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112195 L175000026	G-744	1 x Cj 1 x Pal	- -	18,70 x Cj 14,70 Neto



I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE CURVADO I

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112196 L175000027	G-744	1 x Cj 1 x Pal	- -	18,70 x Cj 14,70 Neto
	ROBLE INTENSO	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112197 L175000034	G-744	1 x Cj 1 x Pal	- -	18,70 x Cj 14,70 Neto



I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE PIE D

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112198 L175000031	G-754	1 x Cj 1 x Pal	- -	38,93 x Cj 34,93 Neto
	ROBLE INTENSO	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112199 L175000030	G-754	1 x Cj 1 x Pal	- -	38,93 x Cj 34,93 Neto



I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE PIE I

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112200 L175000035	G-754	1 x Cj 1 x Pal	- -	38,93 x Cj 34,93 Neto
	ROBLE INTENSO	53,1x85,7x50 cm 20 7/8"x33 3/4"x19 11/16"	100112205 L175000033	G-754	1 x Cj 1 x Pal	- -	38,93 x Cj 34,93 Neto



I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE CAJON D

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x22x50 cm 20 7/8"x8 11/16"x19 11/16"	100112190 L175000029	G-733	1 x Cj 6 x Pal	- -	10,08 x Cj 8,08 Neto
	ROBLE INTENSO	53,1x22x50 cm 20 7/8"x8 11/16"x19 11/16"	100112191 L175000025	G-733	1 x Cj 6 x Pal	- -	10,08 x Cj 8,08 Neto



I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The set includes:
-Furniture
-Screws

SPIRIT II MUEBLE CAJON I

	DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
	ROBLE CENIZA	53,1x22x50 cm 20 7/8"x8 11/16"x19 11/16"	100112192 L175000036	G-733	1 x Cj 6 x Pal	- -	10,08 x Cj 8,08 Neto
	ROBLE INTENSO	53,1x22x50 cm 20 7/8"x8 11/16"x19 11/16"	100112193 L175000032	G-733	1 x Cj 6 x Pal	- -	10,08 x Cj 8,08 Neto

I: Unit sloping to left.
D: Unit sloping to right.





The D unit (sloping to right) can be mounted on both sides of the washbasin. If 2 units are required, one on either side of the wash basin, use the D unit. If 2 units are required, one next to the other, on only one side of the washbasin, one D unit and one I unit may be used together. This combination can only be mounted on the left side of the wash basin.

Complementary products: *Spirit II Lavabo A-cero Gloss Bioprot 53,1x50 cm, Spirit II Mueble Pie D Roble Intenso 53,1x85,7x50 cm, Spirit II Mueble Cajon D Roble Intenso 53,1x22x50 cm, Espejo Spirit II 130x46,5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Blanco Athenas

Crema Italia

Blanco Almeria

Beige

Caliza Moka

Crema Nilo

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Grey Stone

Habana Brown. Collection only Azrama.

Habana Dark



Negro Marquina

Calacatta. Collection only Calacatta.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

A-cero Gloss. Collection only Spirit.



A-cero Dark. Collection only Spirit.

Pampa . Only for countertops.



Tukuman. Only for countertops.

Patagonia . Only for countertops.

Bhutan. Only for countertops.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Roble Ceniza. Collection only Spirit.

Roble Intenso. Collection only Spirit.

Roble Natural. Collection only Menhir.

Roble Antracita. Collection only Menhir.

Nogal Warm

Nogal Intense

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Roble Sunset

Roble Cloudy

Iroko. Collection only Azrama.

Roble. Only for countertops.

Castaño. Only for countertops.

Zebrano. Only for countertops.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

GUARANTEE

All our products are top quality and hold the guarantee obtained with the ISO 9001 certification and CE Marking, Declaration of Conformity. In addition, the department of quality at L´ Antic Colonial, S.A conducts permanent quality controls of its products. All products are guaranteed against any production defects, in normal conditions of use and with correct assembly and installation for a period of TWO YEARS, from the delivery date to the first user. The goods should be carefully inspected on delivery. Any fault, defect or breakage observed, caused during transportation, should be recorded on the transport agency delivery note. In the case of units supplied in promotional offers, projects, etc., the guarantee period will start on the product supply date.

This guarantee does not apply to those products which have been stored, fitted or installed incorrectly, misused, or cleaned using unsuitable cleaning products or methods. This guarantee does not apply to those products that have been used for public use, outside or in corrosive environments.

The normal evolution and characteristics of the natural product are excluded. There may be slight differences of colour between the different elements and differences in tone or grain. In addition, if the products are compared at different moments, the time elapsed and the weather conditions may cause variations in colour and/or tone.

While this guarantee remains valid, L'Antic Colonial reserves the right, without prior notification, to modify the technical and design specifications of its products.

Conditions of guarantee:

- That the product was purchased from an Official Distributor
- That it has not been altered since it left the factory
- That the recommendations for use and maintenance have been observed
- That the products have not been used, or exhibited for an indefinite period in any showroom. The guarantee period for these articles is 30 days.

NOTE: The guarantee document is applicable without prejudice to the rights of the consumers established under the applicable Law in each country, and with that established under European Community legislation.

MAINTENANCE

Maintenance is essential for removing dirt or stains that may have built up, acid attacks, renewing the product shine, etc. Correct maintenance guarantees a longer life for the product.

NATURAL STONE

Ordinary cleaning: A neutral pH high-powered cleaner such as Fila Cleaner is recommended, to ensure fast and efficient cleaning, without damaging the product treatment. Dilute a capful of Fila Cleaner in a bucket of warm water and mop the product. Rinsing is not necessary.

To remove stains or acid attacks: In the event of stains or attacks by acid substances (lemon, coke, tomato juice, lime scale removers, wine, vinegar, etc.) that react with the natural stone, these can be removed using a suitable restoration kit available from L'Antic Colonial points of sale. To remove organic stains, dyes and felt-tip pen, use the Fila Sr/95 colour stain remover.

Renewing or increasing the degree of shine: To renew or increase the degree of shine, use the specific natural wax, FilaClassic. To apply correctly, first dilute the product, apply to the surface and after a few hours, gently wipe with a soft cloth to obtain the required shine.

WOOD USED IN THE UNITS

Dust with a soft cloth at least twice a week. Units must never be exposed to prolonged contact with water or extremely high conditions of humidity. Check that the bathroom is correctly ventilated. Wipe away any water spilt onto the surface, with a clean dry cloth as fast as possible to prevent moisture from penetrating into the product. Grease and oil stains can be easily removed with acetone.
Remember that to remove ordinary domestic dirt, abrasive soaps, steel wool, wax or polishers should not be used in the care and conservation of the product. A biodegradable cleaner that does not leave residue and does not require rinsing after application is ideal.
Avoid exposure to direct sunlight for prolonged periods of time. During the hours of maximum sunlight, use curtains or blinds to minimise the direct sunlight.

GLASS AND MIRRORS

Use a soft cloth moistened with alcohol. Avoid the use of abrasive materials that may harm or scratch the surface.

STAINLESS STEEL

Stainless steel is special steel known for its high resistance to knocks, scratches, light and corrosion. No special care is necessary but it is important not to use abrasive materials. Surfaces should be cleaned with a soft cloth and alcohol.

Complementary products: *Zeno Top Crema Nilo Bioprot 80x52,5x17,3 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Floor Coverings: *Crema Grecia Sand Home Bioprot (special order, step glued to miter).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TREAD RISER - TREAD RISER ON TEMPLATE



TREAD RISER - CIRCULAR TREAD



TREAD ONLY



FINISHES

EDGES



Straight



1/4 Round edge



1/2 Round edge



Round edge



Bevelled



Pilaster edge

CUTS



Run-off

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Stone Mosaics

Glass Mosaics



Metal Mosaics

Wood Mosaics

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Mix Mosaics

Air Mosaics

NOOHN
MOSAICS

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Wall Coverings: *Ancient Sign (2,3) 30,5x30,5x1 cm, Crystal Dark (Venis).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Paper-faced product. A number of mosaic styles are paper-faced to preserve the same characteristics when laid as the mesh-mounted version. This system is particularly suitable for permanently wet zones.

Mesh-mounted product. Most of L'Antic Colonial's mosaics have been laid on a mesh for quick and easy installation. With this system, curved areas can be covered thanks to the mobility of the pieces.

A product that stands out for its uneven surface.

A product with a reflective surface.

A product with a non-shiny surface.

Wall Coverings: *Tribal Pearl White (1x2) 28,6x28,3x0,8 cm, Ruggine Platino (Venis).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN STONE MOSAICS

WORLD
ELITE
LINES
SKYLINE
TAILOR
OUTLINES
AICHI
MOON
ESSENTIAL
PARADISE
ANCIENT
LUXURY

***Wall Coverings:** Luxury Modul Gold 30x29x1-2 cm, Seul Nacar (Porcelanosa).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

WORLD BLANCO ALMERIA
5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100000310 - L114521501 - G-510

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

WORLD CREMA ITALIA
5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100000311 - L114522501 - G-511

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

WORLD BEIGE
5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100000312 - L114524501 - G-510

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

WORLD BLANCO ALMERIA
2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"

100000559 - L119401501 - G-513

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

WORLD CREMA ITALIA
2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"

100000560 - L119402501 - G-515

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

WORLD BEIGE
2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"

100000561 - L119404501 - G-513

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WORLD BEIGE 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000561 L119404501	G-513	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	16,77 x Cj 603,72 x Pal
WORLD BEIGE 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000312 L114524501	G-510	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	17,72 x Cj 637,92 x Pal
WORLD BLANCO ALMERIA 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000559 L119401501	G-513	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	18,84 x Cj 678,24 x Pal
WORLD BLANCO ALMERIA 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000310 L114521501	G-510	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	21,86 x Cj 786,96 x Pal
WORLD CREMA ITALIA 2X2X1	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000560 L119402501	G-515	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	15,33 x Cj 551,88 x Pal
WORLD CREMA ITALIA 5X5X1	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000311 L114522501	G-511	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	21,86 x Cj 786,96 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

WORLD MULTICOLOR DELHI 7,5x7,5cm - 3"x3"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100091632 - L108012211 - G-505

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

WORLD MULTICOLOR BOMBAY 7,5x7,5cm - 3"x3"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

1000917142 - L108012251 - G-505

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

WORLD MULTICOLOR SLATE 3,5x3,5cm - 1 3/8"x1 3/8"

30,5x30,5x1cm - 12"x12"x3/8"

100028465 - L153401511 - G-508

SLATE
LIMESTONE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

WORLD RANDOM SHANNAN

30x30,5x1-1,2cm - 11 3/4"x12"x3/8"-1/2"

100153596 - L241710991 - G-505

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

WORLD RANDOM NEPAL

30x30,5x1-1,2cm - 11 3/4"x12"x3/8"-1/2"

100153595 - L241711001 - G-505

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WORLD MULTICOLOR DELHI (7,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100091632 L108012211	G-505	10 x Cj 300 x Pal	0,90 x Cj 27 x Pal	24 x Cj 720 x Pal
WORLD MULTICOLOR BOMBAY (7,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100091714 L108012251	G-505	10 x Cj 300 x Pal	0,90 x Cj 27 x Pal	24 x Cj 720 x Pal
WORLD MULTICOLOR SLATE (3,5)	30,5x30,5x1 cm 12"x12"x3/8"	100028465 L153401511	G-508	10 x Cj 480 x Pal	0,93 x Cj 44,64 x Pal	23,85 x Cj 1145 x Pal
WORLD RANDOM SHANNAN	30x30,5x1-1,2 cm 11 3/4"x12"x3/8"-1/2"	100153596 L241710991	G-505	10 x Cj 540 x Pal	0,91 x Cj 49,41 x Pal	25 x Cj 1350 x Pal
WORLD RANDOM NEPAL	30x30,5x1-1,2 cm 11 3/4"x12"x3/8"-1/2"	100153595 L241711001	G-505	10 x Cj 540 x Pal	0,91 x Cj 49,41 x Pal	18 x Cj 972 x Pal

***NOTE:** Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: **colorstuk rapid beige**

ELITE BHUTAN COPPER 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100080870 - L108008551 - G-512

ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: **colorstuk rapid gris**

ELITE BHUTAN SILVER 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100080871 - L108008561 - G-512

ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE BIG EVEN WHITE 3,5x3,5 - 1 3/8"x1 3/8"

28x28x1,5cm - 11"x11"x5/8"

100086248 - L119379091 - G-535

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **colorstuk rapid marfil**

ELITE CAPUCCINO TEXTURE - PUL. 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086096 - L108010101 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **colorstuk rapid marfil**

ELITE CREMA ALEJAN. TEXTURE - PUL. 1,5x1,5cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086097 - L108010111 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: **colorstuk rapid marfil**

ELITE CR. ALEJANDRIA CAPUC. TEXT. 5x5cm - 2"x2"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086104 - L108010131 - G-516

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE BHUTAN COPPER (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100080870 L108008551	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,22 x Cj 930 x Pal
ELITE BHUTAN SILVER (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100080871 L108008561	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,22 x Cj 930 x Pal
ELITE BIG EVEN WHITE (3,5)	28x28x1,5 cm 11"x11"x5/8"	100086248 L119379091	G-535	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	13,80 x Cj 496,80 x Pal
ELITE CAPUCCINO TEXTURE-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086096 L108010101	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,61 x Cj 670 x Pal
ELITE CR. ALEJANDRIA CAPUC.TEXT. (5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086104 L108010131	G-516	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,64 x Cj 671 x Pal
ELITE CR. ALEJAN.TEXTURE-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086097 L108010111	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,61 x Cj 670 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



No supported grouting

ELITE EVEN CREMA GRECIA 1,5x1,5 cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100153006 - L241710611 - G-534

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE EVEN BURMA 1,5x1,5 cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100057244 - L108003031 - G-519

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



*Board recommends Butech: **colorstuk rapid gris***

ELITE HABANA BROWN TEXT. - PUL. 1,5x1,5 cm - 5/8"x5/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100086098 - L108010091 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE EVEN BANGALORE 2,5x2,5cm - 1"x1"

30,5x30,5x0,9cm - 12"x12"x3/8"

100097127 - L108015171 - G-519

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE BRICK ARIANA 2,5x4,8cm - 1x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"

100100734 - L119487421 - G-511

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE SQUARE ARIANA 2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"

100100733 - L108016891 - G-511

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE EVEN CREMA GRECIA (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100153006 L241710611	G-534	10 x Cj 420 x Pal	0,90 x Cj 37,80 x Pal	15,44 x Cj 648,48 x Pal
ELITE EVEN BURMA (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100057244 L108003031	G-519	10 x Cj 420 x Pal	0,90 x Cj 37,80 x Pal	16,14 x Cj 678 x Pal
ELITE HABANA BROWN TEXT.-PUL. (1,5)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100086098 L108010091	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,64 x Cj 671 x Pal
ELITE EVEN BANGALORE (2,5)	30,5x30,5x0,9 cm 12"x12"x3/8"	100097127 L108015171	G-519	9 x Cj 378 x Pal	0,84 x Cj 35,15 x Pal	24,05 x Cj 1010 x Pal
ELITE BRICK ARIANA (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100100734 L119487421	G-511	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	17,75 x Cj 639,07 x Pal
ELITE SQUARE ARIANA (2,5X2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100100733 L108016891	G-511	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	16,30 x Cj 586,91 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

ELITE BRICK CREAMS
2,5x4,8cm - 1"x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"

100099430 - L119487381 - G-511

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE SQUARE CREAMS
2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"

100099433 - L108016681 - G-511

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE BRICK SILVER WOOD
2,5x4,8cm - 1"x1 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100119813 - L241709051 - G-511

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE SQUARE SILVER WOOD
2,5x2,5cm - 1"x1"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100119814 - L241709071 - G-511

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE BRICK WHITES
2,5x4,8cm - 1"x1 7/8"

29x31,5x1,5cm - 11 3/8"x12 3/8"x5/8"

100099431 - L119487391 - G-516

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

ELITE SQUARE WHITES
2,5x2,5cm - 1"x1"

30x30x1,5cm - 11 3/4"x11 3/4"x5/8"

100099434 - L108016691 - G-516

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELITE BRICK CREAMS (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100099430 L119487381	G-511	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	16,30 x Cj 586,91 x Pal
ELITE SQUARE CREAMS (2,5X2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100099433 L108016681	G-511	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	19,84 x Cj 714,17 x Pal
ELITE BRICK SILVER WOOD (2,6X4,8)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100119813 L241709051	G-511	7 x Cj 336 x Pal	0,63 x Cj 30,24 x Pal	13,40 x Cj 643,10 x Pal
ELITE SQUARE SILVER WOOD (2,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100119814 L241709071	G-511	7 x Cj 336 x Pal	0,63 x Cj 30,24 x Pal	13,40 x Cj 643,10 x Pal
ELITE BRICK WHITES (2,5X4,8)	29x31,5x1,5 cm 11 3/8"x12 3/8"x5/8"	100099431 L119487391	G-516	7 x Cj 252 x Pal	0,64 x Cj 23,02 x Pal	16,30 x Cj 586,91 x Pal
ELITE SQUARE WHITES (2,5)	30x30x1,5 cm 11 3/4"x11 3/4"x5/8"	100099434 L108016691	G-516	7 x Cj 252 x Pal	0,63 x Cj 22,68 x Pal	18,58 x Cj 669 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

LINES GEO CREMA GRECIA

29,8x27,6x1 cm - 11 3/4"x10 7/8"x3/8"
100001588- L153501121 - G-523

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

LINES SILVER WOOD GREY

31x31x1 cm - 12 1/4"x12 1/4"x3/8"
100110504 - L101200001 - G-522

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Lines Silver Wood Grey 31x31x1 cm, Silk Verde (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES GEO CREMA GRECIA	29,8x27,6x1 cm 11 3/4"x10 7/8"x3/8"	100001588 L153501121	G-523	10 x Cj 360 x Pal	0,82 x Cj 29,61 x Pal	20,29 x Cj 730,44 x Pal
LINES SILVER WOOD GREY	31x31x1 cm 12 1/4"x12 1/4"x3/8"	100110504 L101200001	G-522	10 x Cj 360 x Pal	0,96 x Cj 34,56 x Pal	23,10 x Cj 831,60 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

LINES SAFARY WHITE

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100103960 - L153801151 - G-531

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

LINES SAFARY MINI STRIP WHITE

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146047 - L241710271 - G-527

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LINES SAFARY MODUL WHITE

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146052 - L241710211 - G-533

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

LINES SAFARY GREY

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100146043 - L241710221 - G-531

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

LINES SAFARY MINI STRIP GREY

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146046 - L241710231 - G-527

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LINES SAFARY MODUL GREY

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146051 - L241709981 - G-533

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES SAFARY WHITE	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100103960 L153801151	G-531	10 x Cj 360 x Pal	0,91 x Cj 32,61 x Pal	22,05 x Cj 793,80 x Pal
LINES SAFARY MINI STRIP WHITE	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146047 L241710271	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL WHITE	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146052 L241710211	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal
LINES SAFARY GREY	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100146043 L241710221	G-531	10 x Cj 360 x Pal	0,90 x Cj 32,61 x Pal	18 x Cj 648 x Pal
LINES SAFARY MINI STRIP GREY	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146046 L241710231	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL GREY	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146051 L241709981	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 beige***
Wet areas: ***epotech***

LINES SAFARY CREAM

29,8x30,4x1cm - 11 3/4"x12"x3/8"
100121429 - L241709141 - G-531

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 beige***
Wet areas: ***epotech***

LINES SAFARY MINI STRIP CREAM

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146045 - L241710241 - G-527

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LINES SAFARY MODUL CREAM

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100146050 - L241710041 - G-533

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

LINES SAFARY BROWN

30,4x29,8x1cm - 12"x11 3/4"x3/8"
100103959 - L153801161 - G-531

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

LINES SAFARY MINI STRIP BROWN

30x22,7x0,9-1,1cm - 11 3/4"x9"x3/8"
100146044 - L241710171 - G-527

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LINES SAFARY MODUL BROWN

30,5x30x0,8-1,5cm - 12"x11 3/4"x3/8"-5/8"
100145989 - L241709931 - G-533

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LINES SAFARI CREAM	29,8x30,4x1 cm 11 3/4"x12"x3/8"	100121429 L241709141	G-531	10 x Cj 360 x Pal	0,90 x Cj 32,58 x Pal	21,94 x Cj 789,84 x Pal
LINES SAFARY MINI STRIP CREAM	30x22,7x0,9-1,1cm 11 3/4"x9"x3/8"	100146045 L241710241	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL CREAM	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100146050 L241710041	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal
LINES SAFARY BROWN	30,4x29,8x1 cm 12"x11 3/4"x3/8"	100103959 L153801161	G-531	10 x Cj 360 x Pal	0,91 x Cj 32,61 x Pal	22,05 x Cj 793,80 x Pal
LINES SAFARY MINI STRIP BROWN	30x22,7x0,9-1,1 cm 11 3/4"x9"x3/8"	100146044 L241710171	G-527	10 x Cj 360 x Pal	0,68 x Cj 24,62 x Pal	16 x Cj 576 x Pal
LINES SAFARY MODUL BROWN	30,5x30x0,8-1,5 cm 12"x11 3/4"x3/8"-5/8"	100145989 L241709931	G-533	10 x Cj 360 x Pal	0,91 x Cj 32,72 x Pal	28 x Cj 1008 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



No supported grouting

SKYLINE STRIP CR. ALEJAN. MODUL

24,2x29,1x1cm - 9 1/2"x11 1/2"x3/8"

100031423 - L108000051 - G-520

MARBLE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

SKYLINE STRIP HAB. BROWN MODUL

24,2x29,1x1cm - 9 1/2"x11 1/2"x3/8"

100081348 - L159800031 - G-520

MARBLE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

SKYLINE TRIAL DELHI 4,8x4,8 - 1 7/8"x1 7/8"

29x29x1cm - 11 3/8"x11 3/8"x3/8"

100090618 - L119487071 - G-513

SLATE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

SKYLINE ROOF DELHI 5x5cm- 2"x2"

29x29,5x1,7cm - 11 3/8"x11 5/8"x5/8"

100086144 - L159800051 - G-510

SLATE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic



No supported grouting

SKYLINE ROOF BANGALORE 5x5cm - 2"x2"

29x29,5x1,7cm - 11 3/8"x11 5/8"x5/8"

100080872 - L159800011 - G-510

SLATE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

SKYLINE SCALE BANGALORE

29,6x19,4x1,8cm - 11 5/8"x7 5/8"x3/4"

100097129 - L108015161 - G-157

SLATE

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE STRIP CR. ALEJAN. MODUL	29,5x30,5x1 cm 11 5/8"x12"x3/8"	100031423 L108000051	G-520	4 x Cj 56 x Pal	0,36 x Cj 5,04 x Pal	13,76 x Cj 192,70 x Pal
SKYLINE STRIP HAB. BROWN MODUL	29,5x30,5x1 cm 11 5/8"x12"x3/8"	100081348 L159800031	G-520	4 x Cj 96 x Pal	0,36 x Cj 8,64 x Pal	13,76 x Cj 330,34 x Pal
SKYLINE TRIAL DELHI (4,8)	29x29x1 cm 11 3/8"x 11 3/8"x3/8"	100090618 L119487071	G-513	9 x Cj 378 x Pal	0,76 x Cj 31,79 x Pal	21,43 x Cj 900,02 x Pal
SKYLINE ROOF DELHI (5)	29x29,5x1,7 cm 11 3/8"x 11 5/8"x5/8"	100086144 L159800051	G-510	7 x Cj 294 x Pal	0,60 x Cj 25,15 x Pal	21,50 x Cj 902,87 x Pal
SKYLINE ROOF BANGALORE (5)	29x29,5x1,7 cm 11 3/8"x 11 5/8"x5/8"	100080872 L159800011	G-510	7 x Cj 252 x Pal	0,60 x Cj 21,56 x Pal	24,20 x Cj 871,16 x Pal
SKYLINE SCALE BANGALORE	29,6x19,4x1,8 cm 11 5/8"x7 5/8"x3/4"	100097129 L108015161	G-157	10 x Cj 560 x Pal	0,59 x Cj 33,24 x Pal	23,29 x Cj 1304,24 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

SKYLINE CITY BEIGE

27x27x1-1,5cm - 10 5/8"x10 5/8"x3/8"-5/8"
100146048 - L241709991 - G-530

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE CITY EARTH

27x27x0,6-3cm - 10 5/8"x10 5/8"x1/4"-1 1/8"
100146049 - L241709961 - G-530

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE CITY VOLCANO

27x27x0,6-3cm - 10 5/8"x10 5/8"x1/4"-1 1/8"
100146070 - L241710191 - G-530

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE LINEAR BROKEN DARK

14,4x29,4x1,3cm - 5 5/8"x11 5/8"x1/2"
100111415 - L241702451 - G-519

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE MIX BROKEN DARK

14,5x29,3x1,3cm - 5 3/4"x11 1/2"x1/2"
100135766 - L241709541 - G-526

SLATE
GRANITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE CITY BEIGE	27x27x1-1,5 cm 10 5/8"x10 5/8"x3/8"-5/8"	100146048 L241709991	G-530	6 x Cj 216 x Pal	0,44 x Cj 15,74 x Pal	12,36 x Cj 444,96 x Pal
SKYLINE CITY EARTH	27x27x0,6-3 cm 10 5/8"x10 5/8"x1/4"-1 1/8"	100146049 L241709961	G-530	5 x Cj 180 x Pal	0,36 x Cj 13,12 x Pal	14,90 x Cj 536,40 x Pal
SKYLINE CITY VOLCANO	27x27x0,6-3 cm 10 5/8"x10 5/8"x1/4"-1 1/8"	100146070 L241710191	G-530	5 x Cj 180 x Pal	0,36 x Cj 13,12 x Pal	14,90 x Cj 536,40 x Pal
SKYLINE LINEAR BROKEN DARK	14,4x29,4x1,3 cm 5 5/8"x11 5/8"x1/2"	100111415 L241702451	G-519	8 x Cj 288 x Pal	0,34 x Cj 12,19 x Pal	14,24 x Cj 512,64 x Pal
SKYLINE MIX BROKEN DARK	14,5x29,3x1,3 cm 5 3/4"x11 1/2"x1/2"	100135766 L241709541	G-526	8 x Cj 288 x Pal	0,33 x Cj 11,73 x Pal	9,97 x Cj 358,85 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

SKYLINE BIG TRIAL BOMBAY

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153585 - L106200771 - G-512

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE BIG TRIAL DELHI

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153586 - L106200781 - G-512

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

SKYLINE BIG TRIAL SABANA

29,5x29,5x0,8-1,7cm - 11 5/8"x11 5/8"x3/8"-11/16"
100153587 - L106200791 - G-512

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Skyline Big Trial Sabana 29,5x29,5x0,8-1,7 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SKYLINE BIG TRIAL BOMBAY	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153585 L106200771	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal
SKYLINE BIG TRIAL DELHI	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153586 L106200781	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal
SKYLINE BIG TRIAL SABANA	29,5x29,5x0,8-1,7 cm 11 5/8"x11 5/8"x3/8"-11/16"	100153587 L106200791	G-512	7 x Cj 210 x Pal	0,61 x Cj 18,27 x Pal	25,9 x Cj 777 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES 2x2 cm - 3/4"x3/4"

29x29x1cm - 11 7/16"x11 7/16"x3/8"

100153499 - L241711411 - G-518

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES 5x5 cm - 2"x2"

30x30x1cm - 12"x12"x3/8"

100153530 - L241711441 - G-515

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES BRICK 3x5 cm - 1 1/8"x2"

25,8x28,4x1cm - 10 3/16"x11 3/16"x3/8"

100153498 - L241711371 - G-513

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES STRIPES

30,6x31,2x1cm - 12 1/16"x12 5/16"x3/8"

100153553 - L241711421 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES LINEAR

30x30,5x1cm - 11 3/4"x12"x3/8"

100153551 - L241711381 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TAILOR BLANCO ANDES ROMBOS

33,3x33,3x1cm - 13 1/8"x13 1/8"x3/8"

100153552 - L241711391 - G-531

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TAILOR BLANCO ANDES (2)	29x29x1 cm 11 7/16"x11 7/16"x3/8"	100153499 L241711411	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,27 x Pal	22,70 x Cj 817,20 x Pal
TAILOR BLANCO ANDES (5)	30x30x1 cm 12"x12"x3/8"	100153530 L241711441	G-515	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	24,30 x Cj 874,80 x Pal
TAILOR BLANCO ANDES BRICK (3X5)	25,8x28,4 cm 10 3/16"x11 3/16"x3/8"	100153498 L241711371	G-513	10 x Cj 360 x Pal	0,73 x Cj 26,37 x Pal	19,78 x Cj 712,08 x Pal
TAILOR BLANCO ANDES STRIPES	30,6x31,2x1 cm 12 1/16"x12 5/16"x3/8"	100153553 L241711421	G-526	10 x Cj 360 x Pal	0,95 x Cj 34,36 x Pal	37,03 x Cj 1333,08 x Pal
TAILOR BLANCO ANDES LINEAR	30x30,5x1 cm 11 3/4"x12"x3/8"	100153551 L241711381	G-526	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	24,70 x Cj 889,20 x Pal
TAILOR BLANCO ANDES ROMBOS	33,3x33,3x1 cm 13 1/8"x13 1/8"x3/8"	100153552 L241711391	G-531	10 x Cj 360 x Pal	1,11 x Cj 39,89 x Pal	29,94 x Cj 1077,84 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

OUTLINES BRICK BURMA 2,5x15 cm - 1"x5 7/8"

31x30x1cm - 12 1/4"x11 3/4"x3/8"

100031996 - L108000341 - G-515

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

OUTLINES STRIP NEPAL

14,5x30x0,9cm - 5 3/4"x11 3/4"x3/8"

100001563 - L151601001 - G-503

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

OUTLINES STRIP BHUTAN

14,5x30x0,9cm - 5 3/4"x11 3/4"x3/8"

100001564 - L151601021 - G-503

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

OUTLINES MINI STRIP CANYON

29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"

100103947 - L108017171 - G-518

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

OUTLINES MINI STRIP NEPAL

29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"

100062965 - L108005231 - G-513

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

OUTLINES MINI STRIP SHANNAN

29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"

100062966 - L108005221 - G-513

QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
OUTLINES BRICK BURMA	31x30x1 cm 12 1/4"x11 3/4"x3/8"	100031996 L108000341	G-515	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	23,45 x Cj 844,20 x Pal
OUTLINES STRIP NEPAL	14,5x30x0,9 cm 5 3/4"x11 3/4"x3/8"	100001563 L151601001	G-503	10 x Cj 840 x Pal	0,44 x Cj 36,54 x Pal	11,52 x Cj 967,68 x Pal
OUTLINES STRIP BHUTAN	14,5x30x0,9 cm 5 3/4"x11 3/4"x3/8"	100001564 L151601021	G-503	10 x Cj 840 x Pal	0,44 x Cj 36,54 x Pal	11,52 x Cj 967,68 x Pal
OUTLINES MINI STRIP CANYON	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100103947 L108017171	G-518	10 x Cj 360 x Pal	0,68 x Cj 24,52 x Pal	16,56 x Cj 596,16 x Pal
OUTLINES MINI STRIP NEPAL	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062965 L108005231	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal
OUTLINES MINI STRIP SHANNAN	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062966 L108005221	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal

***NOTE:** Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

OUTLINES STRIP CREMA GRECIA

29,5x46,5x1cm - 11 5/8"x18 1/4"x3/8"

100001600 - L154001121 - G-530

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

OUTLINES BARS HAB. BROWN LIN. HOM.

32,3x20x1cm - 12 3/4"x7 7/8"x3/8"

100097592 - L108015691 - G-518

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

OUTLINES BARS CAPUCCINO LIN. HOM.

32,3x20x1cm - 12 3/4"x7 7/8"x3/8"

100097588 - L108015711 - G-516

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

OUTLINES MINI STRIP BHUTAN

29,9x22,7x1cm - 11 3/4"x8 7/8"x3/8"

100062964 - L108005211 - G-513

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

OUTLINES BRICK LHASA-SHA.-BURMA 2x4cm - 1"x2"

30,2x30,2x1cm - 11 7/8"x11 7/8"x3/8"

100001603 - L154101501 - G-519

SLATE
QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
OUTLINES STRIP CREMA GRECIA	29,5x46,5x1 cm 11 5/8"x18 1/4"x3/8"	100001600 L154001121	G-530	5 x Cj 210 x Pal	0,69 x Cj 9,60 x Pal	19,03 x Cj 266,35 x Pal
OUTLINES BARS HAB. BROWN LIN. HOM.	32,3x20x1 cm 12 3/4"x7 7/8"x3/8"	100097592 L108015691	G-518	5 x Cj 300 x Pal	0,32 x Cj 19,26 x Pal	8,08 x Cj 484,50 x Pal
OUTLINES BARS CAPUCCINO LIN. HOM.	32,3x20x1 cm 12 3/4"x7 7/8"x3/8"	100097588 L108015711	G-516	5 x Cj 300 x Pal	0,32 x Cj 19,26 x Pal	8,08 x Cj 484,50 x Pal
OUTLINES MINI STRIP BHUTAN	29,9x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100062964 L108005211	G-513	10 x Cj 360 x Pal	0,68 x Cj 24,48 x Pal	15,53 x Cj 559,08 x Pal
OUTLINES BRICK LHASA-SHA.-BURMA (2X4)	30,2x30,2x1 cm 11 7/8"x11 7/8"x3/8"	100001603 L154101501	G-519	10 x Cj 360 x Pal	0,91 x Cj 32,73 x Pal	23,45 x Cj 844,20 x Pal

***NOTE:** Traces of rust may appear on slate when in contact with water.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

AICHI GREYS
0,5x10cm - 1/4"x3 7/8"

29,8x30,5x1cm - 11 3/4"x12"x3/8"

100057249 - L108003011 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

AICHI BROWNS
0,5x10cm - 1/4"x3 7/8"

29,8x30,5x1cm - 11 3/4"x12"x3/8"

100001555 - L150901001 - G-526

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

AICHI MIX WOOD
0,5x10cm - 1/4"x3 7/8"

29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"

100115754 - L241708021 - G-520

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Aichi Mix Wood (0,5x10) 29,8x29,8x1 cm, Ruggine Platino (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AICHI BROWNS (0,5x10)	29,8x30,5x1 cm 11 3/4"x12"x3/8"	100001555 L150901001	G-526	5 x Cj 360 x Pal	0,45 x Cj 32,40 x Pal	10,21 x Cj 735 x Pal
AICHI GREYS (0,5x10)	29,8x30,5x1 cm 11 3/4"x12"x3/8"	100057249 L108003011	G-526	5 x Cj 360 x Pal	0,45 x Cj 32,40 x Pal	9,48 x Cj 708,12 x Pal
AICHI MIX WOOD (0,5x10)	29,8x29,8x1 cm 11 3/4"x11 3/4" x3/8"	100115754 L L241708021	G-520	5 x Cj 360 x Pal	0,45 x Cj 32,72 x Pal	10,82 x Cj 778,68 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

MOON MARMARA

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100153030 - L241710631 - G-528

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco / gris***
Wet areas: ***epotech***

MOON SILVER WOOD

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100115838 - L241708141 - G-516

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

MOON SATURN BLANCO

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100153031 - L241710621 - G-528

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco/gris***
Wet areas: ***epotech***

MOON MIX GREYS

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100079201 - L108007921 - G-509

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid bahama***
Wet areas: ***epotech***

MOON MIX BROWNS

19x29x1cm - 7 7/8"x7 7/8"x3/8"
100079200 - L108007911 - G-509

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
MOON MÁRMARA	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100153030 L241710631	G-528	10 x Cj 680 x Pal	0,55 x Cj 37,46 x Pal	11,65 x Cj 792,20 x Pal
MOON SILVER WOOD	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100115838 L241708141	G-516	12 x Cj 720 x Pal	0,66 x Cj 39,67 x Pal	11,54 x Cj 692,64 x Pal
MOON SATURN BLANCO	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100153031 L241710621	G-528	10 x Cj 680 x Pal	0,55 x Cj 37,46 x Pal	20 x Cj 1.360 x Pal
MOON MIX GREYS	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100079201 L108007921	G-509	5 x Cj 600 x Pal	0,28 x Cj 33,06 x Pal	5,75 x Cj 690 x Pal
MOON MIX BROWNS	19x29x1 cm 7 7/8"x7 7/8"x3/8"	100079200 L108007911	G-509	5 x Cj 540 x Pal	0,28 x Cj 29,75 x Pal	5,75 x Cj 621 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ESSENTIAL STRIPES THASSOS

30,5x30,5x1cm - 12"x12"x3/8"
100115766 - L241708111 - G-532

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ESSENTIAL CHESS THASSOS

30,6x30,6x1cm - 12"x12"x3/8"
100115762 - L241708001 - G-531

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ESSENTIAL BASKET THASSOS

28,7x28,7x1cm - 11 1/4"x11 1/4"x3/8"
100115760 - L241708071 - G-529

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ESSENTIAL FLAG THASSOS

30,2x32,2x1cm - 11 7/8"x12 5/8"x3/8"
100115764 - L241708091 - G-532

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ESSENTIAL STRIPES SILVER WOOD

30,5x30,5x1cm - 12"x12"x3/8"
100115765 - L241708041 - G-532

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ESSENTIAL CHESS SILVER WOOD

30,6x30,6x1cm - 12"x12"x3/8"
100115761 - L241708101 - G-531

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ESSENTIAL STRIPES THASOS	30,5x30,5x1 cm 12"x12"x3/8"	100115766 L241708111	G-532	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	22,66 x Cj 815,76 x Pal
ESSENTIAL CHESS THASOS	30,6x30,6x1 cm 12"x12"x3/8"	100115762 L241708001	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,69 x Pal	22,77 x Cj 819,72 x Pal
ESSENTIAL BASKET THASOS	28,7x28,7x1 cm 11 1/4"x11 1/4"x3/8"	100115760 L241708071	G-529	10 x Cj 360 x Pal	0,82 x Cj 29,63 x Pal	20,07 x Cj 722,52 x Pal
ESSENTIAL FLAG THASOS	30,2x32,2x1 cm 11 7/8"x12 5/8"x3/8"	100115764 L241708091	G-532	10 x Cj 360 x Pal	0,97 x Cj 34,99 x Pal	23,70 x Cj 853,20 x Pal
ESSENTIAL STRIPES SILVER WOOD	30,5x30,5x1 cm 12"x12"x3/8"	100115765 L241708041	G-532	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	22,66 x Cj 815,76 x Pal
ESSENTIAL CHESS SILVER WOOD	30,6x30,6x1 cm 12"x12"x3/8"	100115761 L241708101	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,69 x Pal	22,77 x Cj 819,72 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ESSENTIAL BASKET SILVER WOOD

28,7x28,7x1cm - 11 1/4"x 11 1/4"x3/8"

100115759 - L241708061 - G-529

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ESSENTIAL FLAG SILVER WOOD

30,2x32,2x1cm - 11 7/8"x12 5/8"x3/8"

100115763 - L241708011 - G-532

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Essential Basket Silver Wood 28,7x28,7x1 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ESSENTIAL BASKET SILVER WOOD	28,7x28,7x1 cm 11 1/4"x11 1/4"x3/8"	100115759 L241708061	G-529	10 x Cj 360 x Pal	0,82 x Cj 29,63 x Pal	20,07 x Cj 722,52 x Pal
ESSENTIAL FLAG SILVER WOOD	30,2x32,2x1 cm 11 7/8"x12 5/8"x3/8"	100115763 L241708011	G-532	10 x Cj 360 x Pal	0,97 x Cj 34,99 x Pal	23,70 x Cj 853,20 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita / cemento***
Wet areas: ***epotech***

PARADISE BAIA STONE NEGRO

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100001572 - L 152901011- G-506

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco / gris***
Wet areas: ***epotech***

PARADISE BAIA STONE BLANCO

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100001571 - L152901001 - G-506

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

PARADISE BAIA STONE CREMAS

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100068033 - L108006581 - G-506

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita / cemento***
Wet areas: ***epotech***

PARADISE LAKE STONE NEGRO

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100062502 - L159001521 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

PARADISE LAKE STONE BLANCO

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100062501 - L159001531 - G-507

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid manhattan***
Wet areas: ***epotech***

PARADISE LAKE STONE CREMAS

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100082709 - L108008991 - G-507

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE BAIA STONE NEGRO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100001572 L152901011	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE BAIA STONE BLANCO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100001571 L152901001	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE BAIA STONE CREMAS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100068033 L108006581	G-506	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,80 x Cj 856,80 x Pal
PARADISE LAKE STONE NEGRO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100062502 L159001521	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	17,05 x Cj 920,48 x Pal
PARADISE LAKE STONE BLANCO	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100062501 L159001531	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	17,05 x Cj 920,48 x Pal
PARADISE LAKE STONE CREMAS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100082709 L108008991	G-507	9 x Cj 486 x Pal	0,81 x Cj 43,74 x Pal	16,47 x Cj 889,38 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

PARADISE ARROW NEGRO

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112566 - L241702581 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

PARADISE ARROW BLANCO

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112564 - L241702541 - G-507

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

PARADISE ARROW GRIS

29,2x27,2x0,8cm - 11 1/2"x10 3/4"x3/8"
100112565 - L241702551 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

PARADISE TINYBROKEN EDGE NEGRO

31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112570 - L241702571 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

PARADISE TINYBROKEN EDGE BLANCO

31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112568 - L241702561 - G-507

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

PARADISE TINYBROKEN EDGE GRIS

31x31x0,8cm - 12 1/4"x12 1/4"x3/8"
100112569 - L241702591 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE ARROW NEGRO	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112566 L241702581	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	15,16 x Cj 545,76 x Pal
PARADISE ARROW BLANCO	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112564 L241702541	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	14,69 x Cj 528,84 x Pal
PARADISE ARROW GRIS	29,2x27,2x0,8 cm 11 1/2"x10 3/4"x3/8"	100112565 L241702551	G-507	10 x Cj 360 x Pal	0,79 x Cj 28,44 x Pal	15,99 x Cj 575,64 x Pal
PARADISE TINYBROKEN EDGE NEGRO	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112570 L241702571	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	6,30 x Cj 586,80 x Pal
PARADISE TINYBROKEN EDGE BLANCO	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112568 L241702561	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	16,25 x Cj 585 x Pal
PARADISE TINYBROKEN EDGE GRIS	31x31x0,8 cm 12 1/4"x12 1/4"x3/8"	100112569 L241702591	G-507	9 x Cj 324 x Pal	0,87 x Cj 31,32 x Pal	16,58 x Cj 596,88 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

PARADISE MINIBROKEN EDGE NEGRO

32x32x1cm - 12 5/8"x12 5/8"x3/8"

100068135 - L108006681 - G-507

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid bahama***
Wet areas: ***epotech***

PARADISE MINIBROKEN EDGE BLANCO

32x32x1cm - 12 5/8"x12 5/8"x3/8"

100068134 - L108006671 - G-507

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita / cemento***
Wet areas: ***epotech***

PARADISE ROUND STONE NEGRO

31,5x31,5x1cm - 12 3/8"x12 3/8"x3/8"

100068032 - L154201511 - G-508

BASALT

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

PARADISE ROUND STONE BLANCO

31,5x31,5x1cm - 12 3/8"x12 3/8"x3/8"

100068031 - L154201521 - G-508

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Paradise Minibroken Edge Negro 32x32x1 cm, Rodano Silver (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
PARADISE MINIBROKEN EDGE NEGRO	32x32x1 cm 12 5/8"x12 5/8"x3/8"	100068135 L108006681	G-507	9 x Cj 0,92 x Pal	54 x Cj 49,77 x Pal	20,96 x Cj 1131,89 x Pal
PARADISE MINIBROKEN EDGE BLANCO	32x32x1 cm 12 5/8"x12 5/8"x3/8"	100068134 L108006671	G-507	9 x Cj 0,92 x Pal	54 x Cj 49,77 x Pal	20,96 x Cj 1131,89 x Pal
PARADISE ROUND STONE NEGRO	31,5x31,5x1 cm 12 3/8"x12 3/8"x3/8"	100068032 L154201511	G-508	9 x Cj 0,89 x Pal	54 x Cj 48,22 x Pal	21,15 x Cj 1142,10 x Pal
PARADISE ROUND STONE BLANCO	31,5x31,5x1 cm 12 3/8"x12 3/8"x3/8"	100068031 L154201521	G-508	9 x Cj 0,89 x Pal	54 x Cj 48,22 x Pal	21,15 x Cj 1142,10 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT BATH
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113694 - L241707091 - G-535

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT CITY
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113695 - L241707031 - G-533

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT EARTH
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113696 - L241707001 - G-537

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT SIGN
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113697 - L241707111 - G-539

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT STONE
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113698 - L241707101 - G-523

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ANCIENT STREET
2,3x2,3cm - 7/8"x7/8"
30,5x30,5x1cm - 12"x12"x3/8"

100113699 - L241707071 - G-536

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ANCIENT BATH (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113694 L241707091	G-535	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,90 x Cj 842,94 x Pal
ANCIENT CITY (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113695 L241707031	G-533	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,07 x Cj 842,94 x Pal
ANCIENT EARTH (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113696 L241707001	G-537	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	21,32 x Cj 895,44 x Pal
ANCIENT SIGN (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113697 L241707111	G-539	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,90 x Cj 877,80 x Pal
ANCIENT STONE (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113698 L241707101	G-523	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	21,11 x Cj 886,62 x Pal
ANCIENT STREET (2,3)	30,5x30,5x1 cm 12"x12"x3/8"	100113699 L241707071	G-536	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



No supported grouting

LUXURY MODUL GOLD

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"

100113703 - L241707081 - G-534

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY MODUL SILVER

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"

100113704 - L241707021 - G-534

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LUXURY MODUL COPPER

30x29x1-2cm - 11 3/4"x11 3/8"x3/8"-3/4"

100113702 - L241707041 - G-534

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige / bahama***
Wet areas: ***epotech***

LUXURY GOLD
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"

100113701 - L241707011 - G-529

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco / gris***
Wet areas: ***epotech***

LUXURY SILVER
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"

100113705 - L241707061 - G-529

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid caramelo***
Wet areas: ***epotech***

LUXURY COPPER
2x2cm - 3/4"x3/4"

30,5x30,5x1cm - 12"x12"x3/8"

100113700 - L241707051 - G-529

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LUXURY MODUL GOLD	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113703 L241707081	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	16,46 x Cj 691,11 x Pal
LUXURY MODUL SILVER	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113704 L241707021	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	15,11 x Cj 634,62 x Pal
LUXURY MODUL COPPER	30x29x1-2 cm 11 3/4"x11 3/8"x3/8"-3/4"	100113702 L241707041	G-534	5 x Cj 210 x Pal	0,44 x Cj 18,27 x Pal	15,84 x Cj 665,07 x Pal
LUXURY GOLD (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113701 L241707011	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal
LUXURY SILVER (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113705 L241707061	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal
LUXURY COPPER (2)	30,5x30,5x1 cm 12"x12"x3/8"	100113700 L241707051	G-529	10 x Cj 420 x Pal	0,93 x Cj 39,07 x Pal	20,70 x Cj 869,40 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

LUXURY BLOCK GOLD

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146055 - L241710281 - G-119

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LUXURY BLOCK SILVER

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146056 - L241710261 - G-119

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LUXURY BLOCK COPPER

10x30x1-2cm - 3 7/8"x11 3/4"x3/8"-3/4"
100146054 - L241710091 - G-119

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY CUBE GOLD
5x5cm - 2"x2"

15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100147978 - L241710351 - G-519

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



No supported grouting

LUXURY CUBE SILVER
5x5cm - 2"x2"

15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100146335 - L241710341 - G-519

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

LUXURY CUBE COPPER
5x5cm - 2"x2"

15x30x1,2-3cm - 5 7/8"x11 3/4"x1/2"-1 1/8"
100148690 - L241710531 - G-519

ENAMELED TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
LUXURY BLOCK GOLD	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146055 L241710281	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY BLOCK SILVER	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146056 L241710261	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY BLOCK COPPER	10x30x1-2 cm 3 7/8"x11 3/4"x3/8"-3/4"	100146054 L241710091	G-119	20 x Cj 840 x Pal	0,60 x Cj 25,20 x Pal	18 x Cj 756 x Pal
LUXURY CUBE GOLD (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100147978 L241710351	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal
LUXURY CUBE SILVER (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100146335 L241710341	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal
LUXURY CUBE COPPER (5)	15x30x1,2-3 cm 5 7/8"x11 3/4"x1/2"-1 1/8"	100148690 L241710531	G-519	8 x Cj 336 x Pal	0,36 x Cj 15,12 x Pal	13,60 x Cj 571,20 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

VICTORIAN COLLECTION

***Wall Coverings:** Victorian Minibrick Thassos Luxe 30x22,7x1cm, Lavagna Blanco (Venis).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

VICTORIAN ISLAND STAR BLACK

24x24x0,7cm - 9 1/2"x9 1/2"x1/4"

100086103 - L244000231 - G-509

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN ISLAND STAR WHITE

24x24x0,7cm - 9 1/2"x9 1/2"x1/4"

100081255 - L244000171 - G-507

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN BLANCO MARMARA 2x2cm - 3/4"x3/4"

29x29x1cm - 11 3/8"x11 3/8"x3/8"

100000580 - L119487001 - G-518

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN TRENZADO MARMARA

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100000333 - L114587001 - G-522

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN DIAMOND MARMARA-MIRROR

32,9x28,3x1cm - 13"x11 1/8"x3/8"

100081166 - L119379011 - G-531

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

VICTORIAN DIAMOND MARQ. MIRROR

32,9x28,3x1cm - 13"x11 1/8"x3/8"

100081167 - L119379021 - G-530

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN ISLAND STAR BLACK	24x24x0,7 cm 9 1/2"x9 1/2"x1/4"	100086103 L244000231	G-509	12 x Cj 720 x Pal	0,69 x Cj 41,47 x Pal	9,07 x Cj 544,32 x Pal
VICTORIAN ISLAND STAR WHITE	24x24x0,7 cm 9 1/2"x9 1/2"x1/4"	100081255 L244000171	G-507	12 x Cj 648 x Pal	0,69 x Cj 37,33 x Pal	9,16 x Cj 496,37 x Pal
VICTORIAN BLANCO MARMARA (2)	29x29x1 cm 11 3/8"x11 3/8"x3/8"	100000580 L119487001	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,28 x Pal	19,31 x Cj 695,16 x Pal
VICTORIAN TRENZADO MARMARA	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100000333 L114587001	G-522	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	23,18 x Cj 834,48 x Pal
VICTORIAN DIAMOND MARMARA-MIRROR	32,9x28,3x1 cm 13"x11 1/8"x3/8"	100081166 L119379011	G-531	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	25,55 x Cj 919,80 x Pal
VICTORIAN DIAMOND MARQ.-MIRROR	32,9x28,3x1 cm 13"x11 1/8"x3/8"	100081167 L119379021	G-530	10 x Cj 360 x Pal	0,93 x Cj 33,48 x Pal	25,55 x Cj 919,80 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN MINIBRICK THASSOS LUXE

30x22,7x1cm - 11 3/4"x8 7/8"x3/8"

100103981 - L108017191 - G-534

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN CHAIN MARMARA MIRROR

25,4x24,6x1cm - 10"x9 5/8"x3/8"

100081159 - L108008751 - G-521

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN CHAIN MARMARA-MARQUINA

25,4x24,6x1cm - 10"x9 5/8"x3/8"

100081164 - L115979011 - G-521

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN MINIWIND. THASSOS-MARQUINA

27,2x27,2x1cm - 11 3/4"x11 3/4"x3/8"

100081161 - L154911021 - G-131

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

VICTORIAN NEW YORK COAL MIRROR 2,1x0,5cm - 7/8"x1/4"

26,4x27x0,8cm - 10 3/8x10 5/8"x3/8"

100092683 - L244000581 - G-148

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

VICTORIAN NEW YORK THASSOS MIRROR 2,1x0,5cm - 7/8"x1/4"

26,4x27x0,8cm - 10 3/8x10 5/8"x3/8"

100086321 - L244000261 - G-148

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN MINIBRICK THASS. LUXE	30x22,7x1 cm 11 3/4"x8 7/8"x3/8"	100103981 L108017191	G-534	10 x Cj 360 x Pal	0,68 x Cj 24,52 x Pal	16,04 x Cj 577,44 x Pal
VICTORIAN CHAIN MARMARA MIRROR	25,4x24,6x1 cm 10"x9 5/8"x3/8"	100081159 L108008751	G-521	10 x Cj 480 x Pal	0,63 x Cj 29,99 x Pal	17,22 x Cj 826,56 x Pal
VICTORIAN CHAIN MARMARA-MARQ.	25,4x24,6x1 cm 10"x9 5/8"x3/8"	100081164 L115979011	G-521	10 x Cj 480 x Pal	0,63 x Cj 29,99 x Pal	17,18 x Cj 824,64 x Pal
VICTORIAN MINIWIND. THASSOS-MARQ.	27,2x27,2x1 cm 11 3/4"x11 3/4"x3/8"	100081161 L154911021	G-131	10 x Cj 360 x Pal	0,74 x Cj 26,63 x Pal	20,58 x Cj 740,88 x Pal
VICTORIAN NEW YORK COAL MIRROR	26,4x27x0,8 cm 10 3/8"x10 5/8"x3/8"	100092683 L244000581	G-148	9 x Cj 324 x Pal	0,64 x Cj 23,10 x Pal	13,11 x Cj 472,07 x Pal
VICTORIAN NEW YORK THASSOS MIRROR	26,4x27x0,8 cm 10 3/8"x10 5/8"x3/8"	100086321 L244000261	G-148	9 x Cj 324 x Pal	0,64 x Cj 23,10 x Pal	13,13 x Cj 472,72 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk especial dark***
Wet areas: ***epotech***

VICTORIAN MOTHER OF PEARL GREY

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"

100153501 - L241710681 - G-532

MOTHER OF PEARL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk especial brown***
Wet areas: ***epotech***

VICTORIAN MOTHER OF PEARL BROWN

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"

100153500 - L241710691 - G-532

MOTHER OF PEARL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk especial nacaré***
Wet areas: ***epotech***

VICTORIAN MOTHER OF PEARL WHITE

29x30,3x0,8cm - 11 3/8"x11 11/16"x3/8"

100153478 - L241710671 - G-530

MOTHER OF PEARL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Victorian Mother of Pearl Grey 29x30,3x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN MOTHER OF PEARL GREY	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153501 L241710681	G-532	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal
VICTORIAN MOTHER OF PEARL BROWN	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153500 L241710691	G-532	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal
VICTORIAN MOTHER OF PEARL WHITE	29x30,3x0,8 cm 11 3/8"x11 11/16"x3/8"	100153478 L241710671	G-530	9 x Cj 648 x Pal	0,79 x Cj 56,93 x Pal	9,03 x Cj 650,59 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



*Board recommends Butech: **colorstuk rapid beige***
*Wet areas: **epotech***

VICTORIAN ALHAMBRA CREMA ITALIA-EMPERADOR

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"

100146083 - L241710051 - G-520

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



*Board recommends Butech: **colorstuk rapid blanco***
*Wet areas: **epotech***

VICTORIAN ALHAMBRA THASSOS MARQUINA

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"

100146084 - L241710121 - G-524

MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



*Board recommends Butech: **colorstuk rapid cemento***
*Wet areas: **epotech***

VICTORIAN ALHAMBRA SILK WOOD-SILVER WOOD

28,4x32,2x1cm - 11 1/8"x12 5/8"x3/8"

100146536 - L241710291 - G-520

TRAVERTINE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

***Wall Coverings:** Victorian Alhambra Thassos-Marquina 28,4x32,2x1 cm, Mármol Carrara Blanco (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
VICTORIAN ALHAMBRA ITALIA-EMPE	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146083 L241710051	G-520	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal
VICTORIAN ALHAMBRA THASSOS-MARQ	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146084 L241710121	G-524	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal
VICTORIAN ALHAMBRA SILK-SILVER	28,4x32,2x1 cm 11 1/8"x12 5/8"x3/8"	100146536 L241710291	G-520	10 x Cj 480 x Pal	0,91 x Cj 43,89 x Pal	22,50 x Cj 1080 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN GLASS MOSAICS

GLACIER
FABRIC
DADOS
HEXCUBE
MINI IRIS
URBAN
ARMOUR
STARK
GOLD
ARABIA
DREAM
FASHION
EVOKE
HARMONY

Wall Coverings: *Stark White (1,4x4,7) 29,7x30x0,8 cm, Ruggine Aluminio (Venis).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 negro***
Wet areas: ***epotech***

GLACIER MOON METALLIC BLACK

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100080373 - L240100021 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

GLACIER MOON METALLIC WHITE

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100080376 - L240100011 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

GLACIER MOON METALLIC TOBACCO

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100080375 - L240100001 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

GLACIER MOON METALLIC CREMAS

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100080374 - L240100031 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 negro***
Wet areas: ***epotech***

GLACIER MOON DIAMOND BLACK

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100092681 - L240100081 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

GLACIER MOON DIAMOND WHITE

19,29x0,8cm - 7 1/2"x11 3/8"x3/8"

100092682 - L240100091 - G-520

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GLACIER MOON METALLIC BLACK	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080373 L240100021	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC WHITE	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080376 L240100011	G-518	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC TOBACCO	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080375 L240100001	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON METALLIC CREMAS	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100080374 L240100031	G-515	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON DIAMOND BLACK	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100092681 L240100081	G-518	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal
GLACIER MOON DIAMOND WHITE	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100092682 L240100091	G-520	11 x Cj 792 x Pal	0,61 x Cj 43,64 x Pal	8,69 x Cj 625,68 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

FABRIC NICKEL
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135763 - L244004581 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

FABRIC ZINC
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135765 - L244004611 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

FABRIC LEAD
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135762 - L244004591 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

FABRIC SILVER
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135764 - L244004541 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

FABRIC COPPER
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135760 - L244004601 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

FABRIC IRON
2,3x2,3cm - 7/8"x7/8"

30,5x30,5x0,8cm - 12"x12"x3/8"

100135761 - L244004621 - G-519

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FABRIC NICKEL (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135763 L244004581	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC ZINC (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135765 L244004611	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC LEAD (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135762 L244004591	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC SILVER (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135764 L244004541	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC COPPER (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135760 L244004601	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal
FABRIC IRON (2,3)	30,5x30,5x0,8 cm 12"x12"x3/8"	100135761 L244004621	G-519	10 x Cj 360 x Pal	0,93 x Cj 33,49 x Pal	15 x Cj 540 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DADOS AMBAR
2,4x2,4cm - 1"x1"

13,5x30x1,8cm - 5 3/8"x11 3/4"x3/4"

100153002 - L244005401 - G-505

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DADOS GEM
2,4x2,4cm - 1"x1"

13,5x30x1,8cm - 5 3/8"x11 3/4"x3/4"

100153003 - L244005411 - G-505

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

DADOS BLUE
2,4x2,4cm - 1"x1"

15x30x1,2cm - 5 7/8"x11 3/4"x1/4"

100112124 - L244001191 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

DADOS EARTH
2,4x2,4cm - 1"x1"

15x30x1,2cm - 5 7/8"x11 3/4"x1/4"

100112125 - L244001081 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic



No supported grouting

DADOS METAL
2,4x2,4cm - 1"x1"

15,2x30,5x1,8cm - 6"x12"x3/4"

100103990 - L244000981 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

DADOS PEARL GREY
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"

100146032 - L244004871 - G-508

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DADOS AMBAR (2,4)	13,5x30x1,8 cm 5 3/8"x11 3/4"x3/4"	100153002 L244005401	G-505	10 x Cj 540 x Pal	0,40 x Cj 21,87 x Pal	13,97 x Cj 754,38 x Pal
DADOS GEM (2,4)	13,5x30x1,8 cm 5 3/8"x11 3/4"x3/4"	100153003 L244005411	G-505	10 x Cj 540 x Pal	0,40 x Cj 21,87 x Pal	13,97 x Cj 754,38 x Pal
DADOS BLUE (2,4)	15x30x1,2 cm 5 7/8"x11 3/4"x1/4"	100112124 L244001191	G-507	10 x Cj 720 x Pal	0,45 x Cj 32,40 x Pal	10,35 x Cj 745,20 x Pal
DADOS EARTH (2,4)	15x30x1,2 cm 5 7/8"x11 3/4"x1/4"	100112125 L244001081	G-507	10 x Cj 720 x Pal	0,45 x Cj 32,40 x Pal	10,35 x Cj 745,20 x Pal
DADOS METAL (2,4)	15,2x30,5x1,8 cm 6"x12"x3/4"	100103990 L244000981	G-507	10 x Cj 480 x Pal	0,45 x Cj 21,60 x Pal	17,80 x Cj 854,40 x Pal
DADOS PEARL GREY (2)	13,8x29,7x1,2 cm 5 3/8"x11 3/4"x1/2"	100146032 L244004871	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

DADOS PEARL CREAM
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"

100146031 - L244004851 - G-508

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

DADOS PEARL BROWN
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"

100146030 - L244004861 - G-508

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

DADOS PEARL BLACK
2x2cm - 3/4"x3/4"

13,8x29,7x1,2cm - 5 3/8"x11 3/4"x1/2"

100146009 - L244004841 - G-508

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

DADOS GEO SAPPHIRE

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"

100146657 - L244004951 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

DADOS GEO FROST QUARTZ

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"

100146655 - L244004921 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

DADOS GEO FROST SAPPHIRE

29,3x28x0,8-1,2cm - 11 1/4"x11"x3/8"-4/8"

100146656 - L244004901 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DADOS PEARL CREAM (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146031 L244004851	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS PEARL BROWN (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146030 L244004861	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS PEARL BLACK (2)	13,8x29,7x1,2 5 3/8"x11 3/4"x1/2"	100146009 L244004841	G-508	14 x Cj 756 x Pal	0,63 x Cj 34,02 x Pal	12,74 x Cj 687,96 x Pal
DADOS GEO SAPPHIRE	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146657 L244004951	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal
DADOS GEO FROST QUARTZ	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146655 L244004921	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal
DADOS GEO FROST SAPPHIRE	29,3x28x0,8-1,2 11 1/4"x11"x3/8"-4/8"	100146656 L244004901	G-518	7 x Cj 378 x Pal	0,57 x Cj 31,01 x Pal	11,90 x Cj 642,60 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech blanco***
Wet areas: ***epotech***

HEXCUBE WHITE

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110390 - L242522331 - G-542

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech blanco***
Wet areas: ***epotech***

HEXCUBE GREY

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110388 - L242522351- G-542

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech blanco***
Wet areas: ***epotech***

HEXCUBE BLUE

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110387 - L242522321 - G-542

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech blanco***
Wet areas: ***epotech***

HEXCUBE RED

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110389 - L242522311 - G-542

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech negro***
Wet areas: ***epotech***

HEXCUBE BLACK

30x29,5x0,8-1,8cm - 11 3/4"x11 5/8"x3/8-3/4"
100110386 - L242522341 - G-542

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HEXCUBE WHITE	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110390 L242522331	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE GREY	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110388 L242522351	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE BLUE	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110387 L242522321	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE RED	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110389 L242522311	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal
HEXCUBE BLACK	30x29,5x0,8-1,8 cm 11 3/4"x11 5/8"x3/8-3/4"	100110386 L242522341	G-542	8 x Cj 288 x Pal	0,71 x Cj 25,49 x Pal	17,06 x Cj 614,02 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

MINI IRIS WHITE PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"

100121438 - L244004051 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 bahama***
Wet areas: ***epotech***

MINI IRIS CREAM PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"

100121436 - L244004021 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

MINI IRIS GREY PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"

100121437 - L244004041 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 negro***
Wet areas: ***epotech***

MINI IRIS BLACK PEARL
1x1cm - 3/8"x3/8"

31,5x31,5x0,4cm - 12 3/8"x12 3/8"x1/8"

100121435 - L244004031 - G-515

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Mini Iris Black Pearl 31,5x31,5x0,4 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
MINI IRIS WHITE PEARL (1)	31,5x31,5x0,4 cm 12 3/8"x12 3/8"x1/8"	100121438 L244004051	G-515	16 x Cj 960 x Pal	1,62 x Cj 97,08 x Pal	9,94 x Cj 596,16 x Pal
MINI IRIS CREAM PEARL (1)	31,5x31,5x0,4 cm 12 3/8"x12 3/8"x1/8"	100121436 L244004021	G-515	16 x Cj 960 x Pal	1,62 x Cj 97,08 x Pal	9,94 x Cj 596,16 x Pal
MINI IRIS GREY PEARL (1)	31,5x31,5x0,4 cm 12 3/8"x12 3/8"x1/8"	100121437 L244004041	G-515	16 x Cj 960 x Pal	1,62 x Cj 97,08 x Pal	9,94 x Cj 596,16 x Pal
MINI IRIS BLACK PEARL (1)	31,5x31,5x0,4 cm 12 3/8"x12 3/8"x1/8"	100121435 L244004031	G-515	16 x Cj 960 x Pal	1,62 x Cj 97,08 x Pal	9,94 x Cj 596,16 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.ww

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

URBAN LINE IRON

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153506 - L244005431 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN LINE LEAD

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153507 - L244005421 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN LINE SILVER

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153509 - L244005471 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN LINE NICKEL

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153508 - L244005461 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN LINE ZINC

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153510 - L244005441 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN LINE COPPER

10x30x0,8cm - 3 15/16"x11 3/4"x3/8"
100153505 - L244005451 - G-506

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN LINE IRON	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153506 L244005431	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE LEAD	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153507 L244005421	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE SILVER	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153509 L244005471	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE NICKEL	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153508 L244005461	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE ZINC	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153510 L244005441	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal
URBAN LINE COPPER	30x10x0,8 cm 3 15/16"x11 3/4"x3/8"	100153505 L244005451	G-506	30 x Cj 1080 x Pal	0,90 x Cj 32,40 x Pal	17,67 x Cj 636,34 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

URBAN RETRO IRON

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156148 - L244005701 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN RETRO LEAD

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156149 - L244005711 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN RETRO SILVER

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156171 - L244005671 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN RETRO NICKEL

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156170 - L244005681 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN RETRO ZINC

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156172 - L244005691 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN RETRO COPPER

6x24x0,8cm - 2 3/8"x9 7/16"x3/8"
100156147 - L244005661 - G-502

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN RETRO IRON	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156148 L244005701	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO LEAD	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156149 L244005711	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO SILVER	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156171 L244005671	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO NICKEL	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156170 L244005681	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO ZINC	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156172 L244005691	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal
URBAN RETRO COPPER	6x24x0,8 cm 2 3/8"x9 7/16"x3/8"	100156147 L244005661	G-502	30 x Cj 1620 x Pal	0,43 x Cj 23,32 x Pal	8,16 x Cj 440,64 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN BLACK

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102713 - L241701941 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN BLACK FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102714 - L241701961 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

URBAN MINI STRIP BLACK

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146078 - L241710311 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN GREY

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102717 - L241701951 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN GREY FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102718 - L241701991 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN MINI STRIP GREY

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146080 - L241710321 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN BLACK	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102713 L241701941	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN BLACK FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102714 L241701961	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP BLACK	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146078 L241710311	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal
URBAN GREY	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102717 L241701951	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN GREY FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102718 L241701991	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP GREY	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146080 L241710321	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN CREAM

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102715 - L241701921 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN CREAM FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102716 - L241701971 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

URBAN MINI STRIP CREAM

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146079 - L241710301 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

URBAN WHITE

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102719 - L241701981 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

URBAN WHITE FROST

7,5x30x0,8cm - 3"x11 3/4"x3/8"
100102720 - L241701931 - G-108

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

URBAN MINI STRIP WHITE

27,8x30,8x0,8cm - 11"x12 1/8"x3/8"
100146081 - L241710331 - G-514

GLASS

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
URBAN CREAM	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102715 L241701921	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN CREAM FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102716 L241701971	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP CREAM	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146079 L241710301	G-512	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal
URBAN WHITE	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102719 L241701981	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN WHITE FROST	7,5x30x0,8 cm 3"x11 3/4"x3/8"	100102720 L241701931	G-108	10 x Cj 1920 x Pal	0,23 x Cj 43,20 x Pal	4,66 x Cj 894,72 x Pal
URBAN MINI STRIP WHITE	27,8x30,8x0,8 cm 11"x12 1/8"x3/8"	100146081 L241710331	G-514	10 x Cj 540 x Pal	0,84 x Cj 45,36 x Pal	13,48 x Cj 727,92 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

ARMOUR WHITE
2,7x2,7cm - 1 1/8"x1 1/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112119 - L244001131 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special brown***
Wet areas: ***epotech***

ARMOUR CARAMEL
2,7x2,7cm - 1 1/8"x1 1/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112118 - L244001111 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

ARMOUR BLACK
2,7x2,7cm - 1 1/8"x1 1/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112117 - L244001061 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Armour Caramel (2,7) 30x30x0,8 cm, Montecarlo Beige (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARMOUR WHITE (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112119 L244001131	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal
ARMOUR CARAMEL (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112118 L244001111	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal
ARMOUR BLACK (2,7)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112117 L244001061	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,38 x Cj 938,52 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special white***
Wet areas: ***epotech***

STARK WHITE
1,4x4,7cm - 1/2"x1 7/8"

29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112133 - L244001071 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

STARK GREY
1,4x4,7cm - 1/2"x1 7/8"

29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112132 - L244001051 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

STARK BLACK
1,4x4,7cm - 1/2"x1 7/8"

29,7x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100112131 - L244001041 - G-512

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Stark White (1,4x4,7) 29,7x30x0,8 cm, Ruggine Aluminio (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
STARK WHITE (1,4X4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112133 L244001071	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal
STARK GREY (1,4X4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112132 L244001051	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal
STARK BLACK (1,4X4,7)	29,7x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100112131 L244001041	G-512	11 x Cj 594 x Pal	0,98 x Cj 52,93 x Pal	16,85 x Cj 910,01 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ARABIA SILVER
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100092712 - L244000511 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ARABIA MIX BLUE SILVER
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100092710 - L244000521 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

ARABIA MIX BROWN GOLD
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100092711 - L244000551 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 beige***
Wet areas: ***epotech***

ARABIA SUN
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100146007 - L241710181 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

ARABIA SHINE
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100146006 - L241710151 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 antracita***
Wet areas: ***epotech***

ARABIA ECLIPSE
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100146005 - L241710001 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARABIA SILVER (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092712 L244000511	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA MIX BLUE SILVER (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092710 L244000521	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA MIX BROWN GOLD (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092711 L244000551	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA SUN (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146007 L241710181	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA SHINE (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146006 L241710151	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal
ARABIA ECLIPSE (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100146005 L241710001	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco / bahama***
Wet areas: ***epotech***

ARABIA GOLD
1,5x1,5cm - 5/8"x5/8"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100092709 - L244000531 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Arabia Gold 29,5x29,5x0,4 cm, Yakarta Blanco (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ARABIA GOLD (1,5)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100092709 L244000531	G-522	20 x Cj 1200 x Pal	1,74 x Cj 104,40 x Pal	13,76 x Cj 825,60 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

EVOKE BLACK

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153512 - L241710871 - G-520

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special brown***
Wet areas: ***epotech***

EVOKE BROWN

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153513 - L241710891 - G-520

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special vanilla***
Wet areas: ***epotech***

EVOKE CARAMEL

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153514 - L241710881 - G-520

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

EVOKE SILVER

29,5x29,5x0,8 cm - 11 5/8"x11 5/8"x3/8"
100153519 - L241710931 - G-520

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Evoke Silver 29,5x29,5x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
EVOKE BLACK	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153512 L241710871	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE BROWN	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153513 L241710891	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE CARAMEL	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153514 L241710881	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal
EVOKE SILVER	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100153519 L241710931	G-520	10 x Cj 360 x Pal	0,87 x Cj 31,32 x Pal	14,30 x Cj 514,80 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

EVOKE FORM BLACK

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153515 - L241710911 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special brown***
Wet areas: ***epotech***

EVOKE FORM BROWN

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153516 - L241710941 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special vanilla***
Wet areas: ***epotech***

EVOKE FORM CARAMEL

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153517 - L241710921 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

EVOKE FORM SILVER

25,7x14,8x0,95cm - 10 1/8"x5 13/16"x3/8"
100153518 - L241710901 - G-507

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Evoke Form Silver 25,7x14,8x0,95 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
EVOKE FORM BLACK	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153515 L241710911	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM BROWN	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153516 L241710941	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM CARAMEL	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153517 L241710921	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal
EVOKE FORM SILVER	25,7x14,8x0,95 cm 10 1/8"x5 13/16"x3/8"	100153518 L241710901	G-507	20 x Cj 720 x Pal	0,76 x Cj 27,38 x Pal	15,80 x Cj 568,80 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

HARMONY ARROW COLTAN

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153521 - L241710711 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special vanilla***
Wet areas: ***epotech***

HARMONY ARROW GOLD

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153522 - L241710721 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

HARMONY ARROW SILVER

25,8x28,4x0,8 cm - 11 9/16"x11 3/4"x3/8"
100153523 - L241710701 - G-518

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Harmony Arrow Coltan 25,8x28,4x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HARMONY ARROW COLTAN	25,8x28,4x0,8 cm 10 3/16"x11 3/16"x3/8"	100153521 L241710711	G-518	11 x Cj 528 x Pal	0,80 x Cj 38,68 x Pal	13,20 x Cj 633,60 x Pal
HARMONY ARROW GOLD	25,8x28,4x0,8 cm 10 3/16"x11 3/16"x3/8"	100153522 L241710721	G-518	11 x Cj 528 x Pal	0,80 x Cj 38,68 x Pal	13,20 x Cj 633,60 x Pal
HARMONY ARROW SILVER	25,8x28,4x0,8 cm 10 3/16"x11 3/16"x3/8"	100153523 L241710701	G-518	11 x Cj 528 x Pal	0,80 x Cj 38,68 x Pal	13,20 x Cj 633,60 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special dark***
Wet areas: ***epotech***

HARMONY STRIP COLTAN

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153524 - L241710771 - G-522

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special vanilla***
Wet areas: ***epotech***

HARMONY STRIP GOLD

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153525 - L241710741 - G-522

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacaré***
Wet areas: ***epotech***

HARMONY STRIP SILVER

29,4x30x0,8cm - 11 9/16"x11 3/4"x3/8"
100153526 - L241710731- G-522

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: *Harmony Strip Coltan 29,4x30x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
HARMONY STRIP COLTAN	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153524 L241710771	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal
HARMONY STRIP GOLD	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153525 L241710741	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal
HARMONY STRIP SILVER	29,4x30x0,8 cm 11 9/16"x11 3/4"x3/8"	100153526 L241710731	G-522	11 x Cj 528 x Pal	0,97 x Cj 46,56 x Pal	16,50 x Cj 792 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 blanco / bahama***
Wet areas: ***epotech***

GOLD
1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081227 - L242816551 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / bahama***
Wet areas: ***epotech***

GOLD WAVY
1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081225 - L242816541 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco / bahama***
Wet areas: ***epotech***

GOLD
2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100032021 - L242816111 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / bahama***
Wet areas: ***epotech***

GOLD WAVY
2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081226 - L242816561 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Gold Wavy (2,3) 32,7x32,7x0,4 cm, Gold (2,3) 32,7x32,7x0,4 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GOLD (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081227 L242816551	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WAVY (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081225 L242816541	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100032021 L242816111	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WAVY (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081226 L242816561	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco / gris***
Wet areas: ***epotech***

GOLD WHITE
1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081222 - L242816531 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / gris***
Wet areas: ***epotech***

GOLD WHITE WAVY
1x1cm - 3/8"x3/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081221 - L242816501 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / gris***
Wet areas: ***epotech***

GOLD WHITE
2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081223 - L242816511 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / gris***
Wet areas: ***epotech***

GOLD WHITE WAVY
2,3x2,3cm - 7/8"x7/8"

32,7x32,7x0,4cm - 12 7/8"x 12 7/8"x1/8"

100081220 - L242816521 - G-189

GLASS
GOLD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Gold White (2,3) 32,7x32,7x0,4 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
GOLD WHITE (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081222 L242816531	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE WAVY (1)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081221 L242816501	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081223 L242816511	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal
GOLD WHITE WAVY (2,3)	32,7x32,7x0,4 cm 12 7/8"x 12 7/8"x1/8"	100081220 L242816521	G-189	17 x Cj 1020 x Pal	1,82 x Cj 109,07 x Pal	12,75 x Cj 765 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM SKY BLUE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135751 - L244004551 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

DREAM IVORY
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135747 - L244004571 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM JADE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135748 - L244004531 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

DREAM BLUE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135745 - L244004511 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

DREAM OLIVE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135749 - L244004521 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM EMERALD
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135746 - L244004561 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DREAM SKY BLUE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135751 L244004551	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM IVORY (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135747 L244004571	G-522	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM JADE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135748 L244004531	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM BLUE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135745 L244004511	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM OLIVE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135749 L244004521	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM EMERALD (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135746 L244004561	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM RED
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135750 - L244004631 - G-522

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

DREAM ANTHRACITE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100135744 - L244004501 - G-517

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 negro***
Wet areas: ***epotech***

DREAM MIX BLACKS
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100086101 - L244000251 - G-516

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

DREAM GREY
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100153004 - L244005321 - G-509

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM MIX WHITES
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100086102 - L244000241 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

DREAM WHITE
1,4x1,4cm - 1/2"x1/2"

29,5x29,5x0,4cm - 11 5/8"x11 5/8"x1/8"

100153005 - L244005331 - G-509

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
DREAM RED (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135750 L244004631	G-522	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM ANTHRACITE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100135744 L244004501	G-517	22 x Cj 1188 x Pal	1,91 x Cj 103,38 x Pal	10,07 x Cj 921,89 x Pal
DREAM MIX BLACKS (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100086101 L244000251	G-516	20 x Cj 1200 x Pal	1,74 x Cj 104,43 x Pal	13,04 x Cj 782,40 x Pal
DREAM GREY (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100153004 L244005321	G-509	20 x Cj 1200 x Pal	1,74 x Cj 104,46 x Pal	15,52 x Cj 931,20 x Pal
DREAM MIX WHITES (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100086102 L244000241	G-511	20 x Cj 1200 x Pal	1,74 x Cj 104,43 x Pal	13,04 x Cj 782,40 x Pal
DREAM WHITE (1,4)	29,5x29,5x0,4 cm 11 5/8"x11 5/8"x1/8"	100153005 L244005331	G-509	20 x Cj 1200 x Pal	1,74 x Cj 104,46 x Pal	15,52 x Cj 931,20 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

FASHION A COFFEE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153007 - L244005341 - G-520

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION A TOWN
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153008 - L244005351 - G520

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

FASHION B AQUA
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153009 - L244005131 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION B BOTTLE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153010 - L244005141 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

FASHION B CITY
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153011 - L244005181 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION B CLOUD
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153012 - L244005161 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION A COFFEE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153007 L244005341	G-520	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION A TOWN (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153008 L244005351	G-520	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B AQUA (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153009 L244005131	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B BOTTLE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153010 L244005141	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B CITY (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153011 L244005181	G-511	20 x Cj 1080 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B CLOUD (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153012 L244005161	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 antracita***
Wet areas: ***epotech***

FASHION B GRASS
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153013 - L244005221 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

FASHION B STORM
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153014 - L244005191 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION B WING
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153015 - L244005211 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

FASHION C BLACK
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153016 - L244005171 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

FASHION C BLUE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153017 - L244005201 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

FASHION C GRAY
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153018 - L244005151 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION B GRASS (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153013 L244005221	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B STORM (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153014 L244005191	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION B WING (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153015 L244005211	G-511	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C BLACK (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153016 L244005171	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C BLUE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153017 L244005201	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C GRAY (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153018 L244005151	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

FASHION C JADE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152986 - L244005241 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 manhattan***
Wet areas: ***epotech***

FASHION C MARINE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152987 - L244005231 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION C WHITE
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152988 - L244005291 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 marfil***
Wet areas: ***epotech***

FASHION MIX A GOLD WHITES
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100152989 - L244005261 - G-504

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 negro***
Wet areas: ***epotech***

FASHION MIX B+C BLACKS
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100081206 - L242816491 - G-511

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 antracita***
Wet areas: ***epotech***

FASHION MIX B+C RIVER
2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100081207 - L242816461 - G-508

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION C JADE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152986 L244005241	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C MARINE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152987 L244005231	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION C WHITE (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152988 L244005291	G-501	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	15,22 x Cj 913,20 x Pal
FASHION MIX A GOLD WHITES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100152989 L244005261	G-504	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,56 x Cj 873,60 x Pal
FASHION MIX B+C BLACKS (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100081206 L242816491	G-511	20 x Cj 1200 x Pal	2,14 x Cj 128,28 x Pal	15,80 x Cj 948 x Pal
FASHION MIX B+C RIVER (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100081207 L242816461	G-508	20 x Cj 1200 x Pal	2,14 x Cj 128,28 x Pal	15,80 x Cj 948 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 marfil***
Wet areas: ***epotech***

FASHION MIX B BLUES 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153020 - L244005271 - G-502

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 marfil***
Wet areas: ***epotech***

FASHION MIX C ACUARIO 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153021 - L244005281 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION MIX C ATLANTIC 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153022 - L244005301 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION MIX C PACIFIC 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153023 - L244005311 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco***
Wet areas: ***epotech***

FASHION MIX C WHITES 2x2cm - 3/4"x3/4"

32,7x32,7x0,4cm - 12 7/8"x12 7/8"x1/8"
100153024 - L244005251 - G-501

RECYCLED GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FASHION MIX B BLUES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153020 L244005271	G-502	20 x Cj 1200 x Pal	2,13 x Cj 128,34 x Pal	14,94 x Cj 896,40 x Pal
FASHION MIX C ACUARIO (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153021 L244005281	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C ATLANTIC (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153022 L244005301	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C PACIFIC (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153023 L244005311	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,68 x Cj 880,80 x Pal
FASHION MIX C WHITES (2)	32,7x32,7x0,4 cm 12 7/8"x12 7/8"x1/8"	100153024 L244005251	G-501	20 x Cj 1200 x Pal	2,14 x Cj 128,34 x Pal	14,52 x Cj 871,20 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ATELIER

FLORAL
CAMPIÑA
WHITE MOSAICS
GREY MOSAICS
BLACK MOSAICS

Wall Coverings: *Floral Atelier Grey*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER FLORAL GREYS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156315 - L241711821 - G-843

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER FLORAL CREAMS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156314 - L241711831 - G-843

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER FLORAL BROWNS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156313 - L241711841 - G-843

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Atelier Floral Browns 30x30x1 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER FLORAL GREYS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156315 L241711821	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal
ATELIER FLORAL CREAMS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156314 L241711831	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal
ATELIER FLORAL BROWNS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156313 L241711841	G-843	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	18,63 x Cj 670,68 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER CAMPIÑA GREYS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156312 - L241711871 - G-830

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER CAMPIÑA CREAMS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156311 - L241711851 - G-830

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

ATELIER CAMPIÑA BROWNS

30x30x1 cm - 11 3/4"x11 3/4"x3/8"
100156310 - L241711861 - G-830

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Wall Coverings: *Atelier Campiña Greys 30x30x1 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER CAMPIÑA GREYS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156312 L241711871	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal
ATELIER CAMPIÑA CREAMS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156311 L241711851	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal
ATELIER CAMPIÑA BROWNS	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156310 L241711861	G-830	8 x Cj 288 x Pal	0,72 x Cj 25,92 x Pal	14,90 x Cj 536,54 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER ORGANIC WHITE

30,9x30,9x0,5cm - 12 1/8"x12 1/8"x1/4"
100156965 - L244005971 - G-828

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER FLORAL WHITE

Pedido especial - Special order
G-843

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER ORGANIC WHITE	30,9x30,9x0,5 cm 12 1/8"x12 1/8"x1/4"	100156965 L244005971	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal
ATELIER FLORAL WHITE	- -	Pedido especial Special order	G-843	- -	- -	- -

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral White is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER INTUITION WHITE

30,3x28,7x0,5cm - 11 7/8"x11 1/4"x1/4"
100156972 - L244005861 - G-826

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER NOVEAU WHITE

29,4x27,7x0,5cm - 11 5/8"x10 7/8"x1/4"
100156962 - L244005961 - G-830

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER INTUITION WHITE	30,3x28,7x0,5 cm 11 7/8"x11 1/4"x1/4"	100156972 L244005861	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal
ATELIER NOVEAU WHITE	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156962 L244005961	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER GLAMOUR WHITE

30,4x30,4x0,5cm - 12”x12”x1/4”

100156956 - L244005831 - G-824

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER CODE WHITE

30,4x30,4x0,5cm - 12”x12”x1/4”

100156953 - L244005821 - G-836

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GLAMOUR WHITE	30,4x30,4x0,5 cm 12”x12”x1/4”	100156956 L244005831	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER CODE WHITE	30,4x30,4x0,5 cm 12”x12”x1/4”	100156953 L244005821	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER GRADIENT WHITE

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"

100156959 - L244006021 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL LIGHT WHITE

30,4x30,4x0,5cm - 12"x12"x1/4"

100156978 - L244005921 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GRADIENT WHITE	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156959 L244006021	G-835	1 Módulo x Cj 36 Módulo x Pal	0,65 x Cj 23,37 x Pal	6,29 x Cj 223,48 x Pal
ATELIER MINIMAL LIGHT WHITE	30,4x30,4x0,5 cm 12"x12"x1/4"	100156978 L244005921	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL DARK WHITE

30,4x30,4x0,5cm - 12”x12”x1/4”

100156975 - L244005901- G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER ORGANIC GREY

30,9x30,9x0,5cm - 12 1/8”x12 1/8”x1/4”

100156964 - L244005951 - G-828

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL DARK WHITE	30,4x30,4x0,5 cm 12”x12”x1/4”	100156975 L244005901	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal
ATELIER ORGANIC GREY	30,9x30,9x0,5 cm 12 1/8”x12 1/8”x1/4”	100156964 L244005951	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER FLORAL GREY

Pedido especial - Special order
G-843

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER INTUITION GREY

30,3x30,3x0,5cm - 11 7/8"x11 7/8"x1/4"
100156971 - L244005841 - G-826

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER FLORAL GREY	- -	Pedido especial Special order	G-843	- -	- -	- -
ATELIER INTUITION GREY	30,3x30,3x0,5 cm 11 7/8"x11 7/8"x1/4"	100156971 L244005841	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral Grey is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER NOVEAU GREY

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"
100156980 - L244005871 - G-830

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER GLAMOUR GREY

30,4x30,4x0,5cm - 12"x12"x1/4"
100156955 - L244005791 - G-824

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER NOVEAU GREY	29,4x27,6x0,5cm 11 5/8"x10 7/8"x1/4"	100156980 L244005871	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal
ATELIER GLAMOUR GREY	30,4x30,4x0,5cm 12"x12"x1/4"	100156955 L244005791	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER CODE GREY

Módulo 60x60x0,5cm - 23 5/8"x23 5/8"x1/4"
100156952 - L244005801 - G-836

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER GRADIENT GREY

Módulo 30x240x0,5cm - 11 3/4"x94 1/2"x1/4"
100156958 - L244005811 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER CODE GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156952 L244005801	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER GRADIENT GREY	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156958 L244005811	G-835	1 Módulo x Cj 36 Módulo x Pal	0,65 x Cj 23,37 x Pal	6,20 x Cj 223,48 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL LIGHT GREY

30,4x30,4x0,5cm - 12"x12"x1/4"

100156976 - L244005891 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL DARK GREY

30,4x30,4x0,5cm - 12"x12"x1/4"

100156974 - L244005911 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL LIGHT GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156976 L244005891	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Pal 363,17 x Pal
ATELIER MINIMAL DARK GREY	30,4x30,4x0,5 cm 12"x12"x1/4"	100156974 L244005911	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Pal 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER ORGANIC BLACK

30,9x30,9x0,5cm - 12 1/8"x12 1/8"x1/4"
100156963 - L244005941 - G-828

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER FLORAL BLACK

Pedido especial - Special order
G-850

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER ORGANIC BLACK	30,9x30,9x0,5 cm 12 1/8"x12 1/8"x1/4"	100156963 L244005941	G-828	3 Módulo x Cj 108 Módulo x Pal	1,14 x Cj 41,25 x Pal	9,31 x Cj 335,23 x Pal
ATELIER FLORAL BLACK	- -	Pedido especial Special order	G-850	- -	- -	- -

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
Atelier Floral Black is made to order with a drawing, and can be adapted to the measures given.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***epotech crystal***

ATELIER INTUITION BLACK

30,3x28,7x0,5cm - 11 7/8"x11 1/4"x1/4"
100156970 - L244005991 - G-826

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***epotech crystal***

ATELIER NOVEAU BLACK

29,4x27,6x0,5 cmcm - 11 5/8"x10 7/8"x1/4"
100156979 - L244005881 - G-830

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER INTUITION BLACK	30,3x28,7x0,5 cm 11 7/8"x11 1/4"x1/4"	100156970 L244005991	G-826	1 Módulo x Cj 36 Módulo x Pal	0,78 x Cj 28,17 x Pal	6,98 x Cj 251,42 x Pal
ATELIER NOVEAU BLACK	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156979 L244005881	G-830	2 Módulo x Cj 72 Módulo x Pal	0,97 x Cj 35,05 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER GLAMOUR BLACK

30,4x30,4x0,5cm - 12"x12"x1/4"
100156954 - L244005981 - G-824

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER CODE BLACK

30,4x30,4x0,5cm - 12"x12"x1/4"
100156951 - L244005981 - G-836

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GLAMOUR BLACK	30,4x30,4x0,5 cm 12"x12"x1/4"	100156954 L244005981	G-824	1 Módulo x Cj 36 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal
ATELIER CODE BLACK	30,4x30x4x0,5cm 12"x12"x1/4"	100156951 L244006001	G-836	3 Módulo x Cj 108 Módulo x Pal	1,11 x Cj 39,92 x Pal	9,31 x Cj 335,23 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER GRADIENT BLACK

29,4x27,6x0,5cm - 11 5/8"x10 7/8"x1/4"

100156957 - L244006011 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL LIGHT BLACK

30,4x30x4x0,5cm - 12"x12"x1/4"

100156977 - L244005931 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER GRADIENT BLACK	29,4x27,6x0,5 cm 11 5/8"x10 7/8"x1/4"	100156957 L244006011	G-835	1 Módulo x Cj 36 Módulo x Pal	0,64 x Cj 23,37 x Pal	6,21 x Cj 223,49 x Pal
ATELIER MINIMAL LIGH BLACK	30,4x30x4x0,5cm 12"x12"x1/4"	100156977 L244005931	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***epotech crystal***

ATELIER MINIMAL DARK BLACK

30,4x30x4x0,5cm - 12"x12"x1/4"

100156973 - L244005851 - G-835

GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ATELIER MINIMAL DARK BLACK	30,4x30x4x0,5cm 12"x12"x1/4"	100156973 L244005851	G-835	13 Módulo x Cj 468 Módulo x Pal	1,20 x Cj 43,25 x Pal	10,09 x Cj 363,17 x Pal

***NOTE:** These photos show an example composition of various models.
Each module contains several pieces depending on the model. Minimum order of one box.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN MIX MOSAICS

IMPERIA
TRIBAL
TECNO
MINI IRIS
TETRIS
ETERNITY
TREASURES
FUSION
TIME
ELEMENTS
RENAISSANCE

***Wall Coverings:** Eternity Mini Strip Cream 29,8x30,5x0,8 cm, Montecarlo Beige (Venis).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

IMPERIA BROWN
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092748 - L242521491 - G-518

SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

IMPERIA CARAMEL
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092749 - L242521501 - G-518

SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

IMPERIA GREYS
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092750 - L242521471 - G-516

ENAMELED SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***

IMPERIA LIMESTONE GOLD
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092756 - L108012971 - G-525

ENAMELED TRAVERTINE
LIMESTONE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

IMPERIA MIX SILVER BLACKS
1,5x1,5cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 3/4"x11 3/4"x3/8"

100092751 - L244000561 - G-518

ENAMELED TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

IMPERIA MIX SILVER BLUE BLACKS 1,5x1,5cm - 5/8"x5/8"

29.8x29.8x0,8cm - 11 3/4"x11 3/4"x3/8"

100097069 - L242521611 - G-518

SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA BROWN (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092748 L242521491	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,43 x Cj 833 x Pal
IMPERIA CARAMEL (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092749 L242521501	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,43 x Cj 833 x Pal
IMPERIA GREYS (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092750 L242521471	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,74 x Cj 850 x Pal
IMPERIA LIMESTONE GOLD (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092756 L108012971	G-525	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	14,01 x Cj 756,76 x Pal
IMPERIA MIX SILVER BLACKS (1,5)	30,1x30,1x0,8 cm 11 3/4"x11 3/4"x3/8"	100092751 L244000561	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,82 x Pal	15,72 x Cj 849 x Pal
IMPERIA MIX SILVER BLUE BLACKS (1,5)	29.8x29.8x0,8 cm 11 3/4"x11 3/4"x3/8"	100097069 L242521611	G-518	11 x Cj 594 x Pal	0,98 x Cj 52,75 x Pal	17,08 x Cj 922,48 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

IMPERIA MIX SILVER GREYS
1,5x1,5cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 3/4"x11 3/4"x3/8"

100092752 - L244000571 - G-518

ENAMELED TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

IMPERIA MIX SILVER WHITE
1,5x1,5cm - 5/8"x5/8"

29.8x29.8x0,8cm - 11 3/4"x11 3/4"x3/8"

100097070 - L242521601 - G-518

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

IMPERIA ONIX GOLDEN
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092753 - L150901201 - G-516

ENAMELED TRAVERTINE ONIX

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

IMPERIA WHITE
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092754 - L242521481 - G-518

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

IMPERIA NEPAL BRONZE
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092757 - L108012981 - G-516

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

IMPERIA BHUTAN MIRROR
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092747 - L108012951 - G-516

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA MIX SILVER GREYS (1,5)	30,1x30,1x0,8 cm 11 3/4"x11 3/4"x3/8"	100092752 L244000571	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,82 x Pal	15,10 x Cj 815,56 x Pal
IMPERIA MIX SILVER WHITE (1,5)	29.8x29.8x0,8 cm 11 3/4"x11 3/4"x3/8"	100097070 L242521601	G-518	11 x Cj 594 x Pal	0,99 x Cj 52,75 x Pal	17,08 x Cj 922,48 x Pal
IMPERIA ONIX GOLDEN (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092753 L150901201	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,59 x Cj 842 x Pal
IMPERIA WHITE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092754 L242521481	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,72 x Cj 849 x Pal
IMPERIA NEPAL BRONZE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092757 L108012981	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	16,44 x Cj 888 x Pal
IMPERIA BHUTAN MIRROR (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092747 L108012951	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	15,85 x Cj 856 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

IMPERIA BHUTAN BRONZE
1,5x1,5cm - 5/8"x5/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092746 - L108012961 - G-516

SLATE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Imperia Bhutan Bronze (1,5) 30x30x0,8 cm, Tibet Black (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
IMPERIA BHUTAN BRONZE (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092746 L108012961	G-516	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	16,31 x Cj 881 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk special brown***
Wet areas: ***epotech***

TRIBAL PEARL BLACK
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"

100112135 - L244001091 - G-522

GLASS - MOTHER OF PEARL MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special moka***
Wet areas: ***epotech***

TRIBAL PEARL BROWN
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"

100112136 - L244001141 - G-522

GLASS - MOTHER OF PEARL MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk special nacare***
Wet areas: ***epotech***

TRIBAL PEARL WHITE
1x2 cm - 3/8"x3/4"

28,6x28,3x0,8cm - 11 1/4"x11 1/8"x3/8"

100112137 - L244001101 - G-523

GLASS - MOTHER OF PEARL MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Tribal Pearl Brown (1x2) 28,6x28,3x0,8 cm, Shine Dark (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TRIBAL PEARL BLACK (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112135 L244001091	G-522	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal
TRIBAL PEARL BROWN (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112136 L244001141	G-522	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal
TRIBAL PEARL WHITE (1X2)	28,6x28,3x0,8 cm 11 1/4"x11 1/8"x3/8"	100112137 L244001101	G-523	12 x Cj 576 x Pal	0,97 x Cj 46,62 x Pal	13,66 x Cj 655,49 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

TECNO BHUTAN SILVER GLASS 2,3x2,3cm - 7/8"x7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092759 - L242521531 - G-518

GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid bahama***
Wet areas: ***epotech***

TECNO NEPAL GOLDEN GLASS 2,3x2,3cm - 7/8"x7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092762 - L242521521 - G-518

GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TECNO LINEAR SILVER WHITE

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"

100097088 - L242521831 - G-517

GLASS
QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

TECNO BR. BHUTAN SILVER GLASS 2,3x7,3cm - 7/8"x2 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092760 - L242521511 - G-518

GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls*	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TECNO BR. NEPAL GOLDEN GLASS 2,3x7,3cm - 7/8"x2 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100092761 - L242521541 - G-518

GLASS
SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Piscina / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TECNO NEPAL DECOR 2,3x2,3cm - 7/8"x7/8"

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"

100088511 - L108010901 - G-512

SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TECNO BHUTAN SILVER GLASS (2,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092759 L242521531	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,04 x Cj 920 x Pal
TECNO NEPAL GOLDEN GLASS (2,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092762 L242521521	G-518	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	17,07 x Cj 922 x Pal
TECNO LINEAR SILVER WHITE	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097088 L242521831	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO BR. BHUTAN SILVER GLASS (2,3X7,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092760 L242521511	G-518	11 x Cj 594 x Pal	0,87 x Cj 46,78 x Pal	15,91 x Cj 859 x Pal
TECNO BR. NEPAL GOLDEN GLASS (2,3X7,3)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100092761 L242521541	G-518	11 x Cj 594 x Pal	0,87 x Cj 46,78 x Pal	15,96 x Cj 862 x Pal
TECNO NEPAL DECOR (2,3)	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100088511 L108010901	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	14,06 x Cj 759,13 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

TECNO LINEAR BROWN CAPUCCINO

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"

100097086 - L242521861 - G-517

GLASS MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

TECNO LINEAR CREAM CAPUCCINO

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"

100097090 - L242521841 - G-517

GLASS MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

TECNO LINEAR CREAM HABANA

29,8x30,5x0,8cm - 12"x11 3/4"x3/8"

100097087 - L242521851 - G-517

GLASS MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

TECNO GLASS COUNTRY 2,1x2,1cm - 7/8"x7/8"

29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"

100097093 - L242521741 - G-522

GLASS ENAMELED SLATE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TECNO QUARZ EMERALD 2,1x2,1cm - 7/8"x7/8"

29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"

100097095 - L242521731 - G-522

GLASS QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TECNO QUARZ MOUNTAIN 2,1x2,1cm - 7/8"x7/8"

29,6x29,6x0,8cm - 11 5/8"x 11 5/8" x3/8"

100097089 - L242521691 - G-519

GLASS QUARTZITE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TECNO LINEAR BROWN CAPUCCINO	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097086 L242521861	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO LINEAR CREAM CAPUCCINO	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097090 L242521841	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO LINEAR CREAM HABANA	29,8x30,5x0,8 cm 12"x11 3/4"x3/8"	100097087 L242521851	G-517	11 x Cj 594 x Pal	1 x Cj 53,99 x Pal	17,38 x Cj 938,52 x Pal
TECNO GLASS COUNTRY (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097093 L242521741	G-522	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal
TECNO QUARZ EMERALD (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097095 L242521731	G-522	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal
TECNO QUARZ MOUNTAIN (2,1)	29,6x29,6x0,8 cm 11 5/8"x 11 5/8" x3/8"	100097089 L242521691	G-519	11 x Cj 594 x Pal	0,96 x Cj 52,04 x Pal	16,25 x Cj 877,34 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

MINI IRIS STONE CREAMS
1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"

100097109 - L244000751 - G-514

RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

MINI IRIS STONE BROWNS
1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"

100097108 - L244000741 - G-514

RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

MINI IRIS STONE GREYS
1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"

100097110 - L244000771 - G-514

RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 blanco / marfil***
Wet areas: ***epotech***

MINI IRIS STONE WHITES
1,6x1,6cm - 5/8"x5/8"

31,8x31,8x0,5cm - 12 1/2"x 12 1/2"x1/4"

100097111 - L244000761 - G-514

RECYCLED GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Mini Iris Stone Whites (1,6) 31,8x31,8x0,5 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
MINI IRIS STONE CREAMS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097109 L244000751	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE BROWNS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097108 L244000741	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE GREYS (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097110 L244000771	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal
MINI IRIS STONE WHITES (1,6)	31,8x31,8x0,5 cm 12 1/2"x 12 1/2"x1/4"	100097111 L244000761	G-514	10 x Cj 600 x Pal	1,01 x Cj 60,67 x Pal	11,04 x Cj 662,40 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

TETRIS BLACK

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146071 - L241710011 - G-519

MARBLE - GLASS RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TETRIS GREY

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146072 - L241710251 - G-519

MARBLE - GLASS RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TETRIS WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100146073 - L241710131 - G-519

MARBLE - GLASS RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Tetris Grey 30x30x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TETRIS BLACK	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100146071 L241710011	G-519	10 x Cj 540 x Pal	0,89 x Cj 47,95 x Pal	9 x Cj 486 x Pal
TETRIS GREY	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100146072 L241710251	G-519	10 x Cj 540 x Pal	0,89 x Cj 47,95 x Pal	9 x Cj 486 x Pal
TETRIS WHITE	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100146073 L241710131	G-519	10 x Cj 540 x Pal	0,89 x Cj 47,95 x Pal	9 x Cj 486 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

ETERNITY CREAM
1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"

100097100 - L242521791 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

ETERNITY EMPERADOR
1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"

100097101 - L242521811 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ETERNITY GREY
1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"

100097102 - L242521771 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

ETERNITY MINI STRIP CREAM

29,8x30,5x0,8 - 11 3/4"x 11 3/4"x3/8"

100097103 - L242521821 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid marfil***
Wet areas: ***epotech***

ETERNITY MINI STRIP EMPERADOR

29,8x30,5x0,8 - 11 3/4"x 11 3/4"x3/8"

100097104 - L242521751 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ETERNITY MINI STRIP GREY

29,8x30,5x0,8cm - 11 3/4"x 11 3/4"x3/8"

100097105 - L242521801 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ETERNITY CREAM (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097100 L242521791	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY EMPERADOR (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097101 L242521811	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY GREY (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097102 L242521771	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY MINI STRIP CREAM	29,8x30,5x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097103 L242521821	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal
ETERNITY MINI STRIP EMPERADOR	29,8x30,5x0,8 11 3/4"x 11 3/4"x3/8"	100097104 L242521751	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal
ETERNITY MINI STRIP GREY	29,8x30,5x0,8 11 3/4"x 11 3/4"x3/8"	100097105 L242521801	G-522	5 x Cj 360 x Pal	0,44 x Cj 31,75 x Pal	8,02 x Cj 577,44 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ETERNITY WHITE
1,5x1,5cm - 5/8"x5/8"

29,7x29,7x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097107 - L242521781 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ETERNITY MINI STRIP WHITE

29,8x30,5x0,8cm - 11 3/4"x 11 3/4"x3/8"
100097106 - L242521761 - G-522

GLASS
MARBLE

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Eternity Grey (1,5) 29,7x29,7x0,8 cm, Ruggine Niquel (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ETERNITY WHITE (1,5)	29,7x29,7x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097107 L242521781	G-522	10 x Cj 600 x Pal	0,88 x Cj 52,92 x Pal	15,01 x Cj 900,60 x Pal
ETERNITY MINI STRIP WHITE	29,8x30,5x0,8 cm 11 3/4"x 11 3/4"x3/8"	100097106 L242521761	G-522	5 x Cj 360 x Pal	0,45 x Cj 32,72 x Pal	8,02 x Cj 577,44 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

TREASURES BRONZ. EMPER. 1,5x1,5 cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 7/8"x11 7/8"x3/8"

100103970 - L244000941 - G-522

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

TREASURES MIST SHANNAN 1,5x1,5 cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 7/8"x11 7/8"x3/8"

100103971 - L244000921 - G-522

QUARTZITE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

TREASURES NUDE NEPAL 1,5x1,5 cm - 5/8"x5/8"

30,1x30,1x0,8cm - 11 7/8"x11 7/8"x3/8"

100103976 - L244000931 - G-522

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

TREASURES BRONZ. EMPER. 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"

100104001 - L242601681 - G-522

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

TREASURES MIST SHANNAN 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"

100103974 - L242601671 - G-522

QUARTZITE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

TREASURES NUDE NEPAL 1,2x2cm - 1/2"x3/4"

29,8x30,6x0,8cm - 11 3/4"x12"x3/8"

100103975 - L242601661 - G-522

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TREASURES BRONZ. EMPER.(1,5)	30,1x30,1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103970 L244000941	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,15 x Cj 775 x Pal
TREASURES MIST SHANNAN (1,5)	30,1x30,1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103971 L244000921	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,21 x Cj 778 x Pal
TREASURES NUDE NEPAL (1,5)	30,1x30,1x0,8 cm 11 7/8"x11 7/8"x3/8"	100103976 L244000931	G-522	11 x Cj 528 x Pal	1 x Cj 47,84 x Pal	16,33 x Cj 784 x Pal
TREASURES BRONZ. EMPER. (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100104001 L242601681	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal
TREASURES MIST SHANNAN (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100103974 L242601671	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal
TREASURES NUDE NEPAL (1,2X2)	29,8x30,6x0,8 cm 11 3/4"x12"x3/8"	100103975 L242601661	G-522	11 x Cj 528 x Pal	1 x Cj 48,15 x Pal	17,08 x Cj 819,98 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

TREASURES BRONZ. EMPER. STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"

100104000 - L244000961 - G-522

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

TREASURES MIST SHANNAN STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"

100103973 - L244000911 - G-522

QUARTZITE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

TREASURES NUDE NEPAL STRIP

29,2x30,4x0,8cm - 11 1/2"x12"x3/8"

100103978 - L244000951 - G-522

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 moka***
Wet areas: ***epotech***

TREASURES BRONZ. EMPER. MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"

100103999 - L240900091 - G-522

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***
Wet areas: ***epotech***

TREASURES MIST SHANNAN MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"

100103972 - L240900071 - G-522

QUARTZITE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***
Wet areas: ***epotech***

TREASURES NUDE NEPAL MOON

19x29x0,8cm - 7 1/2"x11 3/8"x3/8"

100103977 - L240900081 - G-522

SLATE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TREASURES BRONZ. EMPER. STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100104000 L244000961	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES MIST SHANNAN STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100103973 L244000911	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES NUDE NEPAL STRIP	29,2x30,4x0,8 cm 11 1/2"x12"x3/8"	100103978 L244000951	G-522	11 x Cj 528 x Pal	0,98 x Cj 46,87 x Pal	17,64 x Cj 846,91 x Pal
TREASURES BRONZ. EMPER. MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103999 L240900091	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal
TREASURES MIST SHANNAN MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103972 L240900071	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal
TREASURES NUDE NEPAL MOON	19x29x0,8 cm 7 1/2"x11 3/8"x3/8"	100103977 L240900081	G-522	11 x Cj 792 x Pal	0,70 x Cj 50,17 x Pal	11,39 x Cj 819,72 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

FUSION 3D CARAMEL

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115528cm - L241707841 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION 3D CARAMEL MIX

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115529 - L241707821 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION 3D STEEL

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115530 - L241707811 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION 3D STEEL MIX

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115531 - L241707831 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION 3D WHITE

29,2x30x0,8-1,1cm - 11 1/2"x11 3/4"x3/8"-1/2"
100115532 - L241707791 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION 3D CARAMEL	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115528 L241707841	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D CARAMEL MIX	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115529 L241707821	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D STEEL	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115530 L241707811	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D STEEL MIX	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115531 L241707831	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal
FUSION 3D WHITE	29,2x30x0,8-1,1 cm 11 1/2"x11 3/4"x3/8"-1/2"	100115532 L241707791	G-531	8 x Cj 384 x Pal	0,70 x Cj 33,64 x Pal	12,08 x Cj 579,84 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION FLAT CARAMEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115538 - L241707891 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION FLAT CARAMEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115539 - L241707981 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION FLAT STEEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115540 - L241707881 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION FLAT STEEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115541 - L241707931 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***

FUSION FLAT WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"
100115542 - L241707951 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION FLAT CARAMEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115538 L241707891	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT CARAMEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115539 L241707981	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT STEEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115540 L241707881	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT STEEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115541 L241707931	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal
FUSION FLAT WHITE	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115542 L241707951	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,95 x Cj 765,60 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

FUSION BRICK 3D CARAMEL

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"

100115533 - L241707851 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION BRICK 3D CARAMEL MIX

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"

100115534 - L241707871 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION BRICK 3D STEEL

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"

100115535 - L241707861 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION BRICK 3D STEEL MIX

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"

100115536 - L241707941 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION BRICK 3D WHITE

29,6x30x0,8-1,3cm - 11 5/8"x11 3/4"x3/8"-1/2"

100115537 - L241707991 - G-531

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION BRICK 3D CARAMEL	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115533 L241707851	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D CARAMEL MIX	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115534 L241707871	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D STEEL	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115535 L241707861	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D STEEL MIX	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115536 L241707941	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal
FUSION BRICK 3D WHITE	29,6x30x0,8-1,3 cm 11 5/8"x11 3/4"x3/8"-1/2"	100115537 L241707991	G-531	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	12,08 x Cj 579,84 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION MINI STRIP CARAMEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100115543 - L241707921 - G-527

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION MINI STRIP CARAMEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100115544 - L241707971 - G-527

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION MINI STRIP STEEL

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100115545 - L241707911 - G-527

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION MINI STRIP STEEL MIX

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100115546 - L241707961 - G-527

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***

FUSION MINI STRIP WHITE

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100115547 - L241707901 - G-527

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION MINI STRIP CARAMEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115543 L241707921	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP CARAMEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115544 L241707971	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP STEEL	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115545 L241707911	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP STEEL MIX	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115546 L241707961	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal
FUSION MINI STRIP WHITE	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100115547 L241707901	G-527	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	15,62 x Cj 749,76 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

*Board recommends Butech: **colorstuk 0-4 cemento***

FUSION BIG BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153549 - L241711011 - G-514

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

*Board recommends Butech: **colorstuk 0-4 cemento***

FUSION BIG BROWN

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153560 - L241711111 - G-514

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION DICE 3D CARAMEL MIX

30x30x0,8/1,2 cm - 11 3/4"x11 3/4"x3/8"-1/2"
100153563 - L241711051 - G-532

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

*Board recommends Butech: **colorstuk 0-4 gris***

FUSION BIG WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153562 - L241711121 - G-514

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

*Board recommends Butech: **colorstuk 0-4 cemento***

FUSION BIG STEEL

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153561 - L241711061 - G-514

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

FUSION DICE 3D STEEL MIX

30x30x0,8/1,2 cm - 11 3/4"x11 3/4"x3/8"-1/2"
100153564 - L108028781 - G-532

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION BIG BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153549 L241711011	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG BROWN	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153560 L241711111	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG STEEL	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153561 L241711061	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION BIG WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153562 L241711121	G-514	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
FUSION DICE 3D CARAMEL MIX	30x30x0,8/1,2 cm 11 3/4"x11 3/4"x3/8-1/2"	100153563 L241711051	G-532	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	10,80 x Cj 518,40 x Pal
FUSION DICE 3D STEEL MIX	30x30x0,8/1,2 cm 11 3/4"x11 3/4"x3/8-1/2"	100153564 L108028781	G-532	8 x Cj 384 x Pal	0,72 x Cj 34,56 x Pal	10,80 x Cj 518,40 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION CARAMEL MIX 1,5x1,5 cm - 5/8"x5/8"

30x30x0,8 cm - 11 3/4"x11 3/4"x3/8"

100156225 - L241711951 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION HEXAGON CARAMEL MIX

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"

100153565 - L241711091 - G-528

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION HEXAGON STEEL

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"

100153588 - L241711081 - G-528

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION STEEL MIX 1,5x1,5 cm - 5/8"x5/8"

30x30x0,8 cm - 11 3/4"x11 3/4"x3/8"

100156226 - L241711881 - G-523

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 cemento***

FUSION HEXAGON STEEL MIX

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"

100153566 - L241711101 - G-528

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk 0-4 gris***

FUSION HEXAGON WHITE

29,5x25,5x0,8 cm - 11 5/8"x10"x3/8"

100153536 - L241711021 - G-529

GLASS
METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
FUSION CARAMEL MIX (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100156225 L241711951	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	11,35 x Cj 544,89 x Pal
FUSION STEEL MIX (1,5)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100156226 L241711881	G-523	11 x Cj 528 x Pal	0,99 x Cj 47,52 x Pal	11,35 x Cj 544,89 x Pal
FUSION HEXAGON CARAMEL MIX	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153565 L241711091	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON STEEL	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153588 L241711081	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON STEEL MIX	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153566 L241711101	G-528	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal
FUSION HEXAGON WHITE	29,5x25,5x0,8 cm 11 5/8"x10"x3/8"	100153536 L241711021	G-529	11 x Cj 528 x Pal	0,83 x Cj 39,70 x Pal	12,12 x Cj 581,85 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

TIME TEXT. LINEAR CREAM 1,5x10cm - 5/8"x 3 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100135767 - L241709521 - G-518

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

TIME TEXT. LINEAR SILVER WOOD 1,5x10cm - 5/8"x 3 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100135769 - L241709501 - G-518

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TIME TEXT. LINEAR SILK WOOD 1,5x10cm - 5/8"x 3 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100135768 - L241709551 - G-518

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TIME TEXT. LINEAR WHITE 1,5x10cm - 5/8"x 3 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100153594 - L241711071 - G-518

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

TIME TEXT. LINEAR BLACK 1,5x10cm - 5/8"x 3 7/8"

30x30x0,8cm - 11 3/4"x11 3/4"x3/8"

100153593 - L241711041 - G-518

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXT LINEAR CREAM (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135767 L241709521	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR SILVER WOOD (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135769 L241709501	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR SILK WOOD (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100135768 L241709551	G-518	10 x Cj 360 x Pal	0,90 x Cj 32,40 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXT LINEAR WHITE (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100153594 L241711071	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,49 x Pal	8,47 x Cj 304,92 x Pal
TIME TEXT LINEAR BLACK (1,5X10)	30x30x0,8 cm 11 3/4"x11 3/4"x3/8"	100153593 L241711041	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,49 x Pal	8,47 x Cj 304,92 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

TIME TEXTURE CREAM
2,3x2,7cm - 7/8"x 1 1/8"

29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"

100135772 - L241709561 - G-518

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

TIME TEXT.SILVER WOOD
2,3x2,7cm - 7/8"x 1 1/8"

29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"

100135771 - L241709481 - G-518

TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TIME TEXT. SILK WOOD
2,3x2,7cm - 7/8"x 1 1/8"

29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"

100135770 - L241709471 - G-518

TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TIME TEXTURE WHITE
2,3x2,7cm - 7/8"x 1 1/8"

29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"

100156242 - L241711941 - G-518

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

TIME TEXTURE BLACK
2,3x2,7cm - 7/8"x 1 1/8"

29,6x28,6x0,8cm - 11 5/8"x11 1/4"x3/8"

100156241 - L241711931 - G-518

TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXTURE CREAM (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135772 L241709561	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE SILVER WOOD(2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135771 L241709481	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE SILK WOOD (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100135770 L241709471	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE WHITE (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100156242 L241711941	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	15,13 x Cj 544,68 x Pal
TIME TEXTURE BLACK (2,3x2,7)	29,6x28,6x0,8 cm 11 5/8"x11 1/4"x3/8"	100156241 L241711931	G-518	10 x Cj 360 x Pal	0,84 x Cj 30,47 x Pal	14,90 x Cj 536,40 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TIME BIG LINE WHITE

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100153584 - L241710951 - G-524

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

TIME BIG LINE CREAM

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156228 - L241711891 - G-524

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TIME BIG LINE SILVER WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156240 - L241711921 - G-524

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

TIME BIG LINE SILK WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156229 - L241711901 - G-524

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

TIME BIG LINE BLACK

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"
100156227 - L241711911- G-524

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME BIG LINE WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153584 L241710951	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	16,60 x Cj 597,60 x Pal
TIME BIG LINE CREAM	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156228 L241711891	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156240 L241711921	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE SILK WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156229 L241711901	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal
TIME BIG LINE BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100156227 L241711911	G-524	10 x Cj 360 x Pal	0,89 x Cj 31,97 x Pal	17,59 x Cj 633,24 x Pal

***NOTE:** The order of the composition of stone and crystal is random.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid cemento***
Wet areas: ***epotech***

TIME TEXT. BIG LIN.SILK WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"

100146075 - L241710021 - G-527

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

TIME TEXT. BIG LIN. SILVER WOOD

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"

100146076 - L241709941 - G-527

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

TIME TEXT. BIG LIN. THASSOS

29,8x29,8x0,8cm - 11 3/4"x11 3/4"x3/8"

100146077 - L241709971 - G-527

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Time Texture Big Linear Thassos 29,8x29,8x0,8 cm, Crystal White (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
TIME TEXT BIG LIN.SILK WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146075 L241710021	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal
TIME TEXT BIG LIN.SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146076 L241709941	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal
TIME TEXT BIG LIN. THASSOS	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100146077 L241709971	G-527	11 x Cj 396 x Pal	0,97 x Cj 35,05 x Pal	18,70 x Cj 673,20 x Pal

***NOTE:** The order of the composition of stone and crystal is random.
It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

ELEMENTS MINI PATTERN DARKNESS

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"

100135752 - L241709571 - G-522

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ELEMENTS MINI PATTERN DAWN

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"

100153529 - L241710811 - G-522

TRAVERTINE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

ELEMENTS MINI PATTERN EARTH

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"

100135753 - L241709581 - G-522

MARBLE
GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

ELEMENTS PATTERN DARKNESS

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"

100135756 - L241709511 - G-522

MARBLE
GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ELEMENTS PATTERN DAWN

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"

100153540 - L241710801 - G-522

TRAVERTINE
GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid beige***
Wet areas: ***epotech***

ELEMENTS PATTERN EARTH

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"

100135757 - L241709461 - G-522

MARBLE
GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELEMENTS MINI PATTERN DARKNESS	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135752 L241709571	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS MINI PATTERN DAWN	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100153529 L241710811	G-522	11 x Cj 594 Pa	0,97 x Cj 52,75 x Pal	15,07 x Cj 813,78 x Pal
ELEMENTS MINI PATTERN EARTH	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135753 L241709581	G-522	11 x Cj 594 Pa	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS PATTERN DARKNESS	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135756 L241709511	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal
ELEMENTS PATTERN DAWN	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100153540 L241710801	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	15,73 x Cj 849,42 x Pal
ELEMENTS PATTERN EARTH	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135757 L241709461	G-522	11 x Cj 594 Pa	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ELEMENTS MINI PATTERN WATER

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135754 - L241709601 - G-522

MARBLE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ELEMENTS MINI PATTERN WIND

29,8x29,8x0,9cm - 11 3/4"x11 3/4"x3/8"
100135755 - L241709591 - G-522

TRAVERTINE GLASS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

ELEMENTS PATTERN WIND

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135759 - L241709531 - G-522

TRAVERTINE GLASS - RESINA

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

ELEMENTS PATTERN WATER

29,7x29,7x0,9cm - 11 3/4"x11 3/4"x3/8"
100135758 - L241709491 - G-522

MARBLE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Elements Pattern Water 29,7x29,7x0,9 cm, Glass Blanco (Porcelanosa).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
ELEMENTS MINI PATTERN WATER	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135754 L241709601	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS MINI PATTERN WIND	29,8x29,8x0,9 cm 11 3/4"x11 3/4"x3/8"	100135755 L241709591	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	18,94 x Cj 1022,87 x Pal
ELEMENTS PATTERN WIND	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135759 L241709531	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal
ELEMENTS PATTERN WATER	29,7x29,7x0,9 cm 11 3/4"x11 3/4"x3/8"	100135758 L241709491	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,39 x Pal	18,80 x Cj 1015,14 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

RENAISSANCE BRICKS BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153541 - L241710781 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

RENAISSANCE BRICKS SILVER WOOD

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153542 - L241710821 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

RENAISSANCE BRICKS WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 1/2"x3/8"
100153543 - L241710851 - G-522

MARBLE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

RENAISSANCE LINES BLACK

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153544 - L241710791 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

RENAISSANCE LINES SILVER WOOD

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153545 - L241711401 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

RENAISSANCE LINES WHITE

29,8x29,8x0,8 cm - 11 3/4"x11 3/4"x3/8"
100153546 - L241710831 - G-522

MARBLE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
RENAISSANCE BRICKS BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153541 L241710781	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE BRICKS SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153542 L241710821	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE BRICKS WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153543 L241710851	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES BLACK	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153544 L241710791	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES SILVER WOOD	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153545 L241711401	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal
RENAISSANCE LINES WHITE	29,8x29,8x0,8 cm 11 3/4"x11 3/4"x3/8"	100153546 L241710831	G-522	11 x Cj 594 x Pal	0,97 x Cj 52,74 x Pal	16,50 x Cj 891 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid antracita***
Wet areas: ***epotech***

RENAISSANCE SQUARES BLACK

30,5x30,5x0,8 cm - 12"x12"x3/8"

100153547 - L241710841 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid gris***
Wet areas: ***epotech***

RENAISSANCE SQUARES SILVER WOOD

30,5x30,5x0,8 cm - 12"x12"x3/8"

100153548 - L241711431 - G-522

TRAVERTINE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

RENAISSANCE SQUARES WHITE

30,5x30,5x0,8 cm - 12"x12"x3/8"

100153550 - L241710861 - G-522

MARBLE GLASS - RESIN

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Renaissance Bricks Black 29,8x29,2x0,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
RENAISSANCE SQUARES BLACK	30,5x30,5x0,8 cm 12"x12"x3/8"	100153547 L241710841	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal
RENAISSANCE SQUARES SILVER WOOD	30,5x30,5x0,8 cm 12"x12"x3/8"	100153548 L241711431	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal
RENAISSANCE SQUARES WHITE	30,5x30,5x0,8 cm 12"x12"x3/8"	100153550 L241710861	G-522	11 x Cj 594 x Pal	1,02 x Cj 55,25 x Pal	17,16 x Cj 926,64 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN AIR MOSAICS

***Wall Coverings:** Air White (1,1) 30x30x0,7 cm, Marmi Blanco (Porcelanosa).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

AIR WHITE
1x1cm - 3/8"x3/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100156914 - L241711991 - G-512

CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid blanco***
Wet areas: ***epotech***

AIR WHITE & SILVER DECOR
1,5x1,5cm - 5/8"x5/8"

29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"

100156915 - L241711971 - G-512

ENAMELED TRAVERTINE CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Air White (1,1) 30x30x0,7 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AIR WHITE (1,1)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156914 L241711991	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	12,01 x Cj 648,64 x Pal
AIR WHITE&SILVER DECOR (1,5)	29,8x29,8x1 cm 11 3/4"x11 3/4"x3/8"	100156915 L241711971	G-512	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	13,41 x Cj 724,08 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Board recommends Butech: ***colorstuk rapid negro***
Wet areas: ***epotech***

AIR BLACK
1x1cm - 3/8"x3/8"

30x30x1cm - 11 3/4"x11 3/4"x3/8"

100156912 - L241711981 - G-512

CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic



Board recommends Butech: ***colorstuk rapid negro***
Wet areas: ***epotech***

AIR BLACK & SILVER DECOR
1,5x1,5cm - 5/8"x5/8"

29,8x29,8x1cm - 11 3/4"x11 3/4"x3/8"

100156913 - L241711961 - G-512

ENAMELED TRAVERTINE CERAMICS

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Air Black (1,1) 30x30x0,7 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
AIR BLACK (1,1)	30x30x1 cm 11 3/4"x11 3/4"x3/8"	100156912 L241711981	G-512	11 x Cj 594 x Pal	0,99 x Cj 53,46 x Pal	12,01 x Cj 648,64 x Pal
AIR BLACK&SILVER DECOR (1,5)	29,8x29,8x1 cm 11 3/4"x11 3/4"x3/8"	100156913 L241711961	G-512	11 x Cj 594 x Pal	0,97 x Cj 52,75 x Pal	13,41 x Cj 724,08 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN METAL MOSAICS

***Wall Coverings:** Metal Acero Highlights Golden (2) 30,5x30,5x0,8 cm, Seúl Nácar (Porcelanosa).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Board recommends Butech: ***colorstuk 0-4 manhattan***
Wet areas: ***epotech***

METAL ACERO 1,85x1,85cm - 5/8"x5/8"

29,5x29,5x0,8cm - 11 5/8"x11 5/8"x3/8"

100095850 - L159800261 - G-535

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk 0-4 manhattan***
Wet areas: ***epotech***

METAL ACERO HIGHLIGHTS 2x2cm - 3/4"x3/4"

30,5x30,5x0,8cm - 12"x12"x3/8"

100089009 - L153401521 - G-526

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk 0-4 manhattan***
Wet areas: ***epotech***

METAL ACERO HIGHLIGHTS GOLDEN 2x2cm - 3/4"x3/4"

30,5x30,5x0,8cm - 12"x12"x3/8"

100089008 - L153401531 - G-526

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

Board recommends Butech: ***colorstuk 0-4 manhattan***
Wet areas: ***epotech***

METAL BRICK ACERO 2x4cm - 3/4"x1 5/8"

29,5x28x0,8cm - 11 5/8"x11"x3/8"

100095851 - L159800271 - G-533

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

METAL ACERO HEXAGON

24,5x24,5x0,8cm - 9 5/8"x9 5/8"x3/8"

100146063 - L241710081 - G-518

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

No supported grouting

METAL ACERO HEXAGON ANTHRACITE

24,5x24,5x0,8cm - 9 5/8"x9 5/8"x3/8"

100146064 - L241710111 - G-520

METAL

USE RECOMMENDATIONS

Indoor Floors | Outdoor Floors | Worktops
Indoor Walls | Outdoor Walls | Swimming-Pool Surrounds
Shower Walls | Shower Floors | Pool / Spa
Light Traffic | Medium Traffic | High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
METAL ACERO (1,85)	29,5x29,5x0,8 cm 11 5/8"x11 5/8"x3/8"	100095850 L159800261	G-535	10 x Cj 540 x Pal	0,87 x Cj 46,99 x Pal	16,64 x Cj 898,77 x Pal
METAL ACERO HIGHLIGHTS (2)	30,5x30,5x0,8 cm 12"x12"x3/8"	100089009 L153401521	G-526	10 x Cj 540 x Pal	0.93 x Cj 50,23 x Pal	16,73 x Cj 903,60 x Pal
METAL ACERO HIGHLIGHTS GOLDEN (2)	30,5x30,5x0,8 cm 12"x12"x3/8"	100089008 L153401531	G-526	10 x Cj 540 x Pal	0.93 x Cj 50,23 x Pal	16,73 x Cj 903,60 x Pal
METAL BRICK ACERO (2X4)	29,5x28x0,8 cm 11 5/8"x11"x3/8"	100095851 L159800271	G-533	10 x Cj 540 x Pal	0,83 x Cj 44,60 x Pal	16,64 x Cj 898,77 x Pal
METAL ACERO HEXAGON	24,5x24,5x0,8 cm 9 5/8"x9 5/8"x3/8"	100146063 L241710081	G-518	8 x Cj 576 x Pal	0,48 x Cj 34,70 x Pal	8 x Cj 576 x Pal
METAL ACERO HEXAGON ANTHRACITE	24,5x24,5x0,8 cm 9 5/8"x9 5/8"x3/8"	100146064 L241710111	G-520	8 x Cj 576 x Pal	0,48 x Cj 34,70 x Pal	8 x Cj 576 x Pal

***NOTE:** It is necessary to use POLITECH (RT2) as attaching material and EPOTECH AQUA for the grouting.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

METAL ACERO RETRO

7,5x15,2x0,8cm - 3"x6"x3/8"

100146065 - L241710141 - G-500

METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

METAL ACERO RETRO ANTHRACITE

7,5x15,2x0,8cm - 3"x6"x3/8"

100146066 - L241710101 - G-501

METAL

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

***Wall Coverings:** Metal Acero Highlights (2) 30,5x30,5x0,8 cm, Ruggine Aluminio (Venis).*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
METAL ACERO RETRO	7,5x15,2x0,8 cm 3"x6"x3/8"	100146065 L241710141	G-500	88 x Cj 4752 x Pal	0,99 x Cj 53,46 x Pal	10,56 x Cj 570,24 x Pal
METAL ACERO RETRO ANTHRACITE	7,5x15,2x0,8 cm 3"x6"x3/8"	100146066 L241710101	G-501	88 x Cj 4752 x Pal	0,99 x Cj 53,46 x Pal	10,56 x Cj 570,24 x Pal

***NOTE:** A minimum joint of 1 mm should be left between the pieces.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOOHN WOOD MOSAICS

***Wall Coverings:** Wood Feel (6) 30x30x1 cm, Tibet Black (Porcelanosa).*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

WOOD MODUL

26x26,4x0,6-2,6cm - 10 1/4"x10 3/8"x1/4"-1"

100086262 - L154806021 - G-537

CUMARÚ (TROPICAL WOOD)

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No admite rejuntado

WOOD BRICK

27,3x28x1cm - 10 3/4"x11"x3/8"

100097155 - L108015181 - G-532

CUMARÚ (TROPICAL WOOD)

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

WOOD EVEN
1,9x1,9cm - 3/4"x3/4"

28x28x1cm - 11"x11"x3/8"

100062522 - L108004601 - G-533

CUMARÚ (TROPICAL WOOD)

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

WOOD FEEL
6x6cm - 2 3/8"x2 3/8"

30x30x1cm - 11 3/4"x11 3/4" x3/8"

100086257 - L108010211 - G-533

CUMARÚ (TROPICAL WOOD)

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

WOOD BRICK ANTIQUE

30x30x1-1,5cm - 11 3/4"x11 3/4"x3/8"-5/8"

100146085 - L241710201 - G-515

RECYCLED WOOD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

No supported grouting

WOOD SQUARE ANTIQUE

29,7x29,7x1cm - 11 3/4"x11 3/4"x/4"-3/8"

100146086 - L241710161 - G-520

RECYCLED WOOD

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WOOD BRICK	27,3x28x1 cm 10 3/4"x11"x3/8"	100097155 L108015181	G-532	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	5,36 x Cj 192,89 x Pal
WOOD BRICK ANTIQUE*	30x30x1-1,5 cm 11 3/4"x11 3/4"x3/8"-5/8"	100146085 L241710201	G-515	22 x Cj 858 x Pal	1,60 x Cj 62,54 x Pal	19,80 x Cj 772,20 x Pal
WOOD EVEN (1,9)	28x28x1 cm 11"x11"x3/8"	100062522 L108004601	G-533	6 x Cj 216 x Pal	0,47 x Cj 16,93 x Pal	6,21 x Cj 223,56 x Pal
WOOD FEEL (6)	30x30x1 cm 11 3/4"x11 3/4" x3/8"	100086257 L108010211	G-533	5 x Cj 180 x Pal	0,45 x Cj 16,20 x Pal	7,89 x Cj 284 x Pal
WOOD MODUL	26x26,4x0,6-2,6 cm 10 1/4"x10 3/8"x1/4"-1"	100086262 L154806021	G-537	4 x Cj 144 x Pal	0,28 x Cj 9,92 x Pal	6,19 x Cj 222,91 x Pal
WOOD SQUARE ANTIQUE*	29,7x29,7x1 cm 11 3/4"x11 3/4"x/4"-3/8"	100146086 L241710161	G-520	22 x Cj 858 x Pal	1,94 x Cj 75,68 x Pal	19,80 x Cj 772,20 x Pal

***NOTE:** the wood used in the preparation of these mosaics comes from the recycling of wooden boats which is subjected to heat and phytosanitary treatment. Holes, small traces of paint and some uneven edges are normal characteristics of the wood. Wood is a hygroscopic product that absorbs or emits moisture depending on the surrounding atmosphere. To prevent changes to its size or structure, it is best to keep the environment at a relative humidity of 45-65 % and a temperature of 20-23 ºC.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

No supported grouting

WOOD DUNA

10,8x29,7x0,8-3,8 cm - 4 1/4"x11 3/4"x3/8"-1 1/2"
100153531 - L241711031 - G-527

CUMARÚ (TROPICAL WOOD)

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

Wall Coverings: *Wood Duna 10,8x29,7x0,8-3,8 cm.*

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
WOOD DUNA	10,8x29,7x0,8-3,8 cm 4 1/4"x11 3/4"x3/8"-1 1/2"	100153531 L241711031	G-527	7 x Cj 24 x Pal	0,22 x Cj 5,38 x Pal	5,88 x Cj 141,12 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.









1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5ºC and 30ºC.

2. LAYING THE MOSAICS

To ensure that the mosaics are correctly laid, we recommend the use of white One-Flex, a high-performance cement-based adhesive which is specially designed for laying terracotta mosaics, stone mosaics, glass mosaics and porcelain tiles. Use the smooth side of a notched trowel to spread the adhesive evenly over the wall and then "comb" it with the notched side (minimum notch size 3mm). The adhesive should not be spread all at one go over large surfaces to prevent it from drying before the mosaics are laid.

To lay the mosaic sheets, press them down evenly with a rubber trowel and make sure that the distance between each sheet is the same as the joint between the mosaic chips to ensure a uniform appearance and joints of the same width. If there is a particularly big joint between the sheets, separate some chips from the mesh backing with a sharp instrument and rotate them to ensure more subtle gaps and an optimum random pattern. Before grouting them, leave the adhesive to dry for at least 24-48 hours. After this drying time has elapsed, clean the surface with a moist cloth and leave to dry before grouting.

3. GROUTING (only applicable to mosaics with joint)

We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities. Colorstuk in black or anthracite should not be used, as it may be difficult to clean the tile joints. For polished surfaces prone to scratching, we recommend Colorstuck especial n.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

4. CLEANING

Use a sponge or cloth to remove any traces of adhesive before it sets. It is important that the grout does not dry too hard as this may make it difficult to clean the mosaic tiles. This operation should be repeated at least two or three times until the mosaic tiles are thoroughly clean. Clean the surface of the tiles well using a sponge or cloth.

The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5ºC and 30ºC.

2. LAYING THE TILES

2.1 General Laying Instructions.

To ensure laying the mosaic correctly, we recommend using white One-Flex, a high-performance cement-based adhesive which is specially designed for installing glass mosaics and porcelain tiles. Use the smooth side of a notched trowel to spread the adhesive over the wall, and then "comb" the adhesive with the notched side (minimum notch size 3mm). The adhesive must not be spread over large surfaces, to prevent it from drying before laying the material.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

2.2.a Instructions for laying film-faced mosaics.

Lay the mosaic sheets so that the side with the film is facing the tile layer. After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart.

When the adhesive is dry enough, remove the protective film from the surface and clean any remnants of paper with a damp sponge. Then remove the film by holding one corner, slowly pulling it off diagonally and in line with the substrate, taking care not to detach the pieces. Correct any misalignments using a small spatula. Repeat all of the steps until completing the surface to be tiled. Before grouting the adhesive must be left to dry for at least 24-48 hours. Once the adhesive is dry, clean off any remnants from the mosaic chips using a nylon brush and water, then cleaning with a damp cloth. Allow to dry before grouting. If necessary, a stronger cleaning product can be used, testing the surface beforehand to make sure it does not damage the material.

2.2.b Instructions for laying mesh-mounted mosaics.

After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

2.3. Laying mosaics in swimming pools.

Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure.

Remember that the products used for levelling are not waterproof.

The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5ºC and 30ºC from the start of the laying process until at least 10 days after work is completed.

To ensure that the adhesive bonds correctly, any remnants of the product should be removed with a cement remover or similar product.

Important: The pool must not be filled until at least 20 days after completing work on laying the mosaic.

3. GROUTING

We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly.

The following tools are recommended, depending on the type of work to be carried out:

-For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.
-Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.
-Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.
-To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.

Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. CLEANING

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with a soft clean cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a marble repairer or polish to the glass surface once a year.

Comments:

-When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
-The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



IMPORTANT

These instructions offer a general guide for the installation of L'Antic Colonial products. Some installations may require different or more detailed specifications. The product may be laid by a professional installer, who is familiar with the procedures described below.
We recommend ordering 10-15% more than the calculated amount of the product, to cover losses during cutting, and to keep some material available for future repairs. If the order is to be used with pieces purchased some time ago, please indicate the date of purchase, the amount purchased, the description, code and control digit shown on the boxes, in order to try to supply material from the same batch, or from a batch as similar as possible to the product already installed. We recommend you keep the product in its original box, with the purchase invoices.

1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5ºC and 30ºC

2. RECEPTION OF THE MATERIAL

Open and check each box before installation, as CLAIMS FOR THE COST OF LIFTING OR LAYING THE PRODUCT WILL, IN NO EVENT, BE ACCEPTED. If there is a problem due to a defect in the pieces, this must be detected PRIOR TO INSTALLATION, Therefore it is essential to inspect the material prior to starting the work.

3. INSTRUCTIONS FOR LAYING

To correctly lay the product, we recommend the use of one-flex white high-performance cement-based adhesive, especially designed for laying glass mosaic. Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then "comb" it with the notched side (minimum notch size). 3mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid.

a) Cladding walls
After the laying surface has been cleaned, dried and levelled, mark the movement joints.
Next, prepare the adhesive, following the manufacturer's instructions, and apply it to the laying surface (and to the back of the pieces if using the double gluing system). Work on small areas at a time, applying the adhesive and coming it with a notched trowel, in accordance with the manufacturer's instructions.
Do not immerse the pieces in water prior to laying. Lay the pieces, using spacers to leave the necessary joints between each one, pressing down evenly with a gentle rocking movement to ensure the back of the tiles is thoroughly covered with adhesive. Next, place a stiff rubber board over the tiles and tap the pieces into place using a rubber mallet.
For interior cladding, perimeter joints should also be left at any point where the tiles meet a restraining surface or especially on unstable supports (plasterboard, wood, etc.). For large surfaces, intermediate joints should be placed every 8 m. These joints will have a minimum width of 6 mm. Excess adhesive that collects in the spaces for the joints when laying the pieces should be wiped away before it hardens, to enable the correct completion of the grouting. It is also important to remove the spacers between the pieces before the adhesive hardens.

a.1) Offset Layout
For a better aesthetic finish, we recommend laying the pieces alternately so that one by one, pieces with the joints in vertical position are alternated with pieces with the joints in horizontal position.
Do not allow traces of grouting to dry hard after laying and grouting, as this will make subsequent cleaning more difficult.

a.2) Metro Layout
In the offset layouts, for the vertical finishes, due to the bevelling of the pieces, we recommend the use of square pieces rather than cutting rectangular pieces. If, due to the dimensions of the wall to be covered, it is necessary to cut the pieces, we recommend cutting those that form interior corners rather than exterior corners.

a.3) Basic Layout
It is not necessary to grout the pieces after laying.

b) Laying in Pools.
Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure. Remember that the products used for levelling are not waterproof.
The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5ºC and 30ºC from the start of the laying process until at least 10 days after work is completed.
Important: The pool must not be filled until at least 20 days after completing work or laying the pieces.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

4. INSTRUCTIONS FOR GROUTING

The grouting operation requires as much care and attention as the laying of the pieces. The durability of the covering and the aesthetic quality depend on the quality of the grouting.
We recommend using Colorstuk Rapid, a fast setting grouting mortar which is available in different colours, with excellent mechanical resistance, low water absorption and anti-fungal qualities. Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout. Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

5. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly. The following tools are recommended, depending on the type of work to be carried out:
-For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.
-Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.
-Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.
-To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.
Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

6. MAINTENANCE

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with soft cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a repairer or polish to the glass surface once a year.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





The following instructions are intended to guarantee the correct installation of glass and mosaic sections. All installation work must be carried out by a qualified professional. Please read the following installation instructions carefully. Safety goggles and gloves should be worn when handling glass to reduce the risk of injury. Minor variations in size and colour are inherent features of handmade glass. Please check the sections before laying.

1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5ºC and 30ºC.

2. LAYING THE TILES

2.1 General Laying Instructions.

To lay the mosaic correctly, we recommend the use of fr-one, a single-part, technologically advanced adhesive, easy-to-apply and suitable for use with all types of glass mosaics. Its excellent degree of deformation capacity and high bonding strength make it suitable for use in environments requiring extra strength: laying over existing ceramic tiles, walls and swimming pools. Water- and frost-resistant.
It complies to European legislation. Thickness up to 15 mm.
Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then "comb" it with the notched side (minimum notch size). 8 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid.

1. Lay the mesh sheets, starting at the bottom and working upwards. Take note of the direction in which each mesh is laid. Continue until the entire surface has been covered. Leave the corners and internal angles.
2. Mark out the straight line on the surface of the mesh to obtain the straight cut required to finish internal angles.
3. Remove each piece that requires cutting.
4. Cut each piece using a wet-cutting diamond saw. To avoid cutting too much or incorrectly, do not cut more than 2 meshes at once.
5. Stick the cut pieces back on the mesh.

2.2 Instructions for laying mesh-mounted mosaics.

After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

2.3. Laying mosaics in swimming pools.

Apart from following the General Laying instructions, a capacity test must be carried out on the pool shell to check for leaks, if any waterproofing treatment is required, and a static test of the structure.
Remember that the products used for levelling are not waterproof.
The working area must be protected from rain and direct sunlight, taking special care to avoid water pooling on the surfaces where tiles have been laid for at least 20 days after work is completed. The covering should also be used to maintain the temperature of the substrate between 5ºC and 30ºC from the start of the laying process until at least 10 days after work is completed.
To ensure that the adhesive bonds correctly, any remnants of the product should be removed with a cement remover or similar product.
Important: The pool must not be filled until at least 20 days after completing work on laying the mosaic.

3. GROUTING

We recommend using Epotech aqua, a high performance, two-component epoxy system, easy-to-apply and clean, and suitable for ceramic and glass mosaics and ceramic tiles.
Epotech aqua is suitable for grouting for joints measuring 0 to 10 mm on floors and cladding, both indoors and out. Suitable for residential, industrial and commercial use. Excellent resistance to chemical substances. Suitable for use in swimming pools, spas. Suitable for ceramic tiles with any degree of absorption and format, klinker, natural stone, ceramic and glass mosaics.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning after grouting: Before the mortar sets, any remnants must be removed with a sponge or cloth. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. INSTRUCTIONS FOR CUTTING GLASS

Follow the instructions given below in order to work with the glass correctly.

The following tools are recommended, depending on the type of work to be carried out:

- For small cuts and clippings, we recommend using the special Butech clippers for glass mosaics.
- Dry cuts should be made using a SIGMA machine, specially designed for cutting glass mosaics.
- Cuts made on whole sections should be made using a water-cooled Butech diamond disc cutter, specially designed for glass mosaics with a continuous crown; after marking the required cuts on the mosaic or glass section with a pencil, cut the section using a series of increasingly deeper radial cuts to prevent it from breaking.
- To drill holes in glass sections to hang mirrors, countertops, lamps etc., a FLEX BHW 1549 VR drill with water supply and Butech diamond bits should be used. These bits must be water-cooled, and are available in 6, 8, 10 and 12mm diameters.

Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. LIMPIEZA

For daily cleaning we recommend using glass cleaner and neutral soaps, then drying with a soft clean cloth to prevent scratches and flaking. For perfect maintenance we recommend applying a marble repairer or polish to the glass surface once a year.

Comments:

- When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
- The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.









1. PREPARING THE SUBSTRATE

Surfaces where the material is to be laid must be smooth and consistent, and dry and clean. They should be levelled to create a white background, using specific products for levelling layers thicker than 2mm. To keep the levelling material in good condition, the environmental temperature must be between 5ºC and 30ºC.

2. LAYING MOSAICS

To ensure properly laid mosaics, white One-Flex should be used. This high-performance cement-based adhesive is specially suited for laying mosaics. Use the smooth side of a notched trowel to spread the cement-based adhesive evenly across the wall. Then comb it with the notched side (using a minimum 3mm notched trowel). Do not spread the adhesive across large surface areas in case it dries before the mosaics can be laid. After laying the sheet, the surface must be pressed down evenly, using a rubber trowel, making sure that the distance between each sheet is the same as between each chip, so that the final result is uniform and all of the joints are the same distance apart. Before grouting, leave the adhesive to dry for at least 24-48 hours. Once dry, clean the surface with a damp cloth and leave to dry before grouting.

NOTE: L'Antic specifically recommends for installations in which the material is going to be in contact (direct or indirect) with water, the use of a type R2 T high-tech two-component polyurethane-based adhesive, in accordance with EN 12004. Politech by Butech is recommended as the attaching material and Epotech by Butech for the grouting. These should always be applied in accordance with the manufacturer's instructions. Both materials are made up of a polyurethane base (component A) and a specific hardener (component B). Hardening occurs by means of a chemical reaction, creating an elastic film that is completely waterproof. For exterior installations, protect from rain and frost for the first 8 hours.

3. GROUTING (only applicable to mosaics with joint)

We recommend the use of Colorstuk Rapid, a fast setting grouting mortar available in different colours, with an excellent mechanical resistance, low water absorption and anti-fungal qualities. For polished surfaces prone to scratching, we recommend Colorstuck especial n.
Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.
Post-grout cleaning: Before the grout sets, remove any surplus remains with a sponge or cloth. Repeat this process at least twice, rinsing the sponge or cloth out well. The following day, repeat the process one last time to remove any final remains.

4. CLEANING

Use a neutral soap detergent for everyday cleaning, drying the surface afterwards with a soft clean cloth so as not to scratch or chip the mosaics.

Comments:
-When laying sections with a matt finish, take special care not to stain the front part with adhesive or grouting in order to maintain a perfect appearance.
-The use of detergents or abrasives as cleaning agents may cause irreversible damage. If you are not sure, please contact the manufacturer.
-Minor variations in size or shade are typical of hand-made mosaics.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.





INSTALLATION INSTRUCTIONS

Glass and metal mosaics

The following instructions are intended to guarantee the correct installation of Fusion Mosaics. All installation work must be carried out by a qualified professional. Please read the following installation instructions carefully.

1. PREPARING THE SUBSTRATE

Surfaces on which the product is to be laid should be smooth and even, and dry and clean. We recommend the surface is levelled to create a white background. For levelling layers of more than 2 mm, we recommend the use of specific products. To ensure the levelling compound is kept in good condition, the ambient temperature should be kept between 30 °C and 5 °C.

2. LAYING THE MOSAICS

To ensure the mosaics are laid correctly, we recommend the use of white one-Flex with a number 6 trowel, a high performance cement-based adhesive. When installing, maintain the verticality so that all the aluminium tiles line up with the grooves and apply the material in the opposite direction to the mosaic so that it grips better. Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then "comb" it with the notched side (minimum notch size 3 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid. After positioning the mesh in place, press down with a rubber trowel and make sure that the distance between the each sheet is equal to the distance between each of the tiles to ensure a uniform appearance and evenly spaced joints. Allow the cement-glue to dry for 24 hours before grouting.

Special care should be taken when using hard or sharp tools to avoid damaging the metallic tiles which may be easily scratched.

Fusion 3D mosaics have a compact format. Nevertheless, traces of the gluing compound may enter between the individual tiles if applied in excess.

NOTE: To correctly install the Fusion Dice series, special attention should be given to ensure that, between different mesh sheets, the aluminium tiles on one of the two ends (profile and mouth) line up, i.e. mouth with mouth and profile with profile; otherwise you may find spaces between the pieces.

3. REJUNTADO

Please note when grouting that an adhesive with a non-neutral pH could react with the aluminium. Test the adhesive before applying the paste, to confirm that the natural colour of the tiles is not altered by the adhesive. We recommend the use of Colorstuk rapid gris (with the same grain size as the 0-4, but as it is fast-drying it helps to prevent variations in shade, although the 0-4 could also be used), a fast-drying grout, with excellent mechanical resistance, low water absorption rate and resistance to mould. Excess adhesive must be removed while it is still fresh. Wait until the rest of the adhesive has dried before starting the grouting.

Fusion 3D mosaics have a compact format, and therefore do not require grouting.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning up after grouting: Remove any excess mortar before it sets, using a sponge or cloth. Repeat the procedure at least twice, rinsing well. Remove any remains of paste the next day, protecting the product from getting wet. On completion, protection with tapes is not necessary.

4. CUTTING

The following instructions should be observed to ensure the product is handled correctly:

Use a knife or hand saw to cut mesh-mounted mosaics. After cutting the mosaic, sand the cut edge. Remember that some of the tiles are made of aluminium and dark patches may remain on the pieces where the material has been cut.

When drilling holes in the tiles to hang mirrors. countertops, wall lights, etc., use the special drill bits according to whether the tile is made of glass or metal. When drilling glass tiles, we recommend the use of a drill with a FLEX BHW 1549 VR integrated water supply and Butech diamond drill bits. These drill bits must be water-cooled. They are available in a variety of diameters: 6, 8, 10, 12 mm.

Important: Rubber washers must be used to ensure a secure fit and to prevent the glass from breaking.

5. CLEANING

Use neutral soaps for day-to-day cleaning. Acid cleaners or detergents could cause permanent damage to the pieces. Use a sponge or cloth with soapy water or alcohol. Next, dry product with a soft clean cloth to prevent scratching. For perfect care, we recommend applying a repairing agent or polish to the surface.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.











1. PREPARING THE SUBSTRATE

The substrate on which the Mosaico Acero tiles are to be laid should be smooth and consistent. Make sure that it is clean and dry. We advise you to level the surface to create a white background. When there are deviations in flatness of over 2mm, use special levelling products, making sure that the environmental temperature is between 30ºC and 5ºC to maintain the product in the right condition.

2. LAYING MOSAICO ACERO TILES

To ensure the correct laying of the Acero Mosaic, we recommend you use white one – Flex, a high performance cement-based adhesive (C2TES1 EN12004). Use the flat side of a notched trowel to spread the cement – glue evenly across the wall, then "comb" it with the notched side (minimum notch size 3 mm). Do not spread the cement-glue over large areas in one go to prevent it from drying before the tiles are laid. After laying the mesh sheets, press them down with a rubber trowel and make sure that the distance between the meshes is equal to the distance between each of the tiles to ensure a uniform appearance and that all the joints are evenly spaced. Allow the cement-glue to dry for 24 hours before grouting.

3. REJUNTADO

Before the tiles are grouted, they should all be absolutely clean, with no dust remains. Any surplus adhesive from the tile-laying process should be removed while it is still wet, and the rest of the adhesive should be left to dry before starting to grout the tiles. We advise you to use Colorstuck (always with a fine grain). This high-performance, fast-drying grouting mortar is available in a range of different colours. It has an excellent mechanical resistance, low water absorption rate, and resistance to mould.

Application: Use a rubber trowel to spread the grout, making sure that the joints are filled completely. Use the same trowel to remove any surplus grout.

Cleaning up after grouting: Any traces of adhesive should be wiped away using a sponge or cloth before the adhesive sets. This operation must be carried out at least twice, rinsing the surface thoroughly and then removing any remnants of mortar the following day in the same way.

4. CUTTING MOSAICO ACERO TILES

To handle Mosaico Acero tiles properly, follow these instructions:
Use a radial tile saw with a steel cutting blade to cut the mesh-mounted tiles. After cutting them, lay the cut part so that it is concealed. (Being a metal, dark patches will always remain where the material has been cut).
To perforate Mosaico Acero tiles in order to hang mirrors, counter tops, wall lights etc., we advise you to use special drill bits for perforating steel.

5. CLEANING

For everyday cleaning, use a neutral soap and then dry the surface with a soft, clean cloth to avoid scratches. To maintain the tiles in good condition, we advise you to treat the surface with a repair product or polish. Using detergents and abrasive materials like cleaning powder can damage the mosaics irretrievably. If in doubt, contact the manufacturer.
Small variations in calibre are typical of mosaic tiles that are mesh mounted by hand. We advise you to check the tiles before laying them.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

The purpose of this manual is to provide the necessary information to correctly lay the mosaics from our ATELIER series.

PRELIMINARY CONTROL OF THE SUBSTRATES
Before proceeding with the installation, check that the substrates have the following characteristics:

Surface flatness
A fundamental requirement for the substrate is its surface flatness.
For glass mosaics, it is characterised by a thickness of 4 mm, and must not exceed this measurement by ± 1.5 mm. Any unevenness can be corrected by using the adhesive itself as a levelling mortar.

Maturation and maximum humidity permitted
Whatever the nature of the substrates, they must have completed their drying cycle so that they are dimensionally stable and do not undergo contractions after laying the mosaics or slabs. In the case of traditional cement-based screeds, drying time may vary depending on the season from between 7 to 10 days per centimetre thickness.
In the case of concrete surfaces, the minimum setting time is 6 months. Plaster-based substrates, including anhydrite-based screeds or gypsum plasters, shall have reached a maximum residual humidity of 0.5%. For pre-mixed cement-based plasters, the manufacturer's recommendations regarding drying times and mechanical strengths should be observed.

Cleaning
The substrates must be thoroughly clean, without any chipped parts, paint, wax, grease, oil or any other substance that may prevent the adhesive from adhering properly. Concrete substrates shall not have any residues of concrete release agents. Preventive cleaning with a pressure washer with hot water or sandblasting is recommended. Existing ceramic wall coverings should be thoroughly degreased using alkaline detergents or an aqueous solution of caustic soda.

Mechanical resistance
In the case of floorings, substrates must have an adequate mechanical resistance to compression depending on the intended use. For example, an interior cement-based screed in a residential building must have a minimum compressive strength of 20 N/mm2, whereas a cement or gypsum-based plaster applied on an interior wall should have a substrate adhesion of at least 0.5 N/mm2. If laying tiles on an exterior façade on plaster, it is necessary to ensure that the plaster is suitable for gluing mosaics or natural stone tiles (characterised by their heavy weight) and that it has, therefore, a minimum substrate adhesion value of 1 N/mm2. To guarantee a good level of adherence, the substrates should not have loose superficial powder.

General installations
It is necessary to carry out a preventive levelling of the substrate using the cement-based adhesive, fr-one n by BUTECH to make the colour uniform and not alter the colour of the mosaic. In the case of substrates that are very smooth, not very absorbent, or subject to vibrations and expansions, the fr-one n (C2TES1) should be mixed with UNILAX latex to improve adherence. The mosaic may be installed after the leveller has completely hardened, which takes approximately 24 hours, depending on the room temperature. Before laying the tiles, we recommend marking the surface with lines to help in the correct alignment of the sheets. Set squares, level detectors or laser tools can be used at this stage. After spreading the sheets on the ground, measure 3 sheets, laying them together so that the distance between each one is the same as the distance between each tile. Mark this measurement on the surface to be covered, horizontally and vertically, drawing a grid, using a rule and level. In this way the wall is divided into various squares, each of which corresponds to nine sheets of mosaics. If the mosaic forms a picture or must be laid in one direction in particular, observe the instructions for laying. For mosaics with non-square sheets and, therefore with irregular sheet edges, it is important to ensure that the distance between one sheet and the next is the same as the distance between the tiles, so that all the joints are evenly spaced.

Installation on plexiglass, polycarbonate, glass and crystal.
This installation technique can only be used in the case of transparent mosaics mounted on paper. Taking advantage of the transparency of the substrate, we can create exclusive decorative effects and backlit walls.
Remove the transparent protective film from the substrates, if there is one. Before starting the installation, the substrates should be cleaned and thoroughly degreased using specific detergents and a cloth that does not leave residues on the surface. Remember that, depending on the transparency of the mosaic, it is possible that residual dirt or material on the substrate might be visible on completion of the installation. Apply the single-component transparent sealer using a cartridge gun, directly on the substrate, and make a few walnut-sized balls, at a distance of 8-10 cm, both horizontally and vertically, for an area of less than 60x90 cm.
Spread the product with a 2 mm triangular tooth notched trowel (VVVV) and continue with the installation as described above. For this type of installation, it is important to remove all air bubbles by gently pressing the mosaic sheets on the substrate. The paper must be removed 24 hours after installing, once the single-component adhesive has hardened.

Installation in POOLS, HAMMAMS AND THERMAL POOLS
We have considered it appropriate to devote more attention to these types of installations because they are more critical. The main instructions for correct installation are given below:

Swimming pools
Installation in pools, with a reinforced concrete structure requires a series of structural controls and checks in order to ensure the correct duration of the work.
1. In buried reinforced concrete structures, the external walls must be waterproofed before covering the excavation in order to prevent negative water pressures, which may have an impact on the internal surface.
2. Structural concrete requires a maturation time of approximately 6 months in order to be able to carry out all the hygrometric contractions and to be considered dimensionally stable.
3. It is necessary to make a final static test of the rough structure by filling with water in order to speed up the structure's setting procedures and control its waterproofness, detecting potential leaks that can be repaired immediately.
4. The pool's internal walls and flooring must be rectified with suitable cement-based mortars modified with polymers, in order to even out the flatness of the installation, and thus avoid excessive amounts of adhesive, which in the case of thin glass mosaics make their installation difficult or impossible.
5. To ensure the complete watertightness of the pool, two-component cement-based, waterproofing mortars such as Politech (R2T) from BUTECH should be applied prior to installation.

HAMMAMS AND THERMAL POOLS
The hammam or wet sauna is a complete wellness itinerary that takes place in humidity-saturated rooms with temperatures ranging from +30°C to +60°C. Often the structures within these rooms are made up of prefabricated panels and elements with special shapes (couches, benches, alcoves, etc.) made from extruded polystyrene attached to waterproof coverings, onto which the coating materials can be glued directly.

GROUTING
Before grouting the joints it is necessary to check that the adhesive used for the installation is completely dry and has hardened, and that the joints are perfectly dry. After these checks, any adhesive remaining in the joints must be removed mechanically. L'Antic recommends the epoxy mortar Epotech Crystal (R2T) manufactured by BUTECH for grouting mosaics and marble slabs.
Follow the instructions for use on the product packaging closely.
Make sure that the installation site conditions are appropriate for its use.

EPOTECH CRYSTAL
EPOTECH CRYSTAL has been designed for grouting transparent glass and artistic mosaics. Its special composition, based on inert agents made up of glass spheres, allows the product to pick up the colour of the transparent glass tiles when applied on the joints and, therefore, it changes depending on their colour. The best results are obtained when used on transparent substrates such as plexiglass, polycarbonate glass and crystal, sometimes backlit by a light source.
Another potential use for EPOTECH CRYSTAL involves the caulking of artistic mosaics, i.e. compositions made up of mosaics that, suitably shaped and combined, reproduce exclusive images full of diffusions and shadows. If these compositions are caulked using traditional coloured sealants, it damages the look of the depicted image as the colour caulking creates a discontinuity between the mosaic tiles. On the contrary, if EPOTECH CRYSTAL is used, thanks to its semi-transparency, the original composition diffusions are maintained, making a neutral, colourless caulking that does not interfere with the image. In the case of slim mosaic caulking with Crystal, we recommend using a 2 mm triangular-tooth spatula (VVVV) to spread the adhesive, to prevent the higher spots of adhesive from being visible through the caulking.
The application phases for Epotech Crystal are described below.
1-Pour the catalyst contained in the packet onto the coloured paste. We recommend you use the full contents of the packet.
2-Mix, using a drill equipped with a propeller mixer at low speed, until a uniform lump-free paste is obtained.
3-Carefully add the special finishes (optional) to obtain exclusive effects. These additives are available separately and are provided in doses suited to the 5 kg and 2.5 kg containers.
4-Stir slowly until the additive is evenly mixed in.
5-Apply as an adhesive directly onto the substrate using a 3.5 mm notched trowel.
6-Apply as a sealant on the joints using a rubber trowel.
7-Make an initial cleaning, while the sealant is still fresh, using water and a white lint-free cloth.
8-Go over the caulking immediately with a Sweepex sponge and water.
9-Once the caulking has hardened (after about 24 hours depending on the temperature), clean the surface using a neutral detergent and a white lint-free cloth, removing any transparent stains.
10-To clean the covering, use Epotech cleaner.
11-Rinse with clean water to remove all traces of detergent.
12-Dry the surface with a dry cloth, without waiting for the rinse water to evaporate.

The information obtained in this document is provided in good faith and on the basis of extensive research carried out by L'Antic and BUTECH at their own internal laboratories. Nevertheless, as the conditions and methods of use are beyond the control of the companies, this information does not replace the preliminary essential testing required to ensure the total suitability and safety of the product for its specific application. Sicis and Litokol do not accept any responsibility for results obtained from other operational methods, over which they do not have any control. The user is responsible for determining the usage suitability in terms of the required application, as well as taking suitable precautions to safeguard property and persons against any risks associated with the use of the product. We recommend that each user conducts verification tests of the potential application before using it. Suggestions for use should not be interpreted as encouragement to break any patent-protected rights. The information contained in this document may be subject to change without prior notice. Tests have been conducted on materials as they are typically produced and sold, maintained in good condition and without any defects caused by improper transport and storage.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.









1 CONDITIONS FOR THE RECEPTION AND STORAGE OF MATERIAL ON SITE

1.1 Reception

On reception, the consignments of mosaic should be checked, considering the following aspects:

- -Type, colour and design. As with all natural materials, the wood may present minor variations in tone.
- -Quantity supplied;
- -Dimensions and quality class or appearance;
- -Moisture content of the elements;
- -General condition and physical integrity of the elements.

The best way to obtain a harmonious finish is to create a panel on the ground, combining the different tones of the mosaics before mounting them on the wall. Installation of the material supposes acceptance of the consignment.

1.2 Storage of the mosaic

The mosaic should be stored, protected from outdoor weather conditions, in a well-ventilated, clean and dry building, and stacked leaving spaces between the wood, the ground and the walls. If the mosaics are delivered skin-wrapped in plastic, they should be kept in their unopened packets until use.

1.3 Storage of adhesives

These should be stored in well-ventilated, cool, dry buildings at temperatures between 10 ºC and 25 ºC, in their unopened packaging and protected from direct sunlight and other sources of heat. In these conditions, they can normally be stored for up to 6 months without losing their properties.

1.4 Recommendations for use

Mosaics with relief and without joints are recommended for installation as wall covering, in interior premises with ambient conditions within the normal humidity and temperature parameters. Wood mosaics are not recommended for use outdoors or in direct contact with water in bathrooms, spas, pools, etc.

1.5 Instructions for assembly WOOD ANTIQUE (BRICK, SQUARE).

The WOOD ANTIQUE (BRICK, SQUARE) series, given its hygroscopic nature, should be unpacked from the plastic and cardboard packaging at the site of installation for 24-48 hours, to allow the wood to adjust to the temperature and humidity conditions of the site.

Before starting the installation, spread the material on the ground and fit the bricks together to ensure that they fit correctly, before mounting on the wall.

Use a rubber mallet to tap the pieces into place, gently tapping on the side of the piece, thus helping the anchorage of the bricks.

Once you have confirmed that the pieces fit together correctly, proceed to the installation of the material on the wall.

2 PRELIMINARY CONDITIONS OF THE BUILDING

2.1 Windows and doors

The mosaic is mounted after the exterior windows and doors have been glazed, to prevent the entrance of rainwater, the effect of frosts, excessive changes in relative humidity and temperature, etc.

2.2 Site humidity of walls and ceilings

The materials used in the walls and ceilings in the same room as the one in which the mosaic is to be installed should have a moisture content of less than 2.5 %, except for plasterwork and paintwork that may reach 5 %.

2.3 Relative humidity and temperature of the buildings

The hygrothermal conditions listed below shall be maintained throughout the mosaic installation process. Installation work must not be started until the relative humidity conditions of the building reach and remain between 30 and 65 %. Temperature is an important factor in the gluing and finishing of the mosaic. Gluing and finishing work should not be carried out at temperatures below 10 ° C, or above 27 ° C.

2.4 Maintenance of the conditions of the buildings

If necessary, use auxiliary means to prepare the building. These may include fan heaters, humidifiers or dehumidifiers as required. They should be used for as long as necessary to guarantee the correct conditions for installation.

3 GENERAL CONDITIONS OF THE SUBSTRATE

3.1 General conditions

The substrate or installation base must be uniformly compact in depth and on the surface (eliminating friable parts or parts that may be easily detached), thoroughly dry, free of dust, grease or any other substance. Do not install on substrates at risk of humidity due to capillary ascension as this may affect the adherence and the wood mosaic. Similarly, the surface should be plumb perfect, level and flat with defects measuring a maximum of 2 mm, measured using a 2 m rule. The retraction joints of flooring may be filled with flexible materials. The joints of the building must be left free.

3.2 Cement mortar substrates

The moisture content of the substrate prior to installation must be less than or equal to 2.5 %.

The moisture content can be measured using a capacitive-, microwave- or carbide-type electronic hygrometer. In each case, the manufacturer's instructions for the equipment used must be observed.

In all cases, and irrespective of the measurement or estimation method used, remember that the sample must be representative of the thickness of the substrate.

Written records shall be kept of the measurements made.

3.3 Existing wood substrate

If using a wood substrate, it is necessary to guarantee the release of moisture, prevent the risk of attack by insects and general problems of sanitation. Wood is a hygroscopic element that absorbs and releases moisture from and to the surrounding atmosphere and consequently may undergo dimensional changes.

3.4 Existing ceramic or stone substrates

The necessary tests must be carried out with this type of substrate to guarantee the correct adherence of the mosaic to the substrate and that there is no moisture transmission. When applying wood mosaics on masonry walls, check that these are completely dry.

3.5 Existing textile pavings

In general, we do not recommend the installation of wood mosaics on textile substrates to prevent problems of sanitation.

4 SPECIFICATIONS FOR LAYING THE MOSAIC

4.1 General points

The materials used in the installation, including the mosaics and the adhesives, filler materials, etc. must all comply to the necessary technical specifications for the design and the manufacturer's instructions for the same must be observed.

4.2 Mosaic moisture content

The moisture content of wood mosaics, whether in conditions of heating or air conditioning, shall be between 7% and 9% humidity.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



4.3 Perimeter joints

A perimeter joint of between 4 and 6 mm should be left. This joint can be filled with flexible materials. The purpose of the perimeter joint is to prevent moisture from passing from the walls to the wood and to act as an acoustic barrier (to prevent acoustic bridges). It is not intended to absorb possible movements due to swelling that may occur in the installation.

4.4 Gluing the pieces

The use of a type R2 T high-tech two-component polyurethane-based adhesive is recommended in general, and specifically for special substrates where it is not possible to use cement-based adhesives, in accordance with EN 12004. L´Antic Colonial recommends Politech from Butech. Always apply a fine coat using a notched trowel with notching of 8 mm at maximum. Use the flat part of the trowel to spread the adhesive across the substrate, and then comb it with the notched part. Mount the mosaic, making sure that it is clean, there is no waste or residue from the building work, before the adhesive forms a surface film (within the adhesive open time). In general, the manufacturer's instructions should be observed for the use of adhesives regarding open times, gel times, useful life, dose, application, products, formats, etc.

4.5 Installation tolerances

4.5.1 Joints

As a consequence of the hygroscopic nature of the wood, dimensional variations may take place which should be considered as normal. The reduction in the width of the pieces results in the appearance of the joints between the mosaic elements. To the contrary, excess moisture will cause the wood mosaic to absorb moisture and increase in size.

In order to control this factor, IT IS VITAL to maintain the hygrometric conditions of the environment in which the mosaic is being installed stable. Please refer to the instructions in the maintenance section, as failure to comply with the instructions could result in damage to the installation and the loss of cover under any applicable guarantee.

4.5.2 Fillers and repairs

Specific repair fillers should be used for this type of work. Strange mixtures, for example flour based glues or sawdust mixed with adhesive or varnishes should not be used.

4.5.3 Variations in the colour and appearance of the mosaic

Every species of timber as a characteristic colour depending on the colour of the cell walls and the substances in the lumen of the cell wall.

The wood used in this mosaic may vary in appearance (colour, grain, texture etc.), and this is one of the most appreciable aspects of the installation and an inherent feature of the wood.

All timber undergoes changes in colour on exposure to light, although the changes may be more noticeable in some species than in others. Variations in colour should be considered as a natural phenomenon inherent to the wood.

4.6 Protection, maintenance and inspection of the wood mosaic

4.6.1 Provisional protection of the mosaic

Schedule the installation to coincide with the final stages of the work, where possible after the paintwork. During the finishing work, the hygrometric conditions specified in section 2 must be maintained in the buildings.

4.6.2 Preparation of the buildings

Wood and wood products are hygroscopic materials that absorb and release moisture from and to the surrounding atmosphere depending on the hygrothermal conditions (humidity and temperature). The finish applied to the mosaic is only intended to offer protection against the absorption from or release to the air of moisture by the paving. A high relative humidity in the building (above 65% for more than 15 days) may result in excess absorption of moisture by the mosaic. A low relative humidity in the building (below 35 %) for the same period may result in excessive loss of moisture from the mosaic. It is necessary to ensure the building is suitably prepared (ventilation, heating, protection from direct sunlight, etc.) so that the mosaic is not subjected to unwanted fluctuations in moisture content and the consequent unexpected dimensional variations.

Buildings should be kept at between 50 and 70 % relative humidity in coastal zones and between 35 and 60 % in inland zones.

On completion of the installation work, maintenance of these conditions is the responsibility of the party in charge of the project at any time.

4.6.3 Inspection for reception

On completion of the installation work, an inspection is made in the company of the customer who is provided with a copy of the Maintenance and Conservation Manual for the covering mounted.

The mosaic is inspected from a standing position, with natural light behind the observer. Angular sources of light should not be used, nor should the work be inspected for surface irregularities while standing against the light. The final inspection of the installed mosaic shall take place at most seven days after the installation and a project acceptance document should be prepared for signing by the installer and the customer, noting any relevant observations.

4.6.4 Instructions for use and maintenance

On completion of the installation work, the installation company shall provide the subcontractor with a manual or instructions for use and maintenance which should contain, at minimum, the following information:

- -Name of the company
- -Technical specifications for the mosaic installed.
- -Hygrothermal conditions that must be maintained for the mosaic until delivery and afterwards by the user;
- -Prevention treatments and recommendations for suitable cleaning products and procedures;
- -Certificate of guarantee of work.

4.6.5 Maintenance and care

To keep wood mosaics in optimum conditions after installation, the room should be kept at a relative humidity of 45 to 60%, and a temperature of 15 to 20 ºC.

In dry climates it is necessary to maintain the correct degree of humidity, either using traditional methods such as containers of water or by using humidifiers.

On the other hand, in humid climates, the use of dehumidifiers or air conditioners is recommended to avoid damage to the wood.

For the care, maintenance and cleaning of the wood mosaics by L´Antic Colonial, we recommend the use of Woca products, to offer the best guarantees and longer life for your mosaics:

- -Dry cleaning: as a general rule wipe with a cloth, mop, brush or vacuum.
- -Wet cleaning: use Woca Natural Soap for oiled woods. Clean&Green Aqua Oil.
- -Intense cleaning: use Woca intensive cleaner. After cleaning, apply Woca Natural Oil.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



CUSTOMIZED MOSAICS

Wall Coverings: *Mosaico Personalizado.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NORMAL PRECISION SYSTEM:

Customized mosaics with an image made up of uncut square mosaic chips. A high-definition end result is not required. These mosaics are classified into 3 groups, depending on how hard it is to recreate the drawing with mosaic chips:

L'ANTIC COLONIAL
Inspiring spaces. Inspired by nature

Low complexity: G-010*

Medium complexity: G-011*

High complexity: G-012*

***NOTE:** The price groups are intended for guidance only and may vary depending on the size of the mosaic.
Depending on the details of the drawing or photo, the measurements requested for the mosaic may vary, adapting to the size requirements so that the whole drawing or photo is visible.
The smaller the size of the mosaic, the more difficult it is to adapt the drawing to the size.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

HIGH PRECISION SYSTEM:

Customized mosaics made up of chips that can be cut and arranged in different shapes to achieve high-definition end results. These mosaics are classified into 3 groups, depending on how complex it is to cut the mosaic chips:

Low complexity: G-013*

Medium complexity: G-014*

High complexity: G-015*

***NOTE:** The price groups are intended for guidance only and may vary depending on the size of the mosaic.
Depending on the details of the drawing or photo, the measurements requested for the mosaic may vary, adapting to the size requirements so that the whole drawing or photo is visible.
The smaller the size of the mosaic, the more difficult it is to adapt the drawing to the size.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Mediterránea

Mediterránea

Bari & Retro

Slate

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Mediterránea

Mediterránea

CERAMICS

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Wall Coverings: *Calpe Nieve 7,5x30 cm, Denia Nieve 5x30 cm, Mini Iris Stone Whites (1,6) 31,8x31,8x0,5 cm.*
Complementary products: *Maya Grey Stone Classico Bioprot 70x45x12,2 cm, Encimera Pampa Classico Bioprot 160x60x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

A product that stands out for its uneven surface.

A product with a reflective surface.

A product with a non-shiny surface.

Wall Coverings: *Calpe Black 7,5x30 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MEDITERRÁNEA

BLACK
CONCRETE
WARMGREY
BLANCO
NIEVE
SEAGREEN

Wall Coverings: *Calpe Seagreen 7,5x30 cm, Denia Seagreen 5x30 cm, Javea Seagreen 20x20 cm.*
Complementary products: *Soul Blanco Athenas Classico Bioprot 48x84,5x9 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

JAVEA BLACK

20x20cm - 7 7/8"x7 7/8"

100096922 - L132001371 - G-326

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE BLACK

7,5x30cm - 3"x11 3/4"

100097057 - L129203141 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA BLACK

5x30cm - 2"x11 3/4"

100097064 - L121600041 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

JAVEA BLANCO

20x20cm - 7 7/8"x7 7/8"

100000863 - L132001001 - G-326

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE BLANCO

7,5x30cm - 3"x11 3/4"

100097058 - L129203171 - G-132

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA BLANCO

5x30cm - 2"x11 3/4"

100097053 - L121600061 - G-132

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
JAVEA BLACK	20x20 cm 7 7/8"x7 7/8"	100096922 L132001371	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE BLACK	7,5x30 cm 3"x11 3/4"	100097057 L129203141	G-132	22 x Cj 2860 x Pal	0,50 x Cj 64,35 x Pal	8,60 x Cj 1118,26 x Pal
DENIA BLACK	5x30 cm 2"x11 3/4"	100097064 L121600041	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal
JAVEA BLANCO	20x20 cm 7 7/8"x7 7/8"	100000863 L132001001	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE BLANCO	7,5x30 cm 3"x11 3/4"	100097058 L129203171	G-132	22 x Cj 2860 x Pal	0,50 x Cj 64,35 x Pal	8,60 x Cj 1118,26 x Pal
DENIA BLANCO	5x30 cm 2"x11 3/4"	100097053 L121600061	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal

VARIATIONS IN SHADE

Uniforme · Ligera · Moderate · Fuerte

***NOTE:** A ceramic product characterised by a plurality of brightness, no two pieces are identical, due to the traditional manufacturing process. Over time you may observe a crackle inherent to this type of Ceramics. This does not affect product performance. Product is glazed with transparent crystal. Not for use on work surfaces, since the use of certain kitchen utensils (kitchen knives, scissors...), may scratch the enamel

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



JAVEA CONCRETE

20x20cm - 7 7/8"x7 7/8"

100096923 - L132001361 - G-326

Board recommends Butech: ***colorstuk 0-4 antracita***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE CONCRETE

7,5x30cm - 3"x11 3/4"

100097059 - L129203131 - G-132

Board recommends Butech: ***colorstuk 0-4 antracita***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA CONCRETE

5x30cm - 2"x11 3/4"

100097065 - L121600071 - G-132

Board recommends Butech: ***colorstuk 0-4 antracita***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

JAVEA NIEVE

20x20cm - 7 7/8"x7 7/8"

100096924 - L132001351 - G-326

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE NIEVE

7,5x30cm - 3"x11 3/4"

100097060 - L129203181 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA NIEVE

5x30cm - 2"x11 3/4"

100097054 - L121600031 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
JAVEA CONCRETE	20x20 cm 7 7/8"x7 7/8"	100096923 L132001361	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE CONCRETE	7,5x30 cm 3"x11 3/4"	100097059 L129203131	G-132	22 x Cj 2860 x Pal	0,50 x Cj 64,35 x Pal	8,6 x Cj 1118,26 x Pal
DENIA CONCRETE	5x30 cm 2"x11 3/4"	100097065 L121600071	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal
JAVEA NIEVE	20x20 cm 7 7/8"x7 7/8"	100096924 L132001351	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE NIEVE	7,5x30 cm 3"x11 3/4"	100097060 L129203181	G-132	22 x Cj 2860 x Pall	0,50 x Cj 64,35 x Pal	8,6 x Cj 1118,26 x Pal
DENIA NIEVE	5x30 cm 2"x11 3/4"	100097054 L121600031	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal

VARIATIONS IN SHADE

Uniforme · Ligera · Moderate · Fuerte

***NOTE:** A ceramic product characterised by a plurality of brightness, no two pieces are identical, due to the traditional manufacturing process. Over time you may observe a crackle inherent to this type of Ceramics. This does not affect product performance. Product is glazed with transparent crystal. Not for use on work surfaces, since the use of certain kitchen utensils (kitchen knives, scissors...), may scratch the enamel

JAVEA WARMGREY

20x20cm - 7 7/8"x7 7/8"

100096927 - L132001401 - G-326

Board recommends Butech: ***colorstuk 0-4 beige***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE WARMGREY

7,5x30cm - 3"x11 3/4"

100097063 - L129203151 - G-132

Board recommends Butech: ***colorstuk 0-4 beige***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA WARMGREY

5x30cm - 2"x11 3/4"

100097068 - L121600011 - G-132

Board recommends Butech: ***colorstuk 0-4 beige***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

JAVEA SEAGREEN

20x20cm - 7 7/8"x7 7/8"

100096926 - L132001391 - G-326

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CALPE SEAGREEN

7,5x30cm - 3"x11 3/4"

100097062 - L129203121 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DENIA SEAGREEN

5x30cm - 2"x11 3/4"

100097067 - L121600021 - G-132

Board recommends Butech: ***colorstuk 0-4 black***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
JAVEA WARMGREY	20x20 cm 7 7/8"x7 7/8"	100096927 L132001401	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE WARMGREY	7,5x30 cm 3"x11 3/4"	100097063 L129203151	G-132	22 x Cj 2860 x Pal	0,50 x Cj 64,35 x Pal	8,60 x Cj 1118,26 x Pal
DENIA WARMGREY	5x30 cm 2"x11 3/4"	100097068 L121600011	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal
JAVEA SEAGREEN	20x20 cm 7 7/8"x7 7/8"	100096926 L132001391	G-326	25 x Cj 1800 x Pal	1 x Cj 72 x Pal	15,62 x Cj 1125 x Pal
CALPE SEAGREEN	7,5x30 cm 3"x11 3/4"	100097062 L129203121	G-132	22 x Cj 2860 x Pal	0,50 x Cj 64,35 x Pal	8,60 x Cj 1118,26 x Pal
DENIA SEAGREEN	5x30 cm 2"x11 3/4"	100097067 L121600021	G-132	33 x Cj 4290 x Pal	0,50 x Cj 64,35 x Pal	8,32 x Cj 1081,08 x Pal

VARIATIONS IN SHADE

Uniforme · Ligera · Moderate · Fuerte

***NOTE:** A ceramic product characterised by a plurality of brightness, no two pieces are identical, due to the traditional manufacturing process. Over time you may observe a crackle inherent to this type of Ceramics. This does not affect product performance. Product is glazed with transparent crystal. Not for use on work surfaces, since the use of certain kitchen utensils (kitchen knives, scissors...), may scratch the enamel

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Wall Coverings: *Calpe Seagreen 7,5x30 cm, Denia Seagreen 5x30 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SLATE

AFRICA
BAHIA
RIVER
DESERT

Wall Coverings: *Slate Africa 10x10 cm, Slate Bahia 10x10 cm, Slate River 10x10 cm, Patagonia Home Bioprot 30x60x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SLATE AFRICA

10x10cm - 3 7/8"x3 7/8"

100001058 - L141015051 - G-435

Board recommends Butech: ***colorstuk rapid antracita***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	Commercial Floors

SLATE BAHIA

10x10cm - 3 7/8"x3 7/8"

100001057 - L141015041 - G-435

Board recommends Butech: ***colorstuk rapid manhattan***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	Commercial Floors

SLATE DESERT

10x10cm - 3 7/8"x3 7/8"

100001055 - L141015021 - G-435

Board recommends Butech: ***colorstuk rapid manhattan***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	Commercial Floors

SLATE RIVER

10x10cm - 3 7/8"x3 7/8"

100001053 - L141015001 - G-435

Board recommends Butech: ***colorstuk rapid beige***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	Commercial Floors

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
SLATE AFRICA	10x10 cm 3 7/8"x3 7/8"	100001058 L141015051	G-435	50 x Cj 3000 x Pal	0,50 x Cj 120 x Pal	10,35 x Cj 1242 x Pal
SLATE BAHIA	10x10 cm 3 7/8"x3 7/8"	100001057 L141015041	G-435	50 x Cj 3000 x Pal	0,50 x Cj 120 x Pal	10,35 x Cj 1242 x Pal
SLATE DESERT	10x10 cm 3 7/8"x3 7/8"	100001055 L141015021	G-435	50 x Cj 3000 x Pal	0,50 x Cj 120 x Pal	10,35 x Cj 1242 x Pal
SLATE RIVER	10x10 cm 3 7/8"x3 7/8"	100001053 L141015001	G-435	50 x Cj 3000 x Pal	0,50 x Cj 120 x Pal	10,35 x Cj 1242 x Pal

***NOTE:** Frost-resistant paving, but without non-slip properties in damp areas.

VARIATIONS IN SHADE

Uniforme · Ligera · Moderate · Fuerte

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Wall Coverings: *Slate Africa 10x10 cm, Slate Bahia 10x10 cm, Slate River 10x10 cm, Patagonia Home Bioprot 30x60x1 cm.*
Floor Coverings: *Patagonia Home Bioprot 30x60x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BARI & RETRO

BARI BIANCO
RETRO BLANCO

Wall Coverings: *Retro Blanco 10x20 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BARI BIANCO

20x50cm - 7 7/8"x19 5/8"

100001261 - L145011001 - G-230

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

CERAMICS

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
BARI BIANCO	20x50 cm 7 7/8"x19 5/8"	100001261 L145011001	G-230	10 x Cj 560 x Pal	1 x Cj 56 x Pal	16,07 x Cj 899,92 x Pal

VARIATIONS IN SHADE

Uniform Ligera Moderada Fuerte

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

RETRO BLANCO

10x20cm - 3 7/8"x7 7/8"

100000837 - L131501001 - G-325

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

ROMO RETRO BLANCO

10x20cm - 3 7/8"x7 7/8"

100000850 - L131550001 - G-407

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

BORDURA BISEL BLANCO

5x20cm - 2"x7 7/8"

100000906 - L133201001 - G-305

Board recommends Butech: ***colorstuk 0-4 blanco***

USE RECOMMENDATIONS

Indoor Floors	Outdoor Floors	Worktops
Indoor Walls	Outdoor Walls	Swimming-Pool Surrounds
Shower Walls	Shower Floors	Pool / Spa
Light Traffic	Medium Traffic	High Traffic

DESCRIPTION	FORMAT	CODE	GRUPO	PZ	M2	KG
BORDURA BISEL BLANCO	5x20 cm 2"x7 7/8"	100000906 L133201001	G-305	28 x Cj 4704 x Pal	0,28 x Cj 47,04 x Pal	4,23 x Cj 710,30 x Pal
RETRO BLANCO	10x20 cm 3 7/8"x7 7/8"	100000837 L131501001	G-325	50 x Cj 3000 x Pal	1 x Cj 60 x Pal	16,25 x Cj 975 x Pal
ROMO RETRO BLANCO	10x20 cm 3 7/8"x7 7/8"	100000850 L131550001	G-407	50 x Cj 3000 x Pal	1 x Cj 60 x Pal	16,25 x Cj 975 x Pal

VARIATIONS IN SHADE

Uniform | Ligera | Moderada | Fuerte

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TEST CARRIED OUT	POROUS WALL COVERING			PORCELÁNICO
	MEDITERRÁNEA	RETRO	BARI	SLATE
Water Absortion UNE-EN ISO 10545-3	E>10%	E>10%	E>10%	E<0.5%
Breakage load UNE-EN ISO 10545-4 **Beending strenght UNE-EN ISO 10545-4**	>600N >15N	>600N >15N	>600N >15N	>1300N >35N
Resitance to abrasion UNE-EN ISO 10545-6	NO APLICA	NO APLICA	NO APLICA	-
Resitance to abrasion (Glazed) UNE-EN ISO 10545-7	NO APLICA	NO APLICA	NO APLICA	-
Thermal Expansión Coefficient UNE-EN ISO 10545-8	$6.7x10^{-7}$ K^{-1}	$6.8x10^{-7}$ K^{-1}	$6.2x10^{-7}$ K^{-1}	$6.3x10^{-7}$ K^{-1}
Resistance to thermal shock UNE-EN ISO 10545-9	NO APLICA	NO APLICA	NO APLICA	RESISTE
Crazing resistance UNE-EN ISO 10545-11	RESISTE	RESISTE	RESISTE	RESISTE
Frost Resistance UNE-EN ISO 10545-12	NO APLICA	NO APLICA	NO APLICA	RESISTE

MEDITERRANEA COLLECTION

1. A hallmark of these artisan ceramic tiles is their cracked glaze, variations in shade and colour and some minor imperfections. For this reason, a single piece can never be considered as representative of the whole.
2. It is advisable to install pieces with care to prevent their surface from being scratched, especially during grouting.
3. The craquel effect may continue to develop during and after installation. It is also possible that pieces that do not exhibit a craquel effect at the outset may exhibit it later on.
4. These products are not recommended as coverings for kitchen countertops or other areas where household utensils (knives, forks, etc.) are used.
5. During the production process, pieces undergo random edge chipping in order to give them a much more handcrafted look. This feature is an aesthetic effect and should never be regarded as a technical defect.
6. Given their artisan nature, the pressed and hand-painted decorations may undergo slight variations in size and shade, which only adds to their aesthetic qualities and gives them a uniqueness that is hard to duplicate with machine-made pieces.

RETRO COLLECTION

1. It is advisable to install this carefully to prevent the surface of the parts from being scratched during installation, especially when sealing the joints.
2. These products are not recommended as coverings for kitchen countertops or other areas where household utensils (knives, forks, etc.) are used.
3. Given their artisan nature, the pressed and hand-painted decorations may undergo slight variations in size and shade, which only adds to their aesthetic qualities and gives them a uniqueness that is hard to duplicate with machine-made pieces.

BARI COLLECTION

1. It is advisable to install pieces with care to prevent their surface from being scratched, especially during grouting.
2. These products are not recommended as coverings for kitchen countertops or other areas where household utensils (knives, forks, etc.) are used.

SLATE COLLECTION

1. It is advisable to install this carefully to prevent the surface of the parts from being scratched during installation, especially when sealing the joints.
2. Clean well after grouting to prevent grout remains from being lodged in the relief patterns.
3. Ideal for kitchen countertops, barbecues etc.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Coating: *Javea Seagreen 20x20 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Remember

All natural products are perfectly imperfect. The differences found between pieces make each piece unique and unrepeatable. This feature is ***NOT A PRODUCT DEFECT*** *but an inherent part of the beauty of the product.*

If we are able to convey an understanding of the features of our products, we are sure that we will be able to meet all your expectations as regards quality and beauty. This is why it is essential that you are aware that you are buying a natural product, the characteristics of which may, on occasions, include:

1.- Knots filled with wood putty

The grain and knots of natural wood parquet are one of the principal features making each board unique, and forming part of the beauty of the product. They are filled with a wood putty as similar as possible to the tone of the wood, or with black wood putty depending on the model.

Our catalogue contains further information about the size of the knots and the number that may appear.

2.- Changes in shade

All the natural products vary in shade and in the structure of the piece. The pieces undergo an exhaustive sorting process at L'Antic Colonial and any that do not meet our exacting quality standards are rejected.

Possible variations are listed in the technical specifications of the products. If you have chosen one of our products for your project, we suggest you request photos of the panels or a few square metres of sample before making your purchase.

"MAN'S BEST FRIEND ON EARTH IS THE TREE. WHEN WE USE THE TREE RESPECTFULLY AND ECONOMICALLY, WE HAVE ONE OF THE GREATEST RESOURCES ON THE EARTH"

Frank Lloyd Wright

Eden

Artisan

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Wood Lovers

Revival

NATURAL WOOD

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ENVIRONMENTAL COMMITMENT

Natural wood floors are one of the most environmentally-friendly options available in the market. It is a renewable, sustainable product, the best choice for an "eco-house".

Natural wood is one of the most plentiful natural resources. Sustainable forest management permits the use of this raw material without any environmental impact.

At L'Antic Colonial we only use wood from sustainable forests. Controlled forest areas in which many more trees are grown than cut down. In this way, we are able to guarantee the constant creation of new green spaces while at the same time reducing the negative effect of carbon dioxide in the atmosphere.

In addition, the processes used to manufacture and install wood flooring consume far less energy than any other building material.

At present, the popularity of natural wood floors has increased significantly, resulting in higher consumption of the raw material. At the same time, the commitment to the environment of the companies producing this type of floor has been consolidated.

At L'Antic Colonial we have taken this commitment seriously right from the start. The environmental certificates held by our natural wood products are evidence of this:

PEFC PEFC/14-37-00030 FSC FSC® C028812 NWFA AITIM

"THE AVERAGE ANNUAL NET GROWTH FOR HARDWOODS FOR WOOD FLOORS IS GREATER THAN AVERAGE ANNUAL REMOVALS."

(Source: United States Department of Agriculture Forest Service).

"WOOD IS A CARBON NEUTRAL PRODUCT THAT PRODUCES OXYGEN DURING ITS GROWTH CYCLE AND STORES CARBON DURING ITS SERVICE LIFE."

Source: University of Wisconsin Wood Products Program Solid wood flooring. Life Cycle Analysis).

"WOOD FLOORS LAST HUNDREDS OF YEARS, SO WON'T NEED TO BE REPLACED AS OFTEN AS OTHER FLOORING OPTIONS."

(Source: National Association of Home Builders USA).

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ETHNIC

Character and uniqueness of the wood thanks to its grain and shade variation.

MODERN

Different colours, types of brushing and designs.



CLASSIC

Classic designs manufactured using cutting-edge technologies.

PICCOLA

Narrow brushed wood with a range of contemporary colours.

TORTONA

Combination of fine wood with an intermediate layer of HDF.

ARTISAN

Oak planks treated to give the worn appearance of a floor that has been walked upon by many generations.

RESIDENCE

Interlocking and contrasting boards.

SEASONS

Design and a contemporary look, revealing the structure of the wood in each board.

ADVANCE

Combination of fine wood with an intermediate layer of HDF and 220 cm format.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ADVANCE UNIQUE

Smooth oak wood with a glossy look and a range of colour options.

LEGEND

Large format board with the appearance of worn wood

REVIVAL

Rustic wood, with cracks and knots that have been worked and filled with wood putty in a variety of tones.

EDEN

A sensation of solid wood that can be installed as a floating floor, glued or nailed down.

MINI EDEN

Similar to the Eden collection but with more benefits for home improvements thanks to its reduced thickness.

EDEN TEXTURE

Eden with slight saw marks.

MINI EDEN TEXTURE

Similar to the Eden Texture but with more benefits for home improvements thanks to its reduced thickness.

THULE

Large format oak consisting of three layers of oak to give it greater stability.

WOOD LOVERS™

Oak with different formats, colours and textures that can be selected according to the customer's choice.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

L'Antic Colonial's natural wood flooring is made up of different layers depending on the model.

GENERAL MULTI-LAYER STRUCTURE



C1. Different coats of varnish on models with the Apresto and Apresto mate finish. The Natur and Natur Plus finishes are obtained using coats of oils and waxes. 40-70 µm.

C2. Wear Layer: Natural wood. 2-4 mm.

C3. Core layer: Finger jointed transversal strips of wood glued together. 4.5-10 mm depending on model.

C4. Balancing layer: Pinewood. 2mm.

MULTI-LAYER HDF



C1. Different coats of varnish on models with the Apresto and Apresto mate finish. The Natur and Natur Plus finishes are obtained using coats of oils and waxes. 40-70 µm

C2. Wear Layer: Natural wood. 2-4 mm.

C3. Core layer: Layer of HDF 4.5-10 mm depending on the model.

C4. Balancing layer: Pinewood. 1.5-2mm.

EDEN / MINI EDEN / REVIVAL



C1. Different coats of varnish on models with the Apresto and Apresto mate finish. The Natur and Natur Plus finishes are obtained using coats of oils and waxes. 40-70 µm.

C2. Wear Layer: 3 mm oak wood (mini Eden), 6 mm (Eden, Eden Texture, Revival).

C3. 15 mm plywood multi-layer structure glued together.

THULE



C1. Different coats of varnish on models with the Apresto and Apresto mate finish. The Natur and Natur Plus finishes are obtained using coats of oils and waxes. 40-70 µm

C2. Wear Layer: Natural oak wood. 6 mm.

C3. Core layer: Finger-jointed transversal oak boards. 9mm.

C4. Balancing layer: 4 mm oak.

WOOD LOVERS™



C1. Different coats of varnish on models with Apresto Mate finish. The Natur Plus finish is obtained using oils and waxes. 60-70 µm.

C2. Wear Layer: 4 mm oak.

C3. Core layer: 12 mm fibreboard panels individually coloured in the pulp and joined together using a special resin.

C4. Balancing layer: Oak wood. 4 mm.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

QUICK LOCK

-Tool-free installation system.
-Very quick to lay.
-Professional end results.
-Easy to lay and just as easy to take up.
-Secure locking system on all four sides of the boards.
-Can be bonded to the floor.

1. FIT TOGETHER *2. PRESS INTO PLACE* *3. READY*

One of the easiest, most secure installation systems on the market. Just angle boards against the long side of the previously fitted one and press down gently. No tools are needed. The two pieces lock into place and remain firmly secure, thanks to the tongue and groove system.
The flooring is just as swift and easy to take up.

TRADITIONAL TONGUE AND GROOVED SYSTEM

1. GLUING *2. FIT TOGETHER* *3. PRESS INTO PLACE* *4. READY*

An installation system where tongues and grooves along the edges of the boards are used to fit them together. A little pressure must be exerted to slot the boards into place and they are bonded with wood glue. Tools are needed to assemble them.

LOCK

1. TIP *2. FIT TOGETHER* *3. PRESS INTO PLACE* *4. READY*

One of the main features of this easy-to-install system is the long-lasting secure locking mechanism, ensuring that no gaps appear between the boards during the floor's useful life. Pressure is exerted on the boards when fitted, locking them securely into place and preventing them from being wrongly aligned.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

STRIPPED
The stain is removed from some parts of the surface, creating a contrast between the stained sections and the "bleached" sections.

BRUSHED
Wood is gently sanded using a wire brush to obtain a surface with a slight relief.

ARTISAN
In the way of carpenters of old, this finish imitates the traditional hand planing of wood, giving it a rough artisan look.

BEVEL 4
Oblique cut on the 4 edges of the planks to highlight the size.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

BEVEL 2
Oblique cut on the long edges of the boards to create an effect of continuity.

STAINED
Coloured oil or varnish is applied to the surface of the wood to achieve a range of different colours.

THERMO-TREATED
Wood subjected to temperatures of over 160 °C, in this way altering its properties and producing a rich colour across the wear layer.

Natur

Combination of natural oils and waxes and air-drying leaving the wood with its pores open. This type of oil penetrates continuously into the wood, even when it has been laid, giving it a "dry" appearance when it is opened before laying.

Benefits: Easy to repair scratches and knocks, natural look and simple maintenance with the right products.

Naturglow

Combination of oils and waxes designed to be dried with ultraviolet lamps. This finish allows the wood to keep the natural look produced using conventional oils but offers greater resistance to everyday stains and requires less maintenance.

Benefits: Natural appearance, low maintenance and higher levels of resistance to water, wine, juice... stains.

Apresto **Apresto mate**

L'ANTIC COLONIAL's APRESTO (satin) and APRESTO MATE (matt) varnish finishes guarantee a unique quality surface able to meet the most demanding of requirements.

Benefits: Obtains the highest of hygiene standards, because the pores in the wood are sealed, dirt and dust remain on the surface and can be easily cleaned away.

Just after laying and before using for the first time, we recommend using CLEAN&GREEN AQUA OIL 1 L.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

The colour of the wood flooring will mainly depend on the type of wood, but through direct exposure to sunlight it will either darken or fade as time passes.
Pale woods get darker and their colour is enhanced through exposure to sunlight, while dark woods fade.

L'Antic Colonial parquet is a quality product, made with selected raw materials and an elaborate production process, we guarantee, as prescribed by L'Antic Colonial, based on the warranty, the full use in housing for 30 years.

L'Antic Colonial's parquet flooring can be laid on top of water underfloor heating systems. It can be laid either by gluing it directly onto the existing surface or by using a floating installation system.



1 Strip (1L). Wood planks in which just one whole wear layer plank is used to cover the entire base.

2 Strips (2L). Wood planks with a base covered in a careful selection of smaller wood strips. The wear layer of this kind of parquet comprises two columns of wood strips.

3 Strips (3L). Wood planks with a base covered in a careful selection of smaller wood strips. The wear layer of this kind of parquet comprises three columns of wood strips.

This system was developed by applying cutting-edge technology to wood flooring. Created to offset stress in the different structural layers of the floor, it contains an intermediate coniferous layer, with plywood below, to counteract the natural movement of the wood, ensuring dimensional stability and thus improving on the stability offered by solid wood flooring.

A floating floor is an installation system where the planks are not glued to the floor, although they might have to be glued to one another in the case of certain models, as indicated. This makes the flooring much quicker to dismantle and so is an ideal choice when refurbishment or repairs are necessary.



Thickness of the wear layer.

Planks are glued directly to the floor. This gives the flooring a stability, firmness and improved sound insulation, eliminating any reverberation.



Planks are nailed to wooden joists.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PEFC, a pan-European forestry certificate, was created in 1998 as a voluntary scheme for promoting and certifying sustainable forest management.

The aims of the PEFC certification scheme are to promote the sustainable management of forests as an environmentally appropriate, socially beneficial, economically viable form of management; to enhance a positive image of forests and timber as a renewable raw material; and to guarantee the origin of products from sustainably managed forests for consumers.

The FSC is an independent, non-governmental, non-profit-making international organization created in 1993 in order to promote an environmentally responsible, socially beneficial, economically viable form of forestry management throughout woodlands worldwide.

The FSC certificate guarantees that forestry products have been harvested from rationally managed woodlands in accordance with FSC principles and criteria. These define the minimum levels required for the proper management of forests worldwide.

National Wood Flooring Association (NWFA), is a non-profit trae association that represents all segments of the hardwood flooring industry: manufacturers, distributors, retailers and fitters.

Founded in the USA, it currently has members throughout the whole world. The association's clear goal is to provide professionals from the sector with training and resources, thus allowing customers to benefit from long-lasting high-quality flooring.

AITIM is a private non-profit association made up of businesses from the wood industry.

The association's common goal is technical product development and product quality certification.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

THULE 1L *39x360 cm - 15 3/8"x141 3/4"*

EDEN & EDEN TEXTURE 1L *20x240 cm - 7 7/8"x94 1/2"*

MINI EDEN & MINI EDEN TEXTURE 1L *19x240 cm - 7 1/2"x94 1/2"*

1L *18x220 cm - 7 1/8"x86 5/8"*

3L *18x220 cm - 7 1/8"x86 5/8"*

LEGEND 1L *26x220 cm - 10 1/2"x86 5/8"*

REVIVAL 1L *22x220 cm - 8 5/8"x86 5/8"*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LOUVRE *27x189 cm - 10 5/8"x74 3/8"*

MULTI-FORMAT *22x183 cm - 5 7/8"x72", 18.9x183 cm - 7 1/2"x72", 14.8x183 cm - 5 7/8"x72"*

LUXOR
39x39 cm - 15 3/8"x15 3/8"

TORTONA 1L *14.5x120 cm - 7 7/8"x94 1/2"*

PICCOLA 1L *9x109 cm - 3 1/2"x42 7/8"*



ESPIGA 1L *7x49 cm - 2 3/4"x19 1/4"*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ETHNIC

EBANO BOSQUE
NOGAL DUNE

***Flooring:** Ethnic 3L Ebano Bosque 18x220x1.3 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Appears
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ETHNIC 3L EBANO BOSQUE

18x220x1.3 cm - 7 1/8"x86 5/8"x1/2"

100001777- L161306001 - G-634

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ETHNIC 3L EBANO BOSQUE	18x220x1.3 cm 7 1/8"x86 5/8"x1/2"	100001777 L161306001	G-634	8 per box 256 per Pal.	3.17 per box 101.38 per Pal.	25.20 per box 806.40 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 3 1/8"x86 5/8"x9/16"	100112629 L165002400	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100001954 L164511441	G-633	10 per box 1000 per Pal.	1.08 per box 107.99 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100001988 L164701441	G-644	10 per box 1000 per Pal.	1.22 per box 121.51 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139590 L165002887	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		•	

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NOGAL

Origin:
U.S.A. and Canada
Shade variation:
Medium / High
Resistance to compression:
523 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.43%
Stability:
Stable
Apparent density at 12% moisture level:
610 kg/m3
Chalais-Meudon hardness:
3.6 semi-hard wood

ETHNIC 1L NOGAL DUNE

18x220x1.3 cm - 7 1/8"x86 5/8"x1/2"

100043523 - L160241021 - G-664

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ETHNIC 1L NOGAL DUNE	18x220x1.3 cm 7 1/8"x86 5/8"x1/2"	100043523 L160241021	G-664	8 per box 256 per Pal.	3.17 per box 101.38 per Pal.	23.18 per box 741.89 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112627 L165002408	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100003221 L164511181	G-633	10 per box 1000 per Pal.	1.08 per box 107.99 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100001983 L164701181	G-644	10 per box 1000 per Pal.	1.22 per box 121.51 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139589 L165002892	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MODERN

MULT. GRAFITO
MULT. CENIZA
MULT. NATURAL
MULT. SIENA
LOUVRE CENIZA
LOUVRE NATURAL
LOUVRE SIENA

***Flooring:** Modern Multi-format Ceniza 14.8/18.9/22x183x1.5 cm*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN MULTIFORMATO GRAFITO

14.8/18.9/22x183x1.5 cm - 5 7/8"/7 1/2"/8 5/8"x72"x5/8"

100092702 - L165002287 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN MULTIFORMATO GRAFITO	14.8/18.9/22x183x1.5 cm 5 7/8"/7 1/2"/8 5/8"x72"x5/8"	100092702 L165002287	G-649	1 per box 18 per Pal.	3.06 per box 55.04 per Pal.	22.25 per box 400.55 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100094223 L168001716	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100094179 L164532140	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100094185 L164705101	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139606 L165002888	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

MULTI-FORMAT: The boxes contain 3.06 m². 3 boards 18.9x183x1.5 cm, 3 boards 22x183x1.5 cm and 3 boards 14.8x183x1.5 cm.



WIDE
1. 18.9 cm | 7 1/2"
2. 22 cm | 8 5/8"
3. 14.8 cm | 5 7/8"

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN MULTIFORMATO CENIZA

14.8/18.9/22x183x1.5 cm - 5 7/8"/7 1/2"/8 5/8"x72"x5/8"

100044365 - L167801031 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN MULTIFORMATO CENIZA	14.8/18.9/22x183x1.5 cm 5 7/8"/7 1/2"/8 5/8"x72"x5/8"	100044365 L167801031	G-649	1 per box 21 per Pal.	3.06 per box 64.22 per Pal.	22.15 per box 465.05 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079230 L168001511	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083461 L164531491	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083463 L164531501	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139604 L165002895	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

MULTI-FORMAT: The boxes contain 3.06 m². 3 boards 18.9x183x1.5 cm, 3 boards 22x183x1.5 cm and 3 boards 14.8x183x1.5 cm.



WIDE
1. 18.9 cm | 7 1/2"
2. 22 cm | 8 5/8"
3. 14.8 cm | 5 7/8"

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN MULTIFORMATO NATURAL

14.8/18.9/22x183x1.5 cm - 5 7/8"/7 1/2"/8 5/8"x72"x5/8"

100044363 - L167801021 - G-648

MULTI-FORMAT: The boxes contain 3.06 m². 3 boards 18.9x183x1.5 cm, 3 boards 22x183x1.5 cm and 3 boards 14.8x183x1.5 cm.



WIDE
1. 18.9 cm | 7 1/2"
2. 22 cm | 8 5/8"
3. 14.8 cm | 5 7/8"

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN MULTIFORMATO NATURAL	14.8/18.9/22x183x1.5 cm 5 7/8"/7 1/2"/8 5/8"x72"x5/8"	100044363 L167801021	G-648	1 per box 21 per Pal.	3.06 per box 64.22 per Pal.	22.15 per box 465.05 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079227 L168001531	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100001949 L164511001	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100001982 L164701001	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139607 L165002886	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		•	

The knots and cracks in our wood are filled with wood putty.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN MULTIFORMATO SIENA

14.8/18.9/22x183x1.5 cm - 5 7/8"/7 1/2"/8 5/8"x72"x5/8"

100044364 - L167801041 - G-649

MULTI-FORMAT: The boxes contain 3.06 m². 3 boards 18.9x183x1.5 cm, 3 boards 22x183x1.5 cm and 3 boards 14.8x183x1.5 cm.



WIDE
1. 18.9 cm | 7 1/2"
2. 22 cm | 8 5/8"
3. 14.8 cm | 5 7/8"

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN MULTIFORMATO SIENA	14.8/18.9/22x183x1.5 cm 5 7/8"/7 1/2"/8 5/8"x72"x5/8"	100044364 L167801041	G-649	1 per box 21 per Pal.	3.06 per box 64.22 per Pal.	22.15 per box 465.05 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079228 L168001581	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083453 L164531471	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083458 L164531481	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139608 L165002926	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		•	

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN LOUVRE CENIZA

27x189x1.5 cm - 10 5/8"x74 3/8"x5/8"

100058227 - L165001531 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN LOUVRE CENIZA	27x189x1.5 cm 10 5/8"x74 3/8"x5/8"	100058227 L165001531	G-650	4 per box 144 per Pal.	2.04 per box 73.48 per Pal.	19.30 per box 694.94 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079233 L168001571	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083484 L164531511	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083482 L164531521	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139601 L165002914	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN LOUVRE NATURAL

27x189x1.5 cm - 10 5/8"x74 3/8"x5/8"

100058221 - L165001511 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN LOUVRE NATURAL	27x189x1.5 cm 10 5/8"x74 3/8"x5/8"	100058221 L165001511	G-650	4 per box 144 per Pal.	2.04 per box 73.48 per Pal.	19.30 per box 694.94 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079234 L168001591	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112640 L165002409	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112636 L165002399	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139602 L165002919	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MODERN LOUVRE SIENA

27x189x1.5 cm - 10 5/8"x74 3/8"x5/8"

100058224 - L165001521 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MODERN LOUVRE SIENA	27x189x1.5 cm 10 5/8"x74 3/8"x5/8"	100058224 L165001521	G-650	4 per box 144 per Pal.	2.04 per box 73.48 per Pal.	19.30 per box 694.94 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079235 L168001611	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083497 L164531531	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083505 L164531561	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139603 L165002868	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
	●		

The knots and cracks in our wood are filled with wood putty.

Flooring: *Modern Louvre Siena 27x189x1.5 cm, Bhutan Natural Bioprot 40x80x2 cm.*
Coating: *Globe Stick Mix Nepal Shannan 10x40x2-2.5 cm.*
Accessories: *Buddha Blanco Athenas Classico Bioprot 47øx85 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CLASSIC

EBANO LUXOR
LUXOR CEPILLADO
ESPIGA MERBAU KENYA OSC.
ESPIGA YUTE
ESPIGA NATURA

***Flooring:** Classic Ebano Luxor 39x39x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CLASSIC EBANO LUXOR

39x39x1.4 cm - 15 3/8"x15 3/8"x1/2"

100003683 - L160701031 - G-677

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	CLASSIC EBANO LUXOR	39x39x1.4 cm 15 3/8"x15 3/8"x1/2"	100003683 L160701031	G-677	8 per box 384 per Pal.	1.22 per box 58.41 per Pal.	11.82 per box 567.17 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112650 L165002402	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112648 L165002431	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112641 L165002442	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139570 L165002915	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

CLASSIC LUXOR CEPILLADO

39x39x1.4 cm - 15 3/8"x15 3/8"x1/2"

100082617 - L165001881 - G-671

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	CLASSIC LUXOR CEPILLADO	39x39x1.4 cm 15 3/8"x15 3/8"x1/2"	100082617 L165001881	G-671	8 per box 384 per Pal.	1.22 per box 58.41 per Pal.	11.18 per box 536.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086347 L168001710	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112639 L165002401	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112635 L165002407	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139573 L165002862	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Classic Luxor Cepillado 39x39x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CLASSIC ESPIGA MERBAU KENYA OSC.

7x49x1 cm - 2 3/4"x19 1/4"x3/8"

100113071 - L165002502 - G-646

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	CLASSIC ESPIGA MERBAU KENYA OSC.	7x49x1 cm 2 3/4"x19 1/4"x3/8"	100113071 L165002502	G-646	72 per box 2160 per Pal.	2.47 per box 74.09 per Pal.	13.61 per box 408.24 per Pal.
	ZÓCALO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112715 L165002446	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112665 L165002441	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112661 L165002418	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139574 L165002912	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

MERBAU

Origin:
Asia and Oceania
Shade variation:
Medium
Resistance to compression:
670 kg/cm2
Oxidation:
Moderate (Possible emergence of silica spots)
Radiant floor heating:
Possible
Sapwood:
Does not appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.38%
Stability:
Stable
Apparent density at 12% moisture level:
810kg/m3
Chalais-Meudon hardness:
6.4 hardwood



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

CLASSIC ESPIGA YUTE

7x49x1 cm - 2 3/4"x19 1/4"x3/8"

100113073 - L165002503 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	CLASSIC ESPIGA YUTE	7x49x1 cm 2 3/4"x19 1/4"x3/8"	100113073 L165002503	G-647	72 per box 2160 per Pal.	2.47 per box 74.09 per Pal.	13.61 per box 408.24 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112660 L165002445	G-605	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112657 L165002410	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112653 L165002397	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139572 L165002864	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

CLASSIC ESPIGA NATURA

7x49x1 cm - 2 3/4"x19 1/4"x3/8"

100113072 - L165002504 - G-638

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	CLASSIC ESPIGA NATURA	7x49x1 cm 2 3/4"x19 1/4"x3/8"	100113072 L165002504	G-638	72 per box 2160 per Pal.	2.47 per box 74.09 per Pal.	13.61 per box 408.24 per Pal.
	ZÓCALO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112716 L165002447	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112656 L165002430	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112652 L165002416	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139571 L165002908	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.



INSTRUCTIONS FOR LAYING

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low	Medium	High
⦿	○	○

No knots	= < 25 m/m	= < 60 m/m	Limitless
•			

The knots and cracks in our wood are filled with wood putty.

Flooring: *Classic Espiga Natura 7x49x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PICCOLA

SCURO
GRIGIO
BIANCO

***Flooring:** Piccola 1L Bianco 9x109x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

PICCOLA 1L SCURO

9x109x1.4 - 3 1/2"x42 7/8"x1/2"

100063943 - L165001631 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	PICCOLA 1L SCURO	9x109x1.4 cm 3 1/2"x42 7/8"x1/2"	100063943 L165001631	G-635	16 per box 576 per Pal.	1.57 per box 37.67 per Pal.	13.01 per box 312.19 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079237 L168001561	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083526 L164531591	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083653 L164531611	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139612 L165002900	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

PICCOLA 1L GRIGIO

9x109x1.4 - 3 1/2"x42 7/8"x1/2"

100063941 - L165001651 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	PICCOLA 1L GRIGIO	9x109x1.4 cm 3 1/2"x42 7/8"x1/2"	100063941 L165001651	G-635	16 per box 576 per Pal.	1.57 per box 37.67 per Pal.	13.01 per box 312.19 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079232 L168001541	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083509 L164531551	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083503 L164531541	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139610 L165002906	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

PICCOLA 1L BIANCO

9x109x1.4 - 3 1/2"x42 7/8"x1/2"

100063940 - L165001661 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	PICCOLA 1L BIANCO	9x109x1.4 cm 3 1/2"x42 7/8"x1/2"	100063940 L165001661	G-635	16 per box 576 per Pal.	1.57 per box 37.67 per Pal.	13.01 per box 312.19 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100079231 L168001551	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083519 L164531571	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083516 L164531581	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139609 L165002903	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	◉ Medium	○ High
No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Flooring: *Piccola 1L Scuro 9x109x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TORTONA

WENGE
FIERA
FONTE
DUOMO
VIALE
WALNUT
PALAZZO
PIAZZA
STRADA
BORGO

Flooring: *Tortona 1L Fonte 14.5x120x1.1 cm*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L WENGE

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100154884 - L165003176 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L WENGE	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100154884 L165003176	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100154922 L165003181	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100154920 L165003180	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100154897 L165003179	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100154898 L165003178	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L FIERA

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100153166 - L165003090 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L FIERA	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100153166 L165003090	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153238 L165003114	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153234 L165003107	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153230 L165003105	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153924 L165003218	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L FONTE

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100153167 - L165003092 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L FONTE	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100153167 L165003092	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153239 L165003111	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153235 L165003112	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153231 L165003113	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153925 L165003221	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

Note: Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L DUOMO

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100154060 - L165003169 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L DUOMO	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100154060 L165003169	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100154068 L165003144	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100154064 L165003140	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100154056 L165003138	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100154058 L165003170	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

Note: Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L VIALE

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100153169 - L165003093 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L VIALE	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100153169 L165003093	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153241 L165003109	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153237 L165003104	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153233 L165003108	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153929 L165003222	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

NOGAL

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
523 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Does not appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.43%
Stability:
Stable
Apparent density at 12% moisture level:
610 kg/m3
Chalais-Meudon hardness:
3.6 semi-hard wood

TORTONA 1L WALNUT

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100153537 - L165003119 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L WALNUT	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100153537 L165003119	G-649	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153898 L165003125	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153891 L165003128	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153884 L165003122	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153930 L165003224	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L PALAZZO

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100153168 - L165003091 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L PALAZZO	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100153168 L165003091	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153240 L165003103	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153236 L165003110	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153232 L165003106	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153926 L165003220	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L PIAZZA

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100149496 - L165003062 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L PIAZZA	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100149496 L165003062	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153896 L165003124	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153889 L165003123	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153882 L165003121	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153927 L165003219	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



Low | Medium | High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L STRADA

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100149497 - L165003063 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L STRADA	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100149497 L165003063	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100153897 L165003127	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100153890 L165003126	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100153883 L165003120	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153928 L165003223	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
•			

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

TORTONA 1L BORGO

14.5x120x1.1 cm - 7 7/8"x94 1/2"x3/4"

100154029 - L165003175 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	TORTONA 1L BORGO	14.5x120x1.1 cm 7 7/8"x94 1/2"x3/4"	100154029 L165003175	G-630	9 per box 324 per Pal.	1.56 per box 56.37 per Pal.	13.32 per box 479.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100154067 L165003143	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100154063 L165003142	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100154055 L165003137	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100154057 L165003167	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ARTISAN

COCONUT
WOVEN
LINEN

***Flooring:** Artisan 1L Woven 19x190x1.5 cm.*
***Accessories:** Spirit Bath A-cero Gloss Classico Bioprot 260x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ARTISAN 1L COCONUT

19x190x1.5 cm - 7 1/2"x74 3/4"x5/8"

100103574 - L160803284 - G-653

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ARTISAN 1L COCONUT	19x190x1.5 cm 7 1/2"x74 3/4"x5/8"	100103574 L160803284	G-653	6 per box 210 per Pal.	2.17 per box 75.81 per Pal.	21.20 per box 741.93 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100111711 L165002380	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114967 L165002600	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114965 L165002599	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139567 L165002879	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		● (<65%)	

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ARTISAN 1L WOVEN

19x190x1.5 cm - 7 1/2"x74 3/4"x5/8"

100103576 - L160803285 - G-653

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ARTISAN 1L WOVEN	19x190x1.5 cm 7 1/2"x74 3/4"x5/8"	100103576 L160803285	G-653	6 per box 210 per Pal.	2.17 per box 75.81 per Pal.	21.20 per box 741.93 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100113839 L165002570	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100113831 L165002567	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100113809 L165002563	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139569 L165002863	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		● (<65%)	

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ARTISAN 1L LINEN

19x190x1.5 cm - 7 1/2"x74 3/4"x5/8"

100103575 - L160803286 - G-653

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ARTISAN 1L LINEN	19x190x1.5 cm 7 1/2"x74 3/4"x5/8"	100103575 L160803286	G-653	6 per box 210 per Pal.	2.17 per box 75.81 per Pal.	21.20 per box 741.93 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100113837 L165002571	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100113830 L165002564	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100113808 L165002558	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139568 L165002866	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		●(<65%)	

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Flooring: *Artisan 1L Woven 19x190x1.5 cm.*
Accessories: *Spirit Bath A-cero Gloss Bioprot 260x90x54 cm, Spirit Washbasin A-cero Gloss Bioprot 145x42x12 cm, Spirit Furniture Roble Intenso 180x20x40 cm, Spirit Mirror Neboa 246.3x130.5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

RESIDENCE

ROBLE
JATOBA
IROKO

***Flooring:** Residence 3L Jatoba 18.5x220x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

RESIDENCE 3L ROBLE

18.5x220x1.4 cm - 7 1/4"x86 5/8"x1/2"

100032904 - L165001351 - G-621

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	RESIDENCE 3L ROBLE	18.5x220x1.4 cm 7 1/4"x86 5/8"x1/2"	100032904 L165001351	G-621	6 per box 300 per Pal.	2.44 per box 122.10 per Pal.	22.04 per box 1102.20 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112669 L165002440	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112666 L165002414	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112662 L165002436	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139615 L165002913	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

JATOBA

Origin:
South America and the Caribbean
Shade variation:
High
Resistance to compression:
750 kg/cm2
Oxidation:
High, possible emergence of silica spots
Radiant floor heating:
Possible
Sapwood:
Does not appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.43%
Stability:
Stable
Apparent density at 12% moisture level:
950 kg/m3
Chalais-Meudon hardness:
8.5 Very hard wood

RESIDENCE 3L JATOBA

18.5x220x1.4 cm - 7 1/4"x86 5/8"x1/2"

100003539 - L160605041 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	RESIDENCE 3L JATOBA	18.5x220x1.4 cm 7 1/4"x86 5/8"x1/2"	100003539 L160605041	G-630	6 per box 300 per Pal.	2.44 per box 122.10 per Pal.	23.52 per box 1176 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112679 L165002443	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112676 L165002434	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112671 L165002444	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139614 L165002927	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



IROKO

Origin:
Africa
Shade variation:
High
Resistance to compression:
540 kg/cm2
Oxidation:
High, possible emergence of silica spots
Radiant floor heating:
Possible
Sapwood:
Does not appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.36%
Stability:
Stable
Apparent density at 12% moisture level:
650 kg/m3
Chalais-Meudon hardness:
3.6 hardwood

RESIDENCE 3L IROKO

18.5x220x1.4 cm - 7 1/4"x86 5/8"x1/2"

100032902 - L165001221 - G-630

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	RESIDENCE 3L IROKO	18.5x220x1.4 cm 7 1/4"x86 5/8"x1/2"	100032902 L165001221	G-630	6 per box 300 per Pal.	2.44 per box 122.10 per Pal.	22.04 per box 1102.20 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112677 L165002420	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112675 L165002422	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112670 L165002412	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139613 L165002924	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

◉ Low ○ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SEASONS

EBANO
DARK
EBANO GOLD
YUTE
ROBLE DUNE
DECAPE
ETNA
BLANCO

***Flooring:** Seasons 1L Ebano Gold 17.3x220x1.3 cm.*
***Accessories:** Navona Crema Italia Classico Bioprot 42ø14 cm, Counter Pampa Home Bioprot 160x60x2 cm, Bath Khoa Caliza Moka Classico Bioprot 185x90x54 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L EBANO

17.3x220x1.3 cm - 6 3/4"x86 5/8"x1/2"

100001741 - L160104001 - G-658

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L EBANO	17.3x220x1.3 cm 6 3/4"x86 5/8"x1/2"	100001741 L160104001	G-658	8 per box 256 per Pal.	3.05 per box 97.43 per Pal.	22.63 per box 724.22 per Pal.
	ZÓCALO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x9/16"	100112718 L165002449	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112714 L165002462	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112712 L165002458	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139624 L165002877	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L DARK

17.3x220x1.3 cm - 6 3/4"x86 5/8"x1/2"

100062526 - L165001591 - G-658

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L DARK	17.3x220x1.3 cm 6 3/4"86 5/8"x1/2"	100062526 L165001591	G-658	8 per box 256 per Pal.	3.05 per box 97.43 per Pal.	23.39 per box 748.54 per Pal.
	ZÓCALO SKIRTING	8x240x1.5 cm 3 1/8"x94 1/2"x5/8"	100082992 L165001921	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083375 L164531371	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083398 L164531381	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139622 L165002922	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L EBANO GOLD

17.3x220x1.3 cm - 6 3/4"x86 5/8"x1/2"

100080709 - L165001831 - G-658

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L EBANO	17.3x220x1.3 cm 6 3/4"x86 5/8"x1/2"	100080709 L165001831	G-658	8 per box 256 per Pal.	3.05 per box 97.43 per Pal.	23.39 per box 748.54 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112703 L165002417	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100084500 L164531831	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100084508 L164531851	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139625 L165002921	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L YUTE

17.3x220x1.3 cm - 6 3/4"x86 5/8"x1/2"

100001744 - L160108001 - G-653

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L YUTE	17.3x220x1.3 cm 6 3/4"86 5/8"x1/2"	100001744 L160108001	G-653	8 per box 256 per Pal.	3.05 per box 97.43 per Pal.	22.63 per box 724.22 per Pal.
	ZÓCALO SKIRTING	8x240x1.5 cm 3 1/8"x94 1/2"x5/8"	100082986 L165001901	G-607	10 per box 280 per Pal.	1.92 per box 53.76 per Pal.	18.26 per box 511.28 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086263 L164532089	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100001990 L164701801	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139628 L165002904	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L ROBLE DUNE

18x220x1.3 cm - 7 1/8"x86 5/8"x1/2"

100059197 - L165001541 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L ROBLE DUNE	18x220x1.3 cm 7 1/8"x86 5/8"x1/2"	100059197 L165001541	G-647	8 per box 256 per Pal.	3.17 per box 101.38 per Pal.	22.60 per box 723.20 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112727 L165002452	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112721 L165002463	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112719 L165002459	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139627 L165002920	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L DECAPE

18.9x186x1.5 cm - 7 1/2"x73 1/4"x5/8"

100063721 - L165001781 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L ROBLE DECAPE	18.9x186x1.5 cm 7 1/2"x73 1/4"x5/8"	100063721 L165001781	G-647	8 per box 280 per Pal.	2.81 per box 98.43 per Pal.	21.54 per box 754.04 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112725 L165002455	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100007645 L164531111	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083057 L164531291	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139623 L165002899	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L ETNA

17.3x220x1.3 cm - 6 3/4"86 5/8"x1/2"

100032056 - L160116081 - G-658

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L ETNA	17.3x220x1.3 cm 6 3/4"86 5/8"x1/2"	100032056 L160116081	G-658	8 per box 256 per Pal.	3.05 per box 97.43 per Pal.	22.60 per box 723.20 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100082993 L165001911	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083291 L164531331	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083288 L164531341	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139626 L165002925	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low	Medium	High
○	○	◉

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

SEASONS 1L BLANCO

18x220x1.3 cm - 7 1/8"x86 5/8"x1/2"

100064775 - L165001681 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	SEASONS 1L BLANCO	18x220x1.3 cm 7 1/8"x86 5/8"x1/2"	100064775 L165001681	G-647	8 per box 256 per Pal.	3.17 per box 101.38 per Pal.	23.51 per box 752.38 per Pal.
	ZÓCALO SKIRTING	8x240x1.5 cm 3 1/8"x94 1/2"x5/8"	100082991 L165001931	G-607	10 per box 280 per Pal.	1.92 per box 53.76 per Pal.	18.26 per box 511.28 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100083413 L164531411	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100083420 L164531421	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139621 L165002897	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

Low	Medium	High
○	◉	○

No knots	= < 25 m/m	= < 60 m/m	Limitless
	•		

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ADVANCE

OSCURO
GLACIAR
MARRON
WARM OAK
NATURAL
GRIS
BLANCO

Flooring: *Advance 1L Warm Oak 18.8x220x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L OSCURO

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100156657 - L165003316 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L OSCURO	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100153477 L165003117	G-632	6 per box 192 per Pal.	2.37 per box 76.03 per Pal.	21.36 per box 683.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100156657 L165003316	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100156655 L165003311	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100156651 L165003312	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156653 L165003309	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L GLACIAR

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100153476 - L165003118 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L GLACIAR	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100153476 L165003118	G-632	6 per box 192 per Pal.	2.37 per box 76.03 per Pal.	21.36 per box 683.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100156656 L165003315	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100156654 L165003314	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100156650 L165003313	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156652 L165003310	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L MARRON

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100107308 - L160241069 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L MARRON	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100107308 L160241069	G-632	6 per box 192 per Pal.	2.38 per box 76.03 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100113741 L165002512	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100113729 L165002510	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100113727 L165002513	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139345 L165002907	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
High
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L WARM OAK

18.8x220x1.4 cm - 7 3/8"x86 5/8"x1/2"

100104966 - L160803287 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L WARM OAK	18.8x220x1.4 cm 7 3/8"x86 5/8"x1/2"	100104966 L160803287	G-632	6 per box 300 per Pal.	2.48 per box 124.08 per Pal.	19.80 per box 990 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100114258 L165002531	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114249 L165002534	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114233 L165002516	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139347 L165002865	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L NATURAL

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100065917 - L160241051 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L NATURAL	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100065917 L160241051	G-632	6 per box 192 per Pal.	2.38 per box 76.03 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112799 L165002491	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112806 L165002494	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112800 L165002489	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139346 L165002893	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 3L NATURAL

18x220x1.1cm - 7 1/8"x87"x3/8"

100086527 - L161345003 - G-621

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 3L NATURAL	18x221x1.1 cm 7 1/8"x87"x3/8"	100086527 L161345003	G-621	6 per box 192 per Pal.	2.39 per box 76.38 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112799 L165002491	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112806 L165002494	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112800 L165002489	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139560 L165002883	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L GRIS

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100086529 - L160241062 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L GRIS	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100086529 L160241062	G-632	6 per box 192 per Pal.	2.38 per box 76.03 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100087352 L165002255	G-607	12 per box 600 per Pal.	2.11 per box 16.52 per Pal.	105.60 per box 826.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100087344 L164204642	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100087332 L164532135	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139344 L165002874	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 3L GRIS

18x221x1.1cm - 7 1/8"x87"x3/8"

100086530 - L161345002 - G-621

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 3L GRIS	18x221x1.1 cm 7 1/8"x87"x3/8"	100086530 L161345002	G-621	6 per box 192 per Pal.	2.39 per box 76.38 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100087352 L165002255	G-607	12 per box 600 per Pal.	2.11 per box 16.52 per Pal.	105.60 per box 826.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100087344 L164204642	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100087332 L164532135	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139349 L165002872	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 1L BLANCO

18x220x1.1 cm - 7 1/8"x86 5/8"x3/8"

100086526 - L160241063 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 1L BLANCO	18x220x1.1 cm 7 1/8"x86 5/8"x3/8"	100086526 L160241063	G-632	6 per box 192 per Pal.	2.38 per box 76.03 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100087350 L165002252	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.52 per box 826.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100087342 L164204640	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100087330 L164532134	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139343 L165002859	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE 3L BLANCO

18x221x1.1cm - 7 1/8"x87"x3/8"

100086528 - L161345004 - G-621

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE 3L BLANCO	18x221x1.1 cm 7 1/8"x87"x3/8"	100086528 L161345004	G-621	6 per box 192 per Pal.	2.38 per box 76.03 per Pal.	22.11 per box 707.52 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100087350 L165002252	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.52 per box 826.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100087342 L164204640	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100087330 L164532134	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139348 L165002867	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Advance 3L Blanco 18x221x1.1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ADVANCE UNIQUE

NATURAL
ROBLE
BLANCO

***Flooring:** Advance Unique1L Blanco 14x220x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE UNIQUE 1L NATURAL

Apresto · 30 · 3.0 mm 1/8" · FSC

14x220x1.4cm - 5 1/2"x86 5/8"x9/16"

100111294 - L165002377 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE UNIQUE 1L NATURAL	14x220x1.4 cm 5 1/2"x86 5/8"x9/16"	100111294 L165002377	G-632	6 per box 360 per Pal.	1.85 per box 110.88 per Pal.	18.53 per box 1112.04 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086348 L168001705	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112761 L165002482	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112754 L165002478	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139564 L165002901	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE UNIQUE 3L NATURAL

Apresto · 30 · 2.0 mm 1/16" · FSC

18.5x220x1cm - 7 1/4"x86 5/8"x3/8"

100113806 - L165002559 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE UNIQUE 3L NATURAL	18.5x220x1 cm 7 1/4"x86 5/8"x3/8"	100113806 L165002559	G-619	8 per box 400 per Pal.	3.26 per box 162.80 per Pal.	21 per box 1050 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100112769 L165002493	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112771 L165002479	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112801 L165002476	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139566 L165002896	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

ADVANCE UNIQUE 1L BLANCO

14x220x1.4cm - 5 1/2"x86 5/8"x9/16"

100111292 - L165002375 - G-632

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	ADVANCE UNIQUE 1L BLANCO	14x220x1.4 cm 5 1/2"x86 5/8"x9/16"	100111292 L165002375	G-632	6 per box 360 per Pal.	1.85 per box 110.88 per Pal.	18.53 per box 1112.04 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100107254 L168001724	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112760 L165002469	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112767 L165002474	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139561 L165002869	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

EDEN

WENGE
BROWN
CAMEL
POLAR
NATURAL
WHITE
SAND
LIGHT GREY
DARK GREY
MARENGO

***Flooring:** Eden 1L Camel 20x240x2 cm.*
***Coating:** Delhi Natural Home Bioprot 40x80x1.5 cm*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L WENGE

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100096821 - L160803273 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L WENGE	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100096821 L160803273	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100097177 L168001721	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100097165 L164532153	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100097161 L164705106	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139581 L165002916	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L BROWN

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100086065 - L160803255 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L BROWN	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100086065 L160803255	G-647	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086364 L168001711	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086306 L164532094	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086301 L164705096	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139575 L165002882	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L CAMEL

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100086066 - L160803254 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L CAMEL	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100086066 L160803254	G-647	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086365 L168001712	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086313 L164532095	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086309 L164705097	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139576 L165002876	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L POLAR

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100088868 - L160803264 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L POLAR	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100088868 L160803264	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100089074 L168001713	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100094200 L164532143	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100094218 L164705103	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139579 L165002885	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L NATURAL

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100086067 - L160803253 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L NATURAL	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100086067 L160803253	G-647	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086342 L168001704	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086330 L164532097	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086322 L164705098	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139578 L165002909	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L WHITE

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100086068 - L160803252 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L WHITE	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100086068 L160803252	G-647	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100086343 L168001706	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086332 L164532096	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086324 L164705099	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139582 L165002894	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L SAND

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100095587 - L160803270 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L SAND	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100095587 L160803270	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100097175 L168001720	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100096093 L164532151	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100096098 L164705104	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139580 L165002880	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

Flooring: *Eden 1L Natural 20x240x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L LIGHT GREY

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100155232 - L165003198 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L LIGHT GREY	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100155232 L165003198	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100155251 L165003209	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	29.88 per box 1494 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100155228 L165003201	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100155221 L165003199	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100155224 L165003200	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L DARK GREY

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100155231 - L165003197 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L DARK GREY	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100155231 L165003197	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100155250 L165003210	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	29.88 per box 1494 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100155227 L165003206	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100155222 L165003207	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100155223 L165003202	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN 1L MARENGO

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100095586 - L160803271 - G-649

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN 1L MARENGO	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100095586 L160803271	G-649	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100097173 L168001719	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	29.88 per box 1494 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100096092 L164532150	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100096097 L164705105	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139577 L165002875	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		•	

The knots and cracks in our wood are filled with wood putty.

Flooring: *Eden 1L Marengo 20x240x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MINI EDEN

CAMEL
NATURAL
WHITE
POLAR
SAND
MARENGO
BROWN
LIGHT GREY
DARK GREY
WENGE

***Flooring:** Mini Eden 1L Camel 19x240x1.15 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L CAMEL

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100130053 - L165002760 - G-638

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L CAMEL	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100130053 L165002760	G-638	6 per box 288 per Pal.	2.74 per box 131.33 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129059 L165002738	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100129049 L165002701	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100129029 L165002716	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139597 L165002923	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L NATURAL

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100130055 - L165002754 - G-638

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L NATURAL	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100130055 L165002754	G-638	6 per box 288 per Pal.	2.74 per box 131.33 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129061 L165002729	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100129051 L165002706	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100129031 L165002707	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139599 L165002870	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L WHITE

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100130056 - L165002755 - G-634

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L WHITE	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100130056 L165002755	G-634	6 per box 288 per Pal.	2.74 per box 131.33 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129062 L165002702	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100129052 L165002726	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100129032 L165002731	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139600 L165002873	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L POLAR

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100136448 - L165002832 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L POLAR	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100136448 L165002832	G-641	6 per box 300 per Pal.	2.73 per box 136.80 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100136994 L165002840	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100143511 L165002970	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100143530 L165002978	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100143514 L165002974	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L SAND

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100136449 - L165002833 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L SAND	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100136449 L165002833	G-641	6 per box 300 per Pal.	2.73 per box 136.80 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100136995 L165002838	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100143512 L165002976	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100143507 L165002971	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100143515 L165002975	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L MARENGO

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100130054 - L165002759 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L MARENGO	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100130054 L165002759	G-641	6 per box 288 per Pal.	2.74 per box 131.33 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129060 L165002734	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100129050 L165002739	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100129030 L165002723	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139598 L165002878	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L BROWN

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100130052 - L165002758 - G-634

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L BROWN	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100130052 L165002758	G-634	6 per box 288 per Pal.	2.74 per box 131.33 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129058 L165002713	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100129048 L165002718	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100129028 L165002719	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139596 L165002891	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

•

The knots and cracks in our wood are filled with wood putty.

Note: Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Flooring: *Mini Eden 1L Brown 19x240x1.15 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L LIGHT GREY

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100151225 - L165003073 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L LIGHT GREY	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100151225 L165003073	G-641	6 per box 300 per Pal.	2.73 per box 136.80 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100152674 L165003083	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100152659 L165003078	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100152672 L165003081	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100152670 L165003079	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L DARK GREY

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100151224 - L165003072 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L DARK GREY	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100151224 L165003072	G-641	6 per box 300 per Pal.	2.73 per box 136.80 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100154393 L165003173	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100154390 L165003171	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100154392 L165003174	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100154391 L165003172	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN 1L WENGE

19x240x1.2cm - 7 1/2"x94 1/2"x1/2"

100136460 - L165002834 - G-641

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN 1L WENGE	19x240x1.2 cm 7 1/2"x94 1/2"x1/2"	100136460 L165002834	G-641	6 per box 300 per Pal.	2.73 per box 136.80 per Pal.	23.25 per box 1116.29 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100136996 L165002839	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100143513 L165002977	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100143508 L165002969	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100143516 L165002972	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Flooring: *Mini Eden 1L Wenge 19x240x1,15 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

EDEN TEXTURE

ALMOND
CINAMON
VANILLA
HONEY
NUT

***Flooring:** Eden Texture 1L Nut 20x240x2 cm.*
***Coating:** Persian White Pulido Bioprot.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN TEXTURE 1L ALMOND

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100130057 - L165002753 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN TEXTURE 1L ALMOND	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100130057 L165002753	G-650	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130634 L165002801	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130629 L165002811	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130619 L165002806	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139583 L165002890	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN TEXTURE 1L CINAMON

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100130058 - L165002757 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN TEXTURE 1L CINAMON	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100130058 L165002757	G-650	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130635 L165002810	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130630 L165002816	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130620 L165002800	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139584 L165002871	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN TEXTURE 1L VANILLA

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100130026 - L165002751 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN TEXTURE 1L VANILLA	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100130026 L165002751	G-650	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130638 L165002805	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130633 L165002818	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130623 L165002808	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139587 L165002902	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN TEXTURE 1L HONEY

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100130059 - L165002752 - G-650

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN TEXTURE 1L HONEY	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100130059 L165002752	G-650	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130636 L165002802	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130630 L165002816	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130621 L165002803	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139585 L165002917	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

EDEN TEXTURE 1L NUT

20x240x2 cm - 7 7/8"x94 1/2"x3/4"

100130060 - L165002756 - G-655

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	EDEN TEXTURE 1L NUT	20x240x2 cm 7 7/8"x94 1/2"x3/4"	100130060 L165002756	G-655	4 per box 160 per Pal.	1.92 per box 76.80 per Pal.	23.04 per box 921.60 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130637 L165002809	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130632 L165002817	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130622 L165002812	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139586 L165002889	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
		•	

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Eden Texture 1L Nut 20x240x2 cm.*
Coating: *Persian White Pulido Bioprot 60x60x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MINI EDEN TEXTURE

NUT
ALMOND
VANILLA
HONEY
CINAMON

***Flooring:** Mini Eden Texture 1L Cinamon 19x210x1.15 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN TEXTURE 1L NUT

19x210x1.2cm - 7 7/8"x82 5/8"x1/2"

100146122 - L165002991 - G-648

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN TEXTURE 1L NUT	19x210x1.2 cm 7 7/8"x82 5/8"x1/2"	100146122 L165002991	G-648	6 per box 300 per Pal.	2.39 per box 119.70 per Pal.	20.35 per box 1017.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146570 L165003056	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146539 L165003019	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146592 L165003010	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146604 L165003020	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN TEXTURE 1L ALMOND

19x210x1.2cm - 7 7/8"x82 5/8"x1/2"

100146039 - L165002993 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN TEXTURE 1L ALMOND	19x210x1.2 cm 7 7/8"x82 5/8"x1/2"	100146039 L165002993	G-643	6 per box 300 per Pal.	2.39 per box 119.70 per Pal.	20.35 per box 1017.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146547 L165003048	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146575 L165003012	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146579 L165003008	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146601 L165003018	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN TEXTURE 1L VANILLA

19x210x1.2cm - 7 7/8"x82 5/8"x1/2"

100146123 - L165002992 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN TEXTURE 1L VANILLA	19x210x1.2 cm 7 7/8"x82 5/8"x1/2"	100146123 L165002992	G-643	6 per box 300 per Pal.	2.39 per box 119.70 per Pal.	20.35 per box 1017.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146571 L165003040	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146593 L165003011	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146600 L165003017	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146605 L165003013	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN TEXTURE 1L HONEY

19x210x1.2cm - 7 7/8"x82 5/8"x1/2"

100146121 - L165002990 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN TEXTURE 1L HONEY	19x210x1.2 cm 7 7/8"x82 5/8"x1/2"	100146121 L165002990	G-643	6 per box 300 per Pal.	2.39 per box 119.70 per Pal.	20.35 per box 1017.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146549 L165003045	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146538 L165003016	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146591 L165003009	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146603 L165003014	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

MINI EDEN TEXTURE 1L CINAMON

19x210x1.2cm - 7 7/8"x82 5/8"x1/2"

100146120 - L165002989 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	MINI EDEN TEXTURE 1L CINAMON	19x210x1.2 cm 7 7/8"x82 5/8"x1/2"	100146120 L165002989	G-643	6 per box 300 per Pal.	2.39 per box 119.70 per Pal.	20.35 per box 1017.45 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146548 L165003058	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146537 L165003015	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146590 L165003007	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146602 L165003021	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Mini Eden Texture 1L Cinamon 19x210x1.15 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

THULE

WENGE
MARENGO
NATURAL
BLANCO
GRIS

Flooring: *Thule 1L Natural 30x350x1.9 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

THULE 1L WENGE

30x350x1.9 cm - 11 3/4"x137 3/4"x3/4"
100115235 - L165002607 - G-677
39x360x1.9 cm - 15 3/8"x141 3/4"x3/4"
100130070 - L165002761 - G-677

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	THULE 1L WENGE	30x350x1.9 cm 11 3/4"x137 3/4"x3/4"	100115235 L165002607	G-677	2 per box 96 per Pal.	2.10 per box 100.80 per Pal.	32.40 per box 1555.20 per Pal.
	THULE 1L WENGE	39x360x1.9 cm 15 3/8"x141 3/4"x3/4"	100130070 L165002761	G-677	2 per box 96 per Pal.	2.81 per box 134.78 per Pal.	45.60 per box 2188.90 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129065 L165002741	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086214 L164532086	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086217 L164705094	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139633 L165003322	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

THULE 1L MARENGO

30x350x1.9 cm - 11 3/4"x137 3/4"x3/4"
100130067 - L165002765 - G-679
39x360x1.9 cm - 15 3/8"x141 3/4"x3/4"
100130068 - L165002764 - G-679

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	THULE 1L MARENGO	30x350x1.9 cm 11 3/4"x137 3/4"x3/4"	100130067 L165002765	G-679	2 per box 96 per Pal.	2.10 per box 100.80 per Pal.	34.10 per box 1636.99 per Pal.
	THULE 1L MARENGO	39x360x1.9 cm 15 3/8"x141 3/4"x3/4"	100130068 L165002764	G-679	2 per box 96 per Pal.	2.81 per box 134.78 per Pal.	45.60 per box 2188.90 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130213 L165002775	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130211 L165002771	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130207 L165002768	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139631 L165003318	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

THULE 1L NATURAL

30x350x1.9 cm - 11 3/4"x137 3/4"x3/4"
100115234 - L165002606 - G-677
39x360x1.9 cm - 15 3/8"x141 3/4"x3/4"
100130069 - L165002763 - G-677

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	THULE 1L NATURAL	30x350x1.9 cm 11 3/4"x137 3/4"x3/4"	100115234 L165002606	G-677	2 per box 96 per Pal.	2.10 per box 100.80 per Pal.	32.40 per box 1555.20 per Pal.
	THULE 1L NATURAL	39x360x1.9 cm 15 3/8"x141 3/4"x3/4"	100130069 L165002763	G-677	2 per box 96 per Pal.	2.80 per box 134.78 per Pal.	45.60 per box 2188.90 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129064 L165002710	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100112807 L165002499	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100112802 L165002498	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139632 L165003321	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

THULE 1L BLANCO

30x350x1.9 cm - 11 3/4"x137 3/4"x3/4"
100112781 - L165002500 - G-677
39x360x1.9 cm - 15 3/8"x141 3/4"x3/4"
100130064 - L165002766 - G-677

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	THULE 1L BLANCO	30x350x1.9 cm 11 3/4"x137 3/4"x3/4"	100112781 L165002500	G-677	2 per box 96 per Pal.	2.10 per box 100.80 per Pal.	32.40 per box
	THULE 1L BLANCO	39x360x1.9 cm 15 3/8"x141 3/4"x3/4"	100130064 L165002766	G-677	2 per box 96 per Pal.	2.81 per box 134.78 per Pal.	45.60 per box
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100129063 L165002735	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100086225 L164532087	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100086215 L164705093	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139629 L165003320	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

THULE 1L GRIS

30x350x1.9 cm - 11 3/4"x137 3/4"x3/4"
100130065 - L165002767 - G-679
39x360x1.9 cm - 15 3/8"x141 3/4"x3/4"
100130066 - L165002762 - G-679

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	THULE 1L GRIS	30x350x1.9 cm 11 3/4"x137 3/4"x3/4"	100130065 L165002767	G-679	2 per box 96 per Pal.	2.10 per box 100.80 per Pal.	34.10 per box 1636.99 per Pal.
	THULE 1L GRIS	39x360x1.9 cm 15 3/8"x141 3/4"x3/4"	100130066 L165002762	G-679	2 per box 96 per Pal.	2.81 per box 134.78 per Pal.	45.60 per box 2188.90 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100130212 L165002773	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	31.22 per box 1561.20 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100130210 L165002772	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100130206 L165002769	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139630 L165003317	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ◉ Medium ○ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Thule 1L Gris 39x360x1.9 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LEGEND

DARK
MEDIUM
NEUTRAL
LIGHT

Flooring: *Legend 1L Neutral 26x220x1.5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

LEGEND 1L DARK

26x220x1.5cm - 10 1/4"x86 5/8"x5/8"

100110284 - L160803373 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	LEGEND 1L DARK	26x220x1.5 cm 10 1/4"x86 5/8"x5/8"	100110284 L160803373	G-647	6 per box 168 per Pal.	3.43 per box 96.10 per Pal.	29.12 per box 815.47 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114260 L165002545	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114250 L165002526	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114234 L165002517	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139592 L165003319	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.



OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

LEGEND 1L MEDIUM

26x220x1.5cm - 10 1/4"x86 5/8"x5/8"

100110286 - L160803370 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	LEGEND 1L MEDIUM	26x220x1.5 cm 10 1/4"x86 5/8"x5/8"	100110286 L160803370	G-647	6 per box 168 per Pal.	3.43 per box 96.10 per Pal.	29.12 per box 815.47 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114264 L165002537	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114252 L165002544	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114236 L165002520	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139594 L165003085	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots | = < 25 m/m | = < 60 m/m | Limitless

The knots and cracks in our wood are filled with wood putty.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

LEGEND 1L NEUTRAL

26x220x1.5cm - 10 1/4"x86 5/8"x5/8"

100110287 - L160803374 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	LEGEND 1L NEUTRAL	26x220x1.5 cm 10 1/4"x86 5/8"x5/8"	100110287 L160803374	G-647	6 per box 168 per Pal.	3.43 per box 96.10 per Pal.	29.12 per box 815.47 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114266 L165002540	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114253 L165002519	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114237 L165002521	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139595 L165003065	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE



○ Low ○ Medium ◉ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

LEGEND 1L LIGHT

26x220x1.5cm - 10 1/4"x86 5/8"x5/8"

100110285 - L160803371 - G-647

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	LEGEND 1L LIGHT	26x220x1.5 cm 10 1/4"x86 5/8"x5/8"	100110285 L160803371	G-647	6 per box 168 per Pal.	3.43 per box 96.10 per Pal.	29.12 per box 815.47 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114262 L165002541	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114251 L165002554	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114235 L165002523	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139593 L165003086	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots = < 25 m/m = < 60 m/m Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

REVIVAL

BROWN
GREY
COGNAC
BEIGE
OYSTER
SILVER

Flooring: *Revival 1L Beige 22x220x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L BROWN

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100136731 - L165002835 - G-660

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L BROWN	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100136731 L165002835	G-660	4 per box 112 per Pal.	1.93 per box 54.20 per Pal.	25 per box 700 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114270 L165002547	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114255 L165002546	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114239 L165002528	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139618 L165003089	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L GREY

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100136732 - L165002837 - G-660

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L GREY	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100136732 L165002837	G-660	4 per box 112 per Pal.	1.93 per box 54.20 per Pal.	25 per box 700 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114272 L165002527	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114256 L165002550	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114240 L165002518	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139619 L165003088	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L COGNAC

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100146124 - L165003005 - G-660

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L COGNAC	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100146124 L165003005	G-660	4 per box 144 per Pal.	1.93 per box 69.69 per Pal.	25 per box 900 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100146572 L165003052	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146544 L165003050	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146576 L165003043	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146606 L165003042	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L BEIGE

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100136730 - L165002836 - G-660

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L BEIGE	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100136730 L165002836	G-660	4 per box 144 per Pal.	1.93 per box 69.69 per Pal.	25 per box 900 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100114268 L165002543	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100114254 L165002539	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100114238 L165002548	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139617 L165003087	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low	○ Medium	◉ High
No knots	= < 25 m/m	= < 60 m/m	Limitless

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L OYSTER

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100146125 - L165003006 - G-660

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L OYSTER	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100146125 L165003006	G-660	4 per box 28 per Pal.	1.93 per box 54.21 per Pal.	25 per box 700 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100146559 L165003046	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146545 L165003054	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146577 L165003047	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146594 L165003057	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

OAK

Origin:
Europe, North America
Shade variation:
Medium
Resistance to compression:
580 kg/cm2
Oxidation:
Moderate
Radiant floor heating:
Possible
Sapwood:
Might appear
Resistance to thermal conductivity:
0.11 m2K/W
Shrinkage coefficient:
0.48%
Stability:
Stable
Apparent density at 12% moisture level:
740 kg/m3
Chalais-Meudon hardness:
5.8 hardwood

REVIVAL 1L SILVER

22x220x2 cm - 8 5/8"x86 5/8"x7/8"

100146068 - L165003004 - G-665

	DESCRIPTION	FORMAT	CODES	GROUP	PC	M2	KG
	REVIVAL 1L SILVER	22x220x2 cm 8 5/8"x86 5/8"x7/8"	100146068 L165003004	G-665	4 per box 28 per Pal.	1.93 per box 54.21 per Pal.	25 per box 700 per Pal.
	ZÓCALO SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x1/2"	100146573 L165003041	G-607	12 per box 600 per Pal.	2.11 per box 105.60 per Pal.	16.56 per box 828 per Pal.
	ZÓCALO LACADO BLANCO WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115023 L165002603	G-607	14 per box 560 per Pal.	2.46 per box 98.56 per Pal.	19.28 per box 771.12 per Pal.
	PERFIL TRANSICIÓN TRANSITION PROFILE	4x270x1.3 cm 1 5/8"x106 1/4"x1/2"	100146546 L165003053	G-633	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	PERFIL IGUALACIÓN LEVELLING PROFILE	4.5x270x1.3 cm 1 3/4"x106 1/4"x1/2"	100146578 L165003039	G-644	10 per box 1000 per Pal.	1.08 per box 108 per Pal.	10.20 per box 1020 per Pal.
	MAMPERLAN (CANTO RECTO) STAIR NOSING (SQUARE EDGE)	7x150x3 cm 2 3/4"x 59"x1 1/8"	100146595 L165003044	G-020	1 per box 500 per Pal.	0.10 per box 52.50 per Pal.	2 per box 1000 per Pal.

CLASSIFICATION OF KNOTS / QUANTITY / SIZE

○ Low ○ Medium ◉ High

No knots	= < 25 m/m	= < 60 m/m	Limitless
			•

The knots and cracks in our wood are filled with wood putty.

***Note:** Aluminium profiles available.
Each box might contain boards shorter than the specified length.
The shade of skirtings, profiles and stairnoses will be as similar as possible to the flooring, although there might be some variation depending on the model.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Revival 1L Silver 22x220x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WOOD LOVERS™

CREATED BY YOU FOR YOU

Wood Lovers is about a passion for wood and a love for its natural forms. But above all, it is collection designed especially for you. Our selection process allows you to design the surface of your floor down to the last detail, giving a central role to versatility and resistance over time.

First, select the colour of wood that best suits your project from eight shades that conjure up images of nature in its purest state.

Then, choose the finish you like best. Two options which also guarantee the protection and durability of the wood with the use of the most advanced types of varnish.

Next, select the texture. Evoke the feel of a wood worn by the passage of time, recall traditional pieces or reminisce over age-old techniques used in the treatment of wood.

Lastly, decide on the format you wish to use for the boards. Combine different lengths and widths, depending on whether you are looking for a uniform result or something more random and original.

Our selection process lets you discover a unique and unrepeatable product, designed by you and for you. Share the Woodlovers' passion. Fall in love with us.

***Flooring:** Wood Lovers Carpenter Brown Multiformato Naturplus*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

1. Select the **colour** of your wood.

***WOOD LOVERS 1L BROWN**, embracing classic forms.*

***WOOD LOVERS 1L BROWN LISBON**, the elegance of cosmopolitan wood.*

***WOOD LOVERS 1L GREY NIGHT**, where distinction and modernism come together.*

***WOOD LOVERS 1L MEDITERRANEAN VINTAGE**, the clarity of the sea under your feet.*

***WOOD LOVERS 1L NATURAL**, let yourself be wrapped up in nature.*

***WOOD LOVERS 1L WARM OCEAN**, a cascade of sensations.*

***WOOD LOVERS 1L GREY NEWMAN**, on the horizon of simple pleasures.*

***WOOD LOVERS 1L WARM SKY**, at the peak of comfort.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

*2. Choose the **finish**.*

Apresto mate*

The APRESTO MATE finish reduces the shine produced by varnishes to a minimum, giving an opaque shade that serves to bring out the natural colour of the parquet. The result is an ecological and hygienic varnish, of top quality. Its formula, specially designed for the most demanding of uses lasts twice as long as conventional coverings. The wood is insulated and protected, conserving its natural properties for longer.

***NOTE:** *The following models are not available in this finish: Mediterranean Vintage, Brown Lisbon and Warm Ocean.

Naturplus

The NATUR PLUS finish is inspired in an age-old mix based on linseed oil, combining mineral substances and carnauba wax in an environmentally-friendly formula. A slow delicate drying process allows the oil to penetrate deep into the pores of the wood, highlighting the natural look of the product. The wax embellishes and protects the surface, accentuating the natural grain and emphasising the intensity and colour of the wood. It is resistant to the chemical agents found in detergents, giving it strength, durability and firmness without losing the slightest warmth.

CHARACTERISTICS	APRESTO MATE	NATURPLUS
Look - Shine	Matt (5-6%)	Matt - Natural look
Resistance to water and domestic products	Very high	Medium
Resistance to abrasion	High	Medium
Maintenance	Not required	Required
Repairs	Easy - Average cost	Very easy - Low cost

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

3. Define the **texture**.

Select or combine any of our textures to obtain an exclusive effect.

OLD **EFFECT**

The surface is treated with bradawls of varying diameters and tips to simulate the effects of the passage of time on the wood, bringing to mind classic restored pieces.

ARTISAN **EFFECT**

In the way of carpenters of old, this finish imitates the traditional hand planing of wood, giving it a rough artisan look.

HANDSCRAFT **EFFECT**

A "handmade" finish producing a more natural effect, maintaining the original knots of the branches and bark of the trees. The result enhances the grain of the wood and achieves a unique design for each piece.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CARPENTER ***EFFECT***

An ageing technique using hand tools to imitate the work of carpenters and their cutting tools, highlighting the quality of age.

DISTRESSED ***EFFECT***

The long sides of each strip are worn away using a plane that chips the wood, achieving an imperfect finish and giving the floor pattern a certain unevenness.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

*4. Select **strip** format.*

Choose the length and width of each board to obtain uniform patterns or an end result that is far from even.

Wood Lovers offers different format options:

Widths: 19 / 23 / 29 / 34 / 39 cm
Lengths: 210 / 240 / 360 / 420 cm

There are three ways of laying the parquet with these measurements:

1. Fixed width and length.

Selecting one width and length and repeating this for all the pieces in the order.

2. Fixed width and variable length.

Selecting one width measurement which is repeated for all the pieces, while the length varies from 210 to 450 cm. The variation in length is at maximum 20% with respect to the shortest strip and 20% or more of the longest strip.

3. Multi-format.

A random combination of the width measurements of 19 / 29 / 39 cm and length measurements of 210 / 240 / 360 cm to obtain the strips.

*For further information about the price and availability of these models, please see our web: **www.woodlovers.es***



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

*5. Enjoy an **exclusive** natural wood floor.*



***Flooring:** Wood Lovers Artisan 1L Vintage Naturplus 39x420x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SPECIAL PIECES



ALUMINIUM LEVELLING PROFILE

4.5x270x13 cm - 1 3/4"x106 1/4"x1/2"

100031458 - L164705091 - G-644



ALUMINIUM TRANSITION PROFILE

4x270x1.3 cm - 1 5/8"x106 1/4"x1/2"

100129052 - L165002726 - G-644

SUBSTRATE

ANTISTATIC RADIANT FLOOR SHEET

30m2 - 100143321 - L165002953 - G-965

Closed cell recycled rubber sheeting with a layer of aluminium which distributes the heat and eliminates static electricity. This protection can be used on radiant floors and reduces impact noise by 26 dB and sound transmission by 22 dB.

INSULATION SHEET

79x59x0.5cm - 100059778 - L180112013 - G-905

5 mm-thick sound insulation. Useful for rectifying uneven patches.

DAMP PROOFING SHEET + FOAM

45 m2 - 100060724 - L180112014 - G-937

270 m2 - 100060783 - L180112015 -G-980

Sound insulation and damp proofing for parquet and laminate flooring.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

MAINTENANCE PRODUCTS

Natur Naturplus

Regular cleaning of oiled wood floors. Removes deeply ingrained dust and grease, without leaving a film.

RMC SOAP 1L

100158383 - L180112039 - G925

Solution 1:100
One litre covers 1500 m2

Stain and spot remover for varnished and oiled wood floors.

RMC SURFACE CARE 750 ML

100158385 - L180112038 - G925

Use without diluting

Hard water stain remover for varnished and oiled wood floors.

RMC LIMESPOT REMOVE 0.5 L

100158382 - L180112041 - G925

Use without diluting

Maintenance of all oiled and varnished floors. This product can also be used on varnished surfaces in which micro-cracks are starting to appear.

RMC UNIVERSAL MAINTENANCE OIL VOC FREE PURE 0.5 L

100158387 - L180112037 - G-955

RMC UNIVERSAL MAINTENANCE OIL VOC FREE COLOR 0.5 L

100158386 - L180112035 - G-965

Use without diluting
One litre covers 35-50 m2

Oil stain and spot remover for varnished and oiled wood floors.

RMC GREASE REMOVE 0.5 L

100158381 - L180112040 - G-925

Use without diluting

Natur and Naturplus wood surface protection.

CLEAN&GREEN AQUA OIL 1L

100148088 - L167012434 - G-940

Use without diluting
One litre covers 50-65 m2

MAINTENANCE PRODUCTS

Apresto Apresto mate

Protection and shine by applying a fine microscopic glossy layer.

RMC SOAP SATIN 1L

100158384 - L180112036 - G-930

Solution 1:40
One litre covers 20 m2

Stain and spot remover for varnished and oiled wood floors.

RMC SURFACE CARE 750 ML

100158385 - L180112038 - G925

Use without diluting

Hard water stain remover for varnished and oiled wood floors.

RMC LIMESPOT REMOVE 0.5 L

100158382 - L180112041 - G925

Use without diluting

Maintenance of all oiled and varnished floors. This product can also be used on varnished surfaces in which micro-cracks are starting to appear.

RMC UNIVERSAL MAINTENANCE OIL VOC FREE PURE 0.5 L

100158387 - L180112037 - G-955

RMC UNIVERSAL MAINTENANCE OIL VOC FREE COLOR 0.5 L

100158386 - L180112035 - G-965

Use without diluting
One litre covers 35-50 m2

Oil stain and spot remover for varnished and oiled wood floors.

RMC GREASE REMOVE 0.5 L

100158381 - L180112040 - G-925

Use without diluting

Intensive maintenance and cleaning of laminate wood.

CLEAN&GREEN ACTIVE 1 L

100148087 - L167012432 - G-920

Solution 1:200
One litre covers 1500 m2

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PARQUET INSTALLATION

Consolidating and waterproofing treatment for absorbent surfaces. To be used before gluing.

PRIMER EP21 PARTE A 5 L.

100046831 - L180500006 - G-965

PRIMER EP21 PARTE B 2.5 L.

100046834 - L180500005 - G-945

Mix Part A with Part B in a ratio of 2.5:1.
Coverage:
As a consolidating treatment for surfaces: 5 m2/l
As a consolidating treatment for substrates: (1.7-2.5) m2/l
As a shield against residual moisture (1.7-2.5) m2/l

Polyurethane adhesive for fixing on absorbent cement, marble or ceramic.

COLA SLC FLEX 16 KGR.

100148100 - L180112025 - G-976

Use without thinning
Coverage: 0.8-1.5 kg/m2

Adhesion promoter for non-absorbent surfaces.

PREPARATORE PULEP 10 L.

100046836 - L180500004 - G-955

Use without thinning
Coverage: 33 m2/l

Adhesive to bond the strips together.

COLA BLANCA 750 GR.

100148089 - L180112023 - G-920

Use without thinning
Coverage: 10 m2/l

INSTALATION WITH THULE

Adhesive for installing traditional, pre-varnished wood on absorbent supports.

COLA SLC ECO L34 CLARO A+B (9+1KGR.)

100150757 - L180112032 - G-955

Mix Part A with Part B in a ratio of 9:1.
Coverage: 0.8-1.5 kg/m2

Thinner for polyurethane and solvent-based paints and primers. Specific for the dilution of SLC

DILUENTE DD 10 L.

100032384 - L180001161 - G-955

Add up to a maximum of 50% depending on needs

Waterproofing and hardener for absorbent substrates. Use before gluing.

PRIMER PU31 10 L.

100148075 - L180112028 - G-975

Apply as is, or thin up to 50% using DILUYENTE DD 10L Eco DD.
Coverage:
As a consolidating treatment for surfaces: 5 m2/l
As a consolidating treatment for substrates: (1.7-2.5) m2/l
As a shield against residual moisture (1.7-2.5) m2/l

Adhesive to bond the strips together.

COLA BLANCA 750 GR.

100148089 - L180112023 - G-920

Use without thinning
Coverage: 10 m2/l

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SHADE VARIATION

NOT EXPOSED EXPOSED TO SUNLIGHT

NOGAL

NOT EXPOSED EXPOSED TO SUNLIGHT

JATOBA

NOT EXPOSED EXPOSED TO SUNLIGHT

ROBLE

NOT EXPOSED EXPOSED TO SUNLIGHT

EBANO

NOT EXPOSED EXPOSED TO SUNLIGHT

IROKO

NOT EXPOSED EXPOSED TO SUNLIGHT

MERBAU

NOT EXPOSED EXPOSED TO SUNLIGHT

HAYA

COLOUR CHANGES IN NATURAL WOOD

Real wood parquet flooring is a living product that changes with the passing of time. These unique floor coverings can undergo changes in colour as a result of constant exposure to light. These changes are foreseeable, and they can be reduced by altering the position of the room's furniture from time to time. These photographs show the shade variation that different woods can undergo through constant exposure to light.

HYGROSCOPIC BALANCE MOISTURE OF THE WOOD

The Kollman index *provides a value that determines the hygroscopic balance of wood. The internal moisture content of the wood, which indicates if it is in satisfactory condition for use, can be ascertained by taking the relative humidity and room temperature data into account.*

For example*, in a dwelling with the following hygrometric features:* ***Relative humidity 60% and temperature 20 ºC****; the moisture content of the wood should be between* ***11% and 12%****. Any value above or below this range indicates that the wood will be subject to stress that could give rise to distortion or cracks in the boards if installed.*



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

INSTALLATION INSTRUCTIONS

1.-BEFORE INSTALLING

The importance of reading and properly understanding the information contained in these instructions cannot be exaggerated, since improper handling, installation, use or maintenance of the product could result in cancellation of the warranty.

1.1.-Receipt and storage

All material must be carefully inspected before installation to check for defects. The warranty does not cover material installed with visible defects. The installer and proprietor are responsible for ensuring that the working conditions and the floor slab of the workplace are in an acceptable condition before beginning to install a wood floor.

1.2.-Climatic conditions

The best conditions for laying this product are: temperature between 18 and 20°C and relative humidity between 45 and 65%.

1.3.- Substrate

Although it is possible to install wooden flooring on various types of floor slab, L'Antic Colonial recommends slabs made of cement mortar, marble, terrazzo or anhydrite provided that comply with the following:

a) Measuring the substrate (only applicable to mortar and anhydrite): to be performed at a depth of approximately half the thickness of he slab, and at all events at a minimum depth of 2 cm. The moisture content may be estimated by means of a carbide hygrometer. The substrate should have a moisture content of less than 2.5%.

b) Cohesion and hardness: the substrate must be sufficiently hard and rigid to withstand the stresses caused by the glue in the case of a glue-based system.

c) Flatness and horizontality: the substrate on which the flooring is to be installed must be flat and horizontal. Maximum deflections of 5 mm and 1 mm measured with 2 m and 20 cm rulers respectively are acceptable for general and local surface flatness.

d) Cleanliness: the floor slab must be clean and free of objects or substances that could impede proper seating of the boards.

f) Cracks and fissures: any cracks and/or fissures created must be rectified before installing the boards.

1.4.-Laying direction

Arranging the boards longitudinally with respect to the main light source is recommended to prevent the joints between the pieces from being highlighted.

1.5.-Planning the installation.

Both the perimeter joints and expansion joints as specified below are designed to absorb the dimensional movements of swelling and shrinkage experienced by the parquet as a result of normal moisture variation occurring in the rooms where it is installed.

These joints are not designed to absorb abnormal dimensional variations such as those arising from inadequate condition of the premises, flooding, condensation or other similar circumstances.

a) Perimeter joint

A space of at least 10 mm must be left between the end of the flooring and any vertical surface.

b) Expansion joints

If the dimensions of the premises exceed 8 metres wide and 12 metres long there must be space left in an adequate place for expansion joints (not to be confused with the perimeter joint) to absorb the movements of distension and shrinkage typical of this type of flooring.

These expansion joints must be at least 15 mm wide to work properly. The most suitable places to locate expansion joints are at the beginning of passages, doorways and the tapering between dividing walls that separate different areas within the same space.

In houses where the partitioning creates obvious constrictions, expansion joints will have to be arranged at critical points (even if they cannot meet the dimensional specifications in this section). Heavy furnishings may cause discontinuity in the floating behaviour of the flooring.

c) Staggering

Lay the floor so that the end of each board is separated from the next by at least 30 cm.

d) Skirting

Nailing skirting boards to the wall using a pneumatic nail gun is recommended to ensure that the skirting adapts to any variations in wall flatness and is firmly secured.

2.-INSTALLATION

2.1.-Laying systems

2.1.1-Floating system

When laying floating flooring an insulating film must be placed on top of the floor slab. L'Antic Colonial recommends using a damp-proof film plus polyethylene foam with a transparent film glued to one side and a final thickness of 2 mm. This will prevent moisture from rising from the floor slab or frame. It also has other features such as acoustic and thermal insulation and levels out minor irregularities.

Depending on the conditions and needs of particular installations, other types of film may be selected, such as the Lámina Suelo Radiante (underfloor heating film).

Always begin laying with the female edge facing the wall. Ensure that there is a gap of 10 mm between the edge and the wall.

The same laying technique must be used for the third board and the rest for the new rows. The first rows are of vital importance and must be perfectly straight to ensure the straightness of the rows that will be laid parallel to them. Before beginning to lay the first row, measure the width of the area to be covered and calculate the required width of the last board. This must not be less than 5 mm, otherwise the first row will have to be cut to adjust to the aforesaid width measurement.

Align the row perfectly: join the tongues and grooves properly and ensure that the row is absolutely straight. Continue with the same laying technique with the following rows until the area is completely covered.

2.1.2.-Adhesive

This type of installation does not require an insulating layer. The first task is to select an adhesive or glue and read and understand the manufacturer's instructions with respect to the dosage, application method, airing time, reaction time, transit time and useful life.

A strip of adhesive is applied to form circles, or in beads. Spatulas with

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

the tooth depth corresponding to the required dose are used to spread the product in circles. Once the airing time has elapsed the first row will be pressed onto the adhesive with the male edge facing the wall, leaving a gap of 10 mm for the expansion joint perimeter gap. Press the panel lightly to ensure good contact with the glue. Continue until the first row is completed.

Then the following rows can be fitted one by one without requiring much effort. The tongue and groove joints should fit together properly without forcing. Use a rubber mallet and a block of wood to join the pieces easily. Lay 3 or 4 rows and let them dry for at least one night before continuing the next day. These fort rows form the base for fitting the rest of the wooden floor. Continue until the entire area is covered.

2.1.3.-Nailed

This type of installation usually employs a plywood layer as between the wooden flooring and the substrate. In this case L'Antic Colonial recommends installing a breathable film to ensure that moisture is not trapped in the plywood and ends up rotting or warping the base.

The first row is laid with the male edge to the wall and respecting the gap of 10 mm between the boards and any vertical surface. The first row is usually fastened on the male portion with steel flat-head nails or staples. The nails must be countersunk vertically into the wood so that they do not obstruct nesting of the tongue and groove. Any nails that protrude above the surface must be sunk using a punch and hammer.

Continue in the same way until the end of the first row, following the wall and taking special care to ensure that the row is absolutely straight to avoid any deflection that would be transmitted to the subsequent rows. The second row of nails of the first row of boards must be inserted at an angle of 45º.

The tongue of the subsequent rows of boards must be inserted into the groove and tapped with the hammer until the joint between them is tight. The rest of the rows will be laid on the entire floor area to be covered. Remember that the last row of nails (i.e. those closest to the wall) must also be inserted vertically.

2.2.-Underfloor heating

L´Antic Colonial floors are compatible with all the main underfloor heating systems on the market. In this case the heating should be running at 25-30 ºC for at least 10 days prior to laying the floor to ensure that all traces of residual moisture are eliminated. Once the flooring has been laid, turn on the heating and increase the temperature by 2.3 ºC per day until the maximum is reached. Leave the heating on during one day for every cm of thickness of the floor slab, night time included. Finally, reduce the temperature by 2.3 ºC per day until 15 ºC is reached (approximately 10 days) without exceeding 28 ºC.

If the heating system was already in use before laying the floor it will not be necessary to perform the initial warm-up, but the rest of the process must be carried out as described.

See the UNE 56810 standard for further information on this process.



***Flooring:** Revival 1L Beige 22x220x2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CLEANING AND MAINTENANCE

3.-MAINTENANCE

We have used cutting-edge technology in the production of L'Antic Colonial to enable us to harness the special features of an exclusive material such as wood. Parquet is the wood flooring per excellence. It is a material that improves with time, but requires a certain amount of care: a few simple, regular measures to ensure that it is always in top condition. With these few simple tips you can be sure that your wood floor will remain in good condition and retain its value (beauty and character) in the long term.

a) Avoid stepping on the parquet with footwear straight from the street (especially if it is wet or fouled with remains of grit, dirt or mud). We recommend the use of a doormat at the entrance to avoid remains of earth or gravel from entering the house.

b) Certain types of footwear are not recommended (for example high heel shoes can mark the floor). Some types of rubber sole can leave marks on the parquet. However, these marks are only superficial and can be easily removed.

c) Avoid impacts of hard objects against the floor.

d) Place caps or felt under furniture legs to avoid scratching, especially in the case of heavy furniture. Take special care not to drag furniture when changing it from place to place. Direct contact of any type of metal (even stainless) with a wooden floor with may give rise to staining (the metal does not absorb water or moisture and thus channels condensation into the wood).

e) Any liquid spilled on the parquet must be cleaned up and dried immediately to prevent the fluid from seeping between the boards.

f) Wood products are subject to the climatic conditions of their surroundings, which entails constant exchange of moisture. This can cause dimensional changes (the wood dilates when humid and shrinks when dry) and may cause deterioration unless a series of preventive measures are not implemented. Keeping the humidity in the house constant will help to mitigate extreme dilation and contraction of the wood and thus avoid bulging, warping, cracking and black stains. The product must be maintained within the recommended temperature and humidity ranges to get the best results:
Constant temperature of between 18 and 20 ºC
Relative humidity between 40% and 65% (limits accepted as healthy by the WHO (World Health Organisation).

g) The aforesaid requires special conditioning: ventilation, heating and protection from direct sunlight.

h) Avoid exposing the floor to direct sunlight. Exposure to direct sunlight or strong artificial light may change the original colour of the wood due to the effects of oxidation.

i) It is highly recommended to monitor these aspects carefully if the house will remain closed for long periods of time, taking special care to ensure suitable insulation. Wood cannot be preserved as if it were an inert material.

j) Do not use adhesive bodywork tape or similar products on the flooring. The solvents contained in these products can affect the varnish finishing of the panels and may even remove it entirely.

4.-CLEANING

Dry methods are recommended for daily cleaning. Dust can be removed with a mop or dry cloth. A brush with natural hair exclusively for use on the parquet may also be used for this task. Dirt particles should be removed first with the vacuum cleaner, avoiding dragging them across the varnish which will cause micro-scratches due to friction.
Water used for cleaning should not be mixed with products not recommended, those with high acid content or that contain waxes or silicone. Some abrasive products marketed for use with wood are highly detrimental because they dull the shine and are corrosive in the long term.
Wooden floors can be mopped periodically without fear of damage. This task should be performed only with recommended products and the minimum dosage. The floor should not be excessively wet and the remains of moisture should disappear after around one minute. These remains of water on the parquet should not be dried by hand. The newer the stain is, the easier it will be to clean. Use a damp cloth in the first place and call a specialist if this fails to work. Avoid rubbing hard as this may damage the varnish or protective oil.
Oiled floors must also receive periodic care by applying suitable products from time to time and cleaned with the recommended frequency just like other types of flooring. Cleaning frequency depends on use and each case different. A standard frequency of once a week is recommended.
For these purposes L'Antic Colonial recommends using the following products for proper cleaning and maintenance of parquet:

-For partial and occasional cleaning (valid for both the Apresto and Natur finishes):
RMC Surface Care: removed stains like those produced by indelible markers, spilt wine or coffee, etc.
RMC Limespot Remove: removes lime stains.
RMC Grease Remove: removes grease stains.
RMC Soap: deep cleans dust and grease and does not leave a film.

-Wet cleaning:
To clean and maintain your wood floor properly we recommend regular wet cleaning with Rmc Soap (Apresto finish) or Rmc Soap Satin (Natur finish) for varnished and oiled floors.
To do so you will require two buckets of water, one with clean water and one with 5 litres of warm water (30 to 40 °C) + 300 ml to 500 ml of either of the above products.
Insert a white twisted fibre mop into the bucket containing the mixture. Beat the mixture. Rinse the mop well and clean the surface of the wood panels in the longitudinal direction. Use the bucket of clean, unmixed water to remove the accumulated fouling from the mop before re-charging with the mixture. Repeat these steps as often as necessary.

-For partial and occasional cleaning (valid for both the Apresto and Natur finishes):
As time passes your floor will acquire a unique look. Its appearance changes and evolves due to the effect of the agents in with which it is in contact. Areas with more wear or even micro-scratches may be detected.
However, its natural condition can be recovered. Wet clean the floor as described above and then apply VOC FREE Rmc Universal Maintenance Oil (available in 5 colours, White, Black, Brown, Grey and Pure).
Allow the floor to dry after wet cleaning and then apply a light coat of Universal Maintenance Oil. Spread it over the entire surface evenly with the help of a of white or beige non-abrasive mop. After 5 or 10 minutes remove any excess oil using a white mop (apply the same technique as if you intended to remove all the oil). It will be possible to walk on the floor after 8 hours in well-ventilated areas.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WARRANTY

L'Antic Colonial S.A. guarantees the structure of the layers and gluing of the PARQUET L'ANTIC COLONIAL flooring boards for a period of 30 years from the purchase date for use in private dwellings as described above and in compliance with the following Terms and Conditions.

This warranty statement does not limit consumers' legal rights.

Damage caused by improper use, accidents, insects, force majeure and circumstances that are not habitual in normal areas of the home are excluded from this warranty. Neither does it cover deterioration of a purely visual nature, such as marks, joints, changes in colour following exposure to light, deformation of the panels for climatic reasons or wear and tear of the surface finish. Likewise, damage caused by the improper installation of the flooring; improper care, cleaning and maintenance of the surface finish; mechanical or chemical deterioration; and damp-related damage are also excluded from this warranty.

This warranty statement replaces all previous ones. To exercise this manufacturer's warranty, only the version in effect on the purchase date shall be valid.

SCOPE OF WARRANTY

This warranty covers products of a superior quality and their sole use in living spaces subject to normal traffic, excluding wet areas like bathrooms or saunas.

WARRANTY TERMS & CONDITIONS

For a claim to L'Antic Colonial S.A. to be taken into consideration, the following terms and conditions must be met:

Appropriate atmospheric conditions:
In rooms where the parquet is laid, healthy atmospheric conditions must be ensured, with a relative humidity of 45-65% and temperature of approximately (+/-) 20ºC.

Proper installation:
Before laying the flooring, please read the installation instructions that can be found in each original package of L'ANTIC COLONIAL PARQUET flooring. It is particularly important to follow the guidelines concerning the moisture level of the floor and installation of underfloor heating. If flooring is improperly laid, this manufacturer's warranty will not cover related claims.

Proper care and cleaning:
Important floor care and cleaning instructions can be found in each original package of L'ANTIC COLONIAL PARQUET FLOORING. To ensure proper care, only original floor care products by L'Antic Colonial should be used. Warranty claims will only be taken into consideration when L'Antic Colonial parquet flooring is cleaned and cared for in a proper fashion.

Proper care of the surface finish:
The surface finish (the APRESTO varnish or NATURA oil and wax finish) is a coat that protects the fine wood wear layer just below it, and it is affected by normal wear and tear as a result of the floor's use. In consequence, the wear and tear of the surface finish is not covered by this warranty. When the surface finish shows signs of wear and tear, it should be fully or partially renewed in good time so that it does not lose its protective function. (This can be done by sanding or re-varnishing L'Antic Colonial parquet flooring with an APRESTO varnish; or partially sanding and/or treating the flooring in the case of L'Antic Colonial parquet flooring with a NATUR oiled and waxed finish, i.e. using original wood care products by L'Antic Colonial). By treating the surface finish in time, L'ANTIC COLONIAL PARQUET FLOORING will be given a longer useful life. If the surface finish is not properly maintained, the manufacturer's warranty will not cover related claims.

WARRANTY COVERAGE

This warranty also includes the legal guarantees covering material defects and the special rights of purchasers, including the rights of the purchaser against the vendor.

Faulty boards will be replaced free of charge provided that checks for faulty materials are performed before any of the L'ANTIC COLONIAL PARQUET components are laid. This warranty does not cover faulty parts that are laid. Likewise it does not cover damage caused by third parties (e.g. during transportation).

Once a claim has been accepted, L'Antic Colonial S.A. reserves the right to make detailed repairs to faulty areas or to send replacement parts to the appropriate sales agent/retailer free of charge in the event that hidden defects are detected after the flooring is laid.

If the faulty product is no longer supplied, L'Antic Colonial S.A. will replace it with a product of an equivalent standard from its current stock of L'ANTIC COLONIAL PARQUET FLOORING.

Acceptance of a claim does not imply that the warranty period will be extended. Negotiations between L'Antic Colonial S.A. and a client aimed at clarifying possible faulty materials do not imply the recognition of a legal obligation. Purchasers will not acquire additional rights or be entitled to make additional demands. The cost of dismantling and re-laying the parquet flooring or individual boards and the cost of renewing the floor's finish are not included.

L'Antic Colonial S.A. reserves the right to comply with the warranty point by point as the used material is returned.

CLAIMS PROCEDURE

Notice of any damage must be made in writing to the authorized sales agent/retailer or directly to L'Antic Colonial S.A. at Carretera Nacional 340, km 56, 12540 Castellón, Spain, within 30 days of its appearance. A photo should be attached of the damaged flooring, together with a detailed report of the damage and the original bill of sale.

L'Antic Colonial S.A. reserves the right to visit the place on a previously agreed date in order to check whether the terms and conditions of the warranty have been met.

***Flooring:** Piccola 1L Grigio 9x109x1.4 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Ipe Iguazu

Ipe Iguazu

Ipe Iguazu

Styledeck Plus

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Styledeck Plus

Styledeck Plus

OUTDOOR **DECKING**

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NATURAL WOOD

IPE IGUAZU

Flooring: *Ipe Iguazu 9.8x180x2.1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

IPE

Origin:
South America and Caribbean
Shade variation:
medium/high
Compression resistance:
890kg/cm2
Oxidation:
Moderate
Underfloor heating:
-
Amount of knots:
Medium / Low
Shrinkage coefficient:
0.41%
Stability:
Stable
Apparent density at 12% moisture level:
1050 kg/m3
Chalais-Meudon hardness:
8.5 Very hard wood

IPE IGUAZU

9.8x180x2.1cm - 3 7/8"x70 7/8"x7/8"

100153473 - L165003116 - G-651

9.3x180x2.1cm - 3 5/8"x70 7/8"x7/8"

100158645 - L165003376 - G-651

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KIT IPE IGUAZU	9.8 cm 3 7/8"	100083486 L900500001	G-666	- -	- -	- -
KIT IPE IGUAZU	9.3 cm 3 5/8"	100158646 L167012547	G-666	- -	- -	- -
IPE IGUAZU	9.8x180x2.1 cm 3 7/8"x70 7/8"x7/8"	100153473 L165003116	G-651	1 Bx 60 Pal	0.88 Bx 52.92 Pal	4.67 Bx 280.44 Pal
IPE IGUAZU	9.3x180x2.1 cm 3 5/8"x70 7/8"x7/8"	100158645 L165003376	G-651	1 Bx 60 Pal	0.83 Bx 50.22 Pal	17.09 Bx 1025.4 Pal
PINE JOIST	4.5x3.8x210 cm 1 3/4"x1 1/2"x82 5/8"	100156133 L167012498	G-913	1 Bx 500 Pal	0.09 Bx 48 Pal	2.30 Bx 1151 Pal
CLIPS PM	0.23 cm 1/8"	100153683 L167012476	G-900	500 CJ 84000 Pal	- -	5.5 Bx 924 Pal
BOX OF SCREWS (500 PZ/BX)	0.5x2.5 cm 1/4"x1"	100153682 L167012477	G-633	1 Bx 1000 Pal	- -	1 Bx 1000 Pal

***Note:** *Depending on the availability of the raw material, the product will be provided in lengths of 9.3 or 9.8 cm
Each box contains pieces 180 cm and 90 cm long.

The kit includes the following *for every 1m²:
- 1 m² of decking.
- 3.8 m of joists.
- 27 clips with screws.

COMPOSICIÓN

Solid layer of Tabebuia IPE Stand wood.
21 mm total.

SPECIAL PIECES



FINISHING PANEL

L267201011
100002859
G-610



45MM STRAIGHT PUNCH

L267301011
100003357
G-644

1/4" CIRCUMFERENCE PUNCH

L267401011
100003360
G-654

45MM CURVED PUNCH

L267501011
100003363
G-654

Oil for outdoor decking that penetrates the wood without forming a film and protects against water, fouling and sunlight.

ACEITE TARIMA EXTERIOR/ DECKING OIL 4L

100148086 - L167012433 - G-955

Use without thinning. Coverage: 10-16 m2/l.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

L'ANTIC COLONIAL OUTDOOR DECKING

Wood for outdoor decking, in spite of its exceptional strength, requires application of a special oil for outdoor use to ensure its durability over time. In particular, the woods selected for this purpose by L'Antic Colonial are dense, fine or medium-grained and not liable to form splinters.

With these woods we propose a new way to dress your house on the outside with elegant materials perfectly integrated with nature. They transmit a myriad of new sensations that will make your home the ideal place to live.

MAINTENANCE AND CARE

-We recommend periodic application of L'Antic Colonial ACEITE TARIMA EXTERIOR/OIL DECKING to maintain the aesthetic features of your decking for a longer time. This product should be applied all year round, preferably at the beginning of each season.

-Do not oil the wood when it is sunny. It is better to do it in the early morning or late afternoon. Do not apply on wet surfaces or when it is about to rain.

-Two coats should be applied, rubbing the oil on parallel to the wood grain.

-The wood decking should have settled fully about one year after it is erected.

-Never use a mop to clean the wood. Always use a sponge or soft cloth.

OUTDOOR CARE

-ACEITE TARIMA EXTERIOR/DECKING OIL. Coverage: 80 - 100 ml/m2

-The oil strengthens the wood and brings out the beauty of the grain while protecting against ultra-violet rays, fungi and bacteria.

-Clean the wood thoroughly and let it dry completely before beginning the treatment.

-Application:

Apply at temperatures between +10 ºC and +30 ºC at a relative humidity of ≤ 80%.
Use a clean paintbrush. Apply one coat, leave to dry for 12 hours, and apply a second one.

-After drying the second coat (12-24 hours), polish with an abrasive mesh sanding disc and vacuum away any remains.

-After sanding, apply a second coat of the product.

-Remove any surplus oil with a solvent or alcohol before it hardens.

Flooring: *Ipe Iguazu 9.8x180x2.1 cm.*

TREATMENT TABLE, OILING & MAINTENANCE

CONDITIONS	PROTECTIVE MEASURES
Frequent rain	Oil to avoid possible dimensional changes.
Night frosts	Maintenance care before and after the summer season.
High temperatures	Water often to conserve the wood's moisture level.
Strong sunlight	Water often to conserve the wood's moisture level.

Flooring: *Ipe Iguazu 9.8x180x2.1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

STYLEDECK PLUS

DARK
GREY
BROWN

Flooring: *Styledeck Plus Brown 14.4x210x2.2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Density (EN-ISO 1183-1 2004):
1125 kg/m3
Thermal expansion factor (ISO 11359-2):
2.79x10-5 mm/mm °C
Fire resistance (Euroclass):
A2
Water absorption (ISO 1087-1):
0.1% w/w
Immersion in boiling water (ISO 16979):
1.42% w/w
Ageing (xenon)
DE<5

STYLEDECK PLUS DARK

14.4x210x2.2cm - 5 5/8"x82 6/8"x7/8"

100153496 - L167012474 - G-643

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KIT STYLEDECK PLUS DARK*	- -	100153494 L167012473	G-657	- -	- -	- -
STYLEDECK PLUS DARK	14.4x210x2.2 cm 5 5/8"x82 6/8"x7/8"	100153496 L167012474	G-643	3 Bx 120 Pal	1.90 Bx 76.20 Pal	9.90 Bx 396 Pal
PINE JOIST	4.5x3.8x210 cm 1 3/4"x1 1/2"x82 5/8"	100156133 L167012498	G-913	1 Bx 504 Bx	0.09 Bx 47.37 Pal	1.99 Bx 1002.45 Pal
CLIPS STYLEDECK PLUS	- -	100155280 L167012494	G-976	450 Bx 90000 Pal	450 Bx 90000 Pal	4.50 Bx 900 Pal

The kit includes the following *for every 1m²:
- 1 m² of decking.
- 4 m of joists.
- 27 clips with screws.

COMPOSITION

Extruded solid layer. 60% PEFC-certified recycled wood fibre + 35% recycled HDPE (high density polyethylene) + 5% natural additives (lubricants and pigmentation).

Density (EN-ISO 1183-1 2004):
1125 kg/m3
Thermal expansion factor (ISO 11359-2):
2.79x10-5 mm/mm °C
Fire resistance (Euroclass):
A2
Water absorption (ISO 1087-1):
0.1% w/w
Immersion in boiling water (ISO 16979):
1.42% w/w
Ageing (xenon)
DE<5

STYLEDECK PLUS GREY

14.4x210x2.2cm - 5 5/8"x82 6/8"x7/8"

100153497 - L167012475 - G-643

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KIT STYLEDECK PLUS GREY*	- -	100153520 L167012470	G-657	- -	- -	- -
STYLEDECK PLUS GREY	14.4x210x2.2 cm 5 5/8"x82 6/8"x7/8"	100153497 L167012475	G-643	3 Bx 120 Pal	1.90 Bx 76.20 Pal	9.90 Bx 396 Pal
PINE JOIST	4.5x3.8x210 cm 1 3/4"x1 1/2"x82 5/8"	100156133 L167012498	G-913	1 Bx 504 Bx	0.09 Bx 47.37 Pal	1.99 Bx 1002.45 Pal
CLIPS STYLEDECK PLUS	- -	100155280 L167012494	G-976	450 Bx 90000 Pal	450 Bx 90000 Pal	4.50 Bx 900 Pal

The kit includes the following *for every 1m²:
- 1 m² of decking.
- 4 m of joists.
- 27 clips with screws.

COMPOSITION

Extruded solid layer. 60% PEFC-certified recycled wood fibre + 35% recycled HDPE (high density polyethylene) + 5% natural additives (lubricants and pigmentation).

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Density (EN-ISO 1183-1 2004):
1125 kg/m3
Thermal expansion factor (ISO 11359-2):
2.79x10-5 mm/mm °C
Fire resistance (Euroclass):
A2
Water absorption (ISO 1087-1):
0.1% w/w
Immersion in boiling water (ISO 16979):
1.42% w/w
Ageing (xenon)
DE<5

STYLEDECK PLUS BROWN

14.4x210x2.2cm - 5 5/8"x82 6/8"x7/8"

100153495 - L167012472 - G-643

DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
KIT STYLEDECK PLUS BROWN*	- -	100153493 L167012471	G-657	- -	- -	- -
STYLEDECK PLUS BROWN	14.4x210x2.2 cm 5 5/8"x82 6/8"x7/8"	100153495 L167012472	G-643	3 Bx 120 Pal	1.90 Bx 76.20 Pal	9.90 Bx 396 Pal
PINE JOIST	4.5x3.8x210 cm 1 3/4"x1 1/2"x82 5/8"	100156133 L167012498	G-913	1 Bx 504 Bx	0.09 Bx 47.37 Pal	1.99 Bx 1002.45 Pal
CLIPS STYLEDECK PLUS	- -	100155280 L167012494	G-976	450 Bx 90000 Pal	450 Bx 90000 Pal	4.50 Bx 900 Pal

The kit includes the following *for every 1m²:
- 1 m² of decking.
- 4 m of joists.
- 27 clips with screws.

COMPOSITION

Extruded solid layer. 60% PEFC-certified recycled wood fibre + 35% recycled HDPE (high density polyethylene) + 5% natural additives (lubricants and pigmentation).

Flooring: *Styledeck Plus Brown 14.4x210x2.2 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Lama Supreme

Endless

Forum

Residence

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Lama Vintage

Revelation

LAMINATE FLOORING

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NATURAL

Simulation of lightly textured wood in a wide range of colours.

LAMA SUPREME

High performance, wide format natural wood effect laminate flooring.

LIFE

A variety of models with non-synchronised textured effect.

FORUM

Various designs with the look of plain oiled wood.

RESIDENCE

Contemporary colours with elegant designs.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

STYLE

Synchronised designs and textures with a contemporary touch.



LAMA VINTAGE

Rustic design in large format laminate flooring.

REVELATION

Extremely durable, with avant garde designs and colours.

ENDLESS

Natural finishes with effect of continuity between boards.

WET PLUS

Laminate PVC flooring suitable for bathrooms and toilets.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LIFE
Texture similar to brushed wood.

BISEL 4
Bevelled on all four sides.

BISEL 2
Bevelled on the long sides.

MATT
Matte finish.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TEXTURE
Texture similar to that of hand-planed wood.

NATURAL
Imitates the surface of natural wood.

SENSE and SENSE PLUS
A surface with a micro-structure similar to the pores in natural wood. Endows the material with a texture similar to that of wood, an effect that is intensified in Sense Plus.

WET
Water and moisture-resistant flooring suitable for humid areas such as bathrooms and kitchens.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

L'Antic Colonial's laminate flooring is synonymous with quality. Made of carefully selected raw materials, it is manufactured according to a complex production process. Therefore we guarantee full use of models classed AC4 and AC5 in the home for 20 years (in the case of AC5 only for private use, with a warranty of 5 years for public use).

L'Antic Colonial's laminate flooring is synonymous with quality. Made of carefully selected raw materials, it is manufactured according to a complex production process. As a result, in accordance with the terms and conditions of the warranty, class AC3 models are fully guaranteed in homes for 15 years.

Endless. Boards with pattern continuity from one to another to achieve the visual effect of much longer units.

1 board (1L). A laminate flooring format in which a single board covers the entire surface.

2 boards (2L). A laminate flooring format in which the decorative film is divided into two boards to cover the surface of the base.

3 boards(3L). A laminate flooring format in which the decorative film is divided into three boards to cover the surface of the base.

Abrasion-resistance in compliance with the UNE-EN 13329 standard.

Abrasion-resistance in compliance with the UNE-EN 13329 standard.

Abrasion-resistance in compliance with the UNE-EN 13329 standard.

A floating floor is a system that does not require the boards to be glued to the floor. They are clipped together on a layer of foam.

L'Antic Colonial's laminate flooring can be laid on top of water underfloor heating systems.

Flooring with anti-static properties able to dissipate the static electricity that builds up across the surface.

The FSC is an independent, non-governmental, non-profit-making international organization created in 1993 to promote an environmentally responsible, socially beneficial, economically viable form of forestry management throughout woodlands worldwide.

The FSC certificate guarantees that forestry products have been harvested from rationally managed woodlands in accordance with FSC principles and criteria. These define the minimum levels required for the proper management of forests worldwide.

.

PEFC, a pan-European forestry certificate, was created in 1998 as a voluntary scheme for promoting and certifying sustainable forest management.

The aims of the PEFC certification scheme are to promote the sustainable management of forests as an environmentally appropriate, socially beneficial, economically viable form of management; to enhance a positive image of forests and timber as a renewable raw material; and to guarantee the origin of products from sustainably managed forests for consumers.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

L'Antic Colonial laminate floors are composed of various layers that provide strength, quality and realism.

GENERAL INFORMATION



C1. Protective upper layer (overlay). Clear cellulose paper impregnated with melamine resin and aluminium dioxide and corundum particles.

C2. Decorative layer. High-resolution printed paper impregnated with aminoplast resins. Some models also have 2 extra specially impregnated layers.

C3. Core layer. High density fibreboard (HDF) and water-repellent glues. 7-10mm.

C4. Balancing layer. Sheet of Kraft paper impregnated with various layers of resins.

WET PLUS

C1. A highly wear-resistant film.

C2. Decorative film layer.

C3. 6.3 mm high quality synthetic resin with corrugated structure.

INSTALLATION SYSTEMS



QUICK LOCK

-Tool-free installation system.

-Very quick to lay.

-Professional end results.

-Easy to lay and just as easy to take up.

-Secure locking system on all four sides of the boards.

1. FIT TOGETHER *2. PRESS INTO PLACE* *3. READY*

One of the easiest, most secure installation systems on the market. Just angle boards against the long side of the previously fitted one and press down gently. No tools are needed. The boards will lock into place and remain firmly secure, thanks to the tongue and groove system. The flooring is just as swift and easy to take up.



LOCK

1. SLANT THE BOARD *2. FIT TOGETHER* *3. PRESS INTO PLACE* *4. READY*

One of the main features of this easy-to-install system is the long-lasting secure locking mechanism, ensuring that no gaps appear between the boards during the floor's useful life. Pressure is exerted on the boards when fitted, locking them securely into place and preventing them from being wrongly aligned.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

***LAMA SUPREME** 24,3x220 cm - 9 5/8"x96 5/8"*

***LAMA VINTAGE** 24,3x217,3 cm - 9 5/8"x85 5/8"*

***REVELATION** 16x128,7 cm - 6 1/4"x50 5/8"*

***1 LAMA** 19,3x128,2 cm - 7 5/8"x50 1/2"*

***2 LAMAS** 19,3x128,2 cm - 7 5/8"x50 1/2"*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

3 LAMAS *19,3x128,2 cm - 7 5/8"x50 1/2"*

ENDLESS *24,4x126,1 cm - 9 5/8"x49 5/8"*

STYLE *19,2x126,1 cm - 7 1/2"x49 5/8"*

WET PLUS *16,7x120 cm - 6 5/8"x47 1/4"*



Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

NATURAL

EBANO
MICHIGAN GREY
EIFFEL GRIS
MARRON DECAPE
TEXAS
LOFT
AMAZON LIGHT
MICHIGAN BROWN
ROBLE LIFE
MICHIGAN CLEAR
FORTE
BEIGE DECAPE
EIFFEL BLANC
MICHIGAN WHITE
NORDICO

Flooring: *AC4 Natural 1L Loft 19.3x128.2x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Enables underfloor heating
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L EBANO

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086949 - L163122088 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L EBANO	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086949 L163122088	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL EBANO NATURAL EBANO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155445 L165003249	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL EBANO NATURAL EBANO PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097224 L164300085	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER AC4 NATURAL 1L EBANO NATURAL EBANO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140036 L167012203	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L MICHIGAN GREY

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156392 - L165003281 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L MICHIGAN GREY	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156392 L165003281	G-613	8 x Bx 416 x Pal	0.97 x Bx 102.75 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL MICHIGAN GREY NATURAL MICHIGAN GREY SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156445 L165003301	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL MICHIGAN GREY NATURAL MICHIGAN GREY PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156418 L165003288	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER NATURAL MICHIGAN GREY NATURAL MICHIGAN GREY STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156386 L165003277	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

NATURAL 2L EIFFEL GRIS

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100156356 - L167012503 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 NATURAL 2L EIFFEL GRIS	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100156356 L167012503	G-611	9 x Bx 468 x Pal	2.22 x Bx 115.59 x Pal	15.23 x Bx 791.85 x Pal
	ZÓCALO NATURAL EIFFEL GRIS NATURAL EIFFEL GRIS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156442 L167012509	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL EIFFEL GRIS NATURAL EIFFEL GRIS PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156415 L167012508	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER AC4 NATURAL 1L EIFFEL GRIS NATURAL EIFFEL GRIS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156395 L167012505	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L MARRON DECAPE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086951 - L163122090 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L MARRON DECAPE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086951 L163122090	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL MARRON DECAPE NATURAL MARRON DECAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155448 L165003237	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL MARRON DECAPE NATURAL MARRON DECAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097219 L164300084	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER AC4 NATURAL MARRON DECAPE NATURAL MARRON DECAPE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140038 L167012299	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L TEXAS

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100080783 - L163341451 - G-609

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L TEXAS	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100080783 L163341451	G-609	8 x Bx 416 x Pal	0.98 x Bx 102.93 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL TEXAS NATURAL TEXAS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155450 L165003235	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL TEXAS NATURAL TEXAS PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100112831 L167011739	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL TEXAS NATURAL TEXAS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140041 L167012202	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L LOFT

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086956 - L163122092 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L LOFT	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086956 L163122092	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL LOFT NATURAL LOFT SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155447 L165003234	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL LOFT NATURAL LOFT PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097225 L164300091	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL LOFT NATURAL LOFT STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140037 L167012335	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L AMAZON LIGHT

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100114150 - L167011833 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L AMAZON LIGHT	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100114150 L167011833	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL AMAZON LIGHT NATURAL AMAZON LIGHT SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155443 L165003229	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL AMAZON LIGHT NATURAL AMAZON LIGHT PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114184 L167011795	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL AMAZON LIGHT NATURAL AMAZON LIGHT STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140034 L167012345	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible

NATURAL 1L MICHIGAN BROWN

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156404 - L165003278 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L MICHIGAN BROWN	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156404 L165003278	G-613	8 x Bx 416 x Pal	0.97 x Bx 102.75 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL MICHIGAN BROWN NATURAL MICHIGAN BROWN SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156443 L165003304	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL MICHIGAN BROWN NATURAL MICHIGAN BROWN PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156416 L165003283	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER NATURAL MICHIGAN BROWN NATURAL MICHIGAN BROWN STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156384 L165003291	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L ROBLE LIFE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086955 - L163122100 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L ROBLE LIFE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086955 L163122100	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL ROBLE LIFE NATURAL ROBLE LIFE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100158020 L165003374	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL ROBLE LIFE NATURAL ROBLE LIFE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097289 L164300138	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL ROBLE LIFE NATURAL ROBLE LIFE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140040 L167012213	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L MICHIGAN CLEAR

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156391 - L165003274 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L MICHIGAN CLEAR	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156391 L165003274	G-613	8 x Bx 416 x Pal	0.97 x Bx 102.75 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL MICHIGAN CLEAR NATURAL MICHIGAN CLEAR SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156444 L165003308	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL MICHIGAN CLEAR NATURAL MICHIGAN CLEAR PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156417 L165003307	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER NATURAL MICHIGAN CLEAR NATURAL MICHIGAN CLEAR STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156385 L165003279	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

NATURAL 1L FORTE

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100114139 - L167011824 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 NATURAL 1L FORTE	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100114139 L167011824	G-611	9 x Bx 468 x Pal	2.23 x Bx 115.80 x Pal	15.23 x Bx 791.86 x Pal
	ZÓCALO NATURAL FORTE NATURAL FORTE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155446 L165003254	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL FORTE NATURAL FORTE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114186 L167011799	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL FORTE NATURAL FORTE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139993 L167012262	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L BEIGE DECAPE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086947 - L163122099 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L BEIGE DECAPE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086947 L163122099	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO NATURAL BEIGE DECAPE NATURAL BEIGE DECAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155444 L165003257	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL BEIGE DECAPE NATURAL BEIGE DECAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097221 L164300090	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER NATURAL BEIGE DECAPE NATURAL BEIGE DECAPE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140035 L167012166	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

NATURAL 2L EIFFEL BLANC

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100156355 - L167012502 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 NATURAL 2L EIFFEL BLANC	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100156355 L167012502	G-611	9 x Bx 468 x Pal	2.22 x Bx 115.59 x Pal	15.23 x Bx 791.85 x Pal
	ZÓCALO NATURAL EIFFEL BLANC NATURAL EIFFEL BLANC SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156441 L167012506	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL EIFFEL BLANC NATURAL EIFFEL BLANC PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156414 L167012507	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER AC4 NATURAL 1L EIFFEL BLANC NATURAL EIFFEL BLANC STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156394 L167012504	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Radiant floor heating: Possible
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L MICHIGAN WHITE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156393 - L165003289 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L MICHIGAN WHITE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156393 L165003289	G-613	8 x Bx 416 x Pal	1.97 x Bx 102.75 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL MICHIGAN WHITE NATURAL MICHIGAN WHITE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156446 L165003298	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL MICHIGAN WHITE NATURAL MICHIGAN WHITE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156419 L165003299	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER NATURAL MICHIGAN WHITE NATURAL MICHIGAN WHITE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156387 L165003273	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

*** Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

NATURAL 1L NORDICO

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100043534 - L163341271 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 NATURAL 1L NORDICO	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100043534 L163341271	G-613	8 x Bx 416 x Pal	0.97 x Bx 102.75 x Pal	15.86 x Bx 824.93 x Pal
	ZÓCALO NATURAL NORDICO NATURAL NORDICO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155449 L165003252	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML NATURAL NORDICO NATURAL NORDICO PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097213 L164300082	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER NATURAL NORDICO NATURAL NORDICO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140039 L167012296	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LAMA SUPREME

CHICAGO
EBANO
MICHIGAN DARK BROWN
AFRICA
AMAZON
NOGAL NIZA
MICHIGAN BROWN
ILLINOIS
VALLEY
MICHIGAN CLEAR
DENVER
MICHIGAN GREY
TEXAS
BOSTON
AMAZON DECAPE
CASTAÑO SUNSET
BLANCO DECAPE

***Flooring:** AC4 LS 1L Valley 24.3x220x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L CHICAGO

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100156359 - L165003275 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L CHICAGO	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100156359 L165003275	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.24 x Pal	19.99 x Bx 779.80 x Pal
	ZÓCALO LS CHICAGO LS CHICAGO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156406 L165003284	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS CHICAGO LS CHICAGO PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156420 L165003306	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPERLAN LS CHICAGO LS CHICAGO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156398 L165003269	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L EBANO

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086972 - L159900314 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L EBANO	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086972 L159900314	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS EBANO LS EBANO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155407 L165003236	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS EBANO LS EBANO PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100112941 L167011737	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS EBANO LS EBANO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140021 L167012188	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L MICHIGAN DARK BROWN

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100156402 - L165003296 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L MICHIGAN DARK BROWN	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100156402 L165003296	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.24 x Pal	19.99 x Bx 779.80 x Pal
	ZÓCALO LS MICHIGAN DARK BROWN LS MICHIGAN DARK BROWN SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156409 L165003290	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS MICHIGAN DARK BROWN LS MICHIGAN DARK BROWN PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156412 L165003285	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPERLAN LS MICHIGAN DARK BROWN LS MICHIGAN DARK BROWN STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156382 L165003266	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L AFRICA

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086966 - L159900312 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	
	AC4 LS 1L AFRICA	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086966 L159900312	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS AFRICA LS AFRICA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155430 L165003258	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS AFRICA LS AFRICA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097229 L164300095	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS AFRICA LS AFRICA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140012 L167012292	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L AMAZON

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100113707 - L167011762 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L AMAZON	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100113707 L167011762	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS AMAZON LS AMAZON SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155440 L165003244	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS AMAZON LS AMAZON PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114183 L167011772	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS AMAZON LS AMAZON STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140013 L167012182	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L NOGAL NIZA

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086969 - L159900310 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L NOGAL NIZA	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086969 L159900310	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS NOGAL NIZA LS NOGAL NIZA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155409 L165003243	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS NOGAL NIZA LS NOGAL NIZA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097231 L164300096	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS NOGAL NIZA LS NOGAL NIZA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140024 L167012273	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L MICHIGAN BROWN

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100156400 - L165003292 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L MICHIGAN BROWN	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100156400 L165003292	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.24 x Pal	19.99 x Bx 779.80 x Pal
	ZÓCALO LS MICHIGAN BROWN LS MICHIGAN BROWN SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156407 L165003287	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS MICHIGAN BROWN LS MICHIGAN BROWN PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156421 L165003303	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPERLAN LS MICHIGAN BROWN LS MICHIGAN BROWN STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156399 L165003271	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L ILLINOIS

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086973 - L159900315 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L ILLINOIS	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086973 L159900315	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS ILLINOIS LS ILLINOIS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155408 L165003256	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS ILLINOIS LS ILLINOIS PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100112942 L167011735	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS ILLINOIS LS ILLINOIS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140022 L167012187	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L VALLEY

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086977 - L159900309 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L VALLEY	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086977 L159900309	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS VALLEY LS VALLEY SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155442 L165003259	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS VALLEY LS VALLEY PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100112943 L167011738	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS VALLEY LS VALLEY STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140031 L167012165	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L MICHIGAN CLEAR

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100156401 - L165003276 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L MICHIGAN CLEAR	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100156401 L165003276	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.24 x Pal	19.99 x Bx 779.80 x Pal
	ZÓCALO LS MICHIGAN CLEAR LS MICHIGAN CLEAR SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156408 L165003293	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS MICHIGAN CLEAR LS MICHIGAN CLEAR PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156411 L165003302	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPERLAN LS MICHIGAN CLEAR LS MICHIGAN CLEAR STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156410 L165003268	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L DENVER

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100103937 - L159900391 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L DENVER	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100103937 L159900391	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS DENVER LS DENVER SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155406 L165003247	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS DENVER LS DENVER PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100107262 L164300143	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS DENVER LS DENVER STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140020 L167012294	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L MICHIGAN GREY

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100156403 - L165003280 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L MICHIGAN GREY	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100156403 L165003280	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.24 x Pal	19.99 x Bx 779.80 x Pal
	ZÓCALO LS MICHIGAN GREY LS MICHIGAN GREY SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156440 L165003297	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS MICHIGAN GREY LS MICHIGAN GREY PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156413 L165003300	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPERLAN LS MICHIGAN GREY LS MICHIGAN GREY STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156383 L165003267	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L TEXAS

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086975 - L159900316- G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L TEXAS	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086975 L159900316	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS TEXAS LS TEXAS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155441 L165003231	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS TEXAS LS TEXAS PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097226 L164300086	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS TEXAS LS TEXAS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140030 L167012312	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L BOSTON

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086971 - L159900308 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L BOSTON	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086971 L159900308	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS BOSTON LS BOSTON SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155404 L167012495	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS BOSTON LS BOSTON PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097234 L164300104	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS BOSTON LS BOSTON STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140016 L167012185	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L AMAZON DECAPE

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100113692 - L167011757 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L AMAZON DECAPE	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100113692 L167011757	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS AMAZON DECAPE LS AMAZON DECAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155402 L165003242	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS AMAZON DECAPE LS AMAZON DECAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114181 L167011796	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS AMAZON DECAPE LS AMAZON DECAPE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140014 L167012163	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L CASTAÑO SUNSET

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100113708 - L167011760 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L CASTAÑO SUNSET	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100113708 L167011760	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS CASTAÑO SUNSET LS CASTAÑO SUNSET SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155405 L165003240	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS CASTAÑO SUNSET LS CASTAÑO SUNSET PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100115807 L167011901	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS CASTAÑO SUNSET LS CASTAÑO SUNSET STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140018 L167012186	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LS 1L BLANCO DECAPE

AC4 - 24.3x220x0.8cm - 9 5/8"x86 5/8"x3/8"

100086970 - L159900305 - G-619

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LS 1L BLANCO DECAPE	24.3x220x0.8 cm 9 5/8"x86 5/8"x3/8"	100086970 L159900305	G-619	5 x Bx 195 x Pal	2.67 x Bx 104.25 x Pal	20 x Bx 779.81 x Pal
	ZÓCALO LS BLANCO DECAPE LS BLANCO DECAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155403 L165003250	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LS BLANCO DECAPE LS BLANCO DECAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097233 L164300101	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN LS BLANCO DECAPE LS BLANCO DECAPE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140015 L167012264	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



***Flooring:** AC4 LS 1L Blanco Decape 24.3x220x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LIFE

RUSTIC
DESERT
ATLAS
CALIFORNIA
SOLID WHITE

Flooring: *AC3 Life 1L Rustic 19.3x128.2x0.7 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

LIFE 1L RUSTIC

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100080810 - L163341421 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 LIFE 1L RUSTIC	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100080810 L163341421	G-611	9 x Bx 468 x Pal	2.23 x Bx 115.79 x Pal	14.72 x Bx 765.18 x Pal
	ZÓCALO LIFE RUSTIC LIFE RUSTIC SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155428 L165003255	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LIFE RUSTIC LIFE RUSTIC PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097256 L164300116	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER LIFE 1L RUSTIC LIFE RUSTIC STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139992 L167012281	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

LIFE 1L DESERT

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100086931 - L163341545 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 LIFE 1L DESERT	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100086931 L163341545	G-611	9 x Bx 468 x Pal	2.22 x Bx 115.60 x Pal	15.23 x Bx 791.86 x Pal
	ZÓCALO LIFE DESERT LIFE DESERT SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155427 L165003253	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LIFE DESERT LIFE DESERT PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097248 L164300110	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER LIFE 1L DESERT LIFE DESERT STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139990 L167012221	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC3 (Home)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.11 w/m K

LIFE 1L ATLAS

AC3 - 19.3x128.2x0.7cm - 7 5/8"x50 1/2"x1/4"

100114137 - L167011821 - G-611

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC3 LIFE 1L ATLAS	19.3x128.2x0.7 cm 7 5/8"x50 1/2"x1/4"	100114137 L167011821	G-611	9 x Bx 468 x Pal	2.22 x Bx 115.60 x Pal	15.23 x Bx 791.86 x Pal
	ZÓCALO LIFE ATLAS LIFE ATLAS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155426 L165003238	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LIFE ATLAS LIFE ATLAS PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114171 L167011773	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER LIFE 1L ATLAS LIFE ATLAS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139929 L167012171	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LIFE 1L CALIFORNIA

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156358 - L167012500 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LIFE 1L CALIFORNIA	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156358 L167012500	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO LIFE CALIFORNIA LIFE CALIFORNIA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156405 L165003295	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML LIFE CALIFORNIA LIFE CALIFORNIA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156389 L165003294	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER LIFE 1L CALIFORNIA LIFE CALIFORNIA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156397 L165003270	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

LIFE 1L SOLID WHITE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x3/8"

100146100 - L167012364 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 LIFE 1L SOLID WHITE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x3/8"	100146100 L167012364	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.93 x Pal	15.84 x Bx 823.68 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML ALUMINIO ALUMINIUM PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100115020 L167011896	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER LIFE SOLID WHITE SOLID WHITE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153909 L165003133	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

***Flooring:** AC4 Life 1L Solid White 19.3x128.2x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

FORUM

NEW MERBAU
NOGAL NIZA
UNDERGROUND
OLMO BEIGE
IROKO
LANDSCAPE

Flooring: *AC4 Forum 1L Nogal Niza 19.3x128.2x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L OLMO BEIGE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100114141 - L165002578 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L OLMO BEIGE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100114141 L165002578	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM OLMO BEIGE FORUM OLMO BEIGE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155422 L165003251	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM OLMO BEIGE FORUM OLMO BEIGE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114168 L167011782	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER FORUM OLMO BEIGE FORUM OLMO BEIGE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140000 L165002928	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L LANDSCAPE

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100114140 - L165002579 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L LANDSCAPE	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100114140 L165002579	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM LANDSCAPE FORUM LANDSCAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155389 L165003245	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM LANDSCAPE FORUM LANDSCAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114166 L167011784	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER FORUM LANDSCAPE FORUM LANDSCAPE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139997 L165002936	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L IROKO

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100103935 - L163122112 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L IROKO	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100103935 L163122112	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM IROKO FORUM IROKO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155388 L165003241	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM IROKO FORUM IROKO PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100107263 L164300144	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER FORUM IROKO FORUM IROKO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139996 L165002931	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L NEW MERBAU

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100156357 - L165003286 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L NEW MERBAU	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100156357 L165003286	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM NEW MERBAU FORUM NEW MERBAU SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100156430 L165003305	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM NEW MERBAU FORUM NEW MERBAU PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100156388 L165003272	G-644	10 x Bx 480 x Pal	1.37 x Bx 66.09 x Pal	13.50 x Bx 648 x Pal
	MAMPER FORUM NEW MERBAU FORUM NEW MERBAU STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100156396 L165003282	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L NOGAL NIZA

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100086946 - L163122103 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L NOGAL NIZA	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100086946 L163122103	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM NOGAL NIZA FORUM NOGAL NIZA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155421 L165003230	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM NOGAL NIZA FORUM NOGAL NIZA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100112944 L167011736	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER FORUM NOGAL NIZA FORUM NOGAL NIZA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100139999 L165002934	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: ASF-2
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.12 w/m K

FORUM 1L UNDERGROUND

AC4 - 19.3x128.2x0.8cm - 7 5/8"x50 1/2"x5/16"

100114142 - L165002581 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 FORUM 1L UNDERGROUND	19.3x128.2x0.8 cm 7 5/8"x50 1/2"x5/16"	100114142 L165002581	G-613	8 x Bx 416 x Pal	0.98 x Bx 102.75 x Pal	16.42 x Bx 853.63 x Pal
	ZÓCALO FORUM UNDERGROUND FORUM UNDERGROUND SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155424 L165003232	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML FORUM UNDERGROUND FORUM UNDERGROUND PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100114170 L167011783	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPER FORUM UNDERGROUND FORUM UNDERGROUND STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140001 L165002935	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



***Flooring:** AC4 Forum 1L Nogal Niza 19.3x128.2x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

RESIDENCE

NEW JERSEY
IOWA
ROBLE
ROBLE DECAPE
HAYA
MAINE
VERMONT
VIRGINIA
OHIO

Flooring: *AC4 Residence 1L Roble Decape 19.3x138x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L NEW JERSEY

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112967 - L167011748 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L NEW JERSEY	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112967 L167011748	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13,78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE NEW JERSEY RESIDENCE NEW JERSEY SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114222 L167901753	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE NEW JERSEY RESIDENCE NEW JERSEY LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115884 L167011921	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE NEW JERSEY RESIDENCE NEW JERSEY TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115895 L167011920	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE NEW JERSEY RESIDENCE NEW JERSEY STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140045 L167012267	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 2L IOWA

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112971 - L167011754 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 2L IOWA	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112971 L167011754	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE IOWA RESIDENCE IOWA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114220 L167901747	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE IOWA RESIDENCE IOWA LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115882 L167011922	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE IOWA RESIDENCE IOWA TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115893 L167011928	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE IOWA RESIDENCE IOWA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140050 L167012298	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L ROBLE

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"
100089854 - L163500004 - G-608
AC5 - 19.3x138x1cm - 7 5/8"x54 3/8"x3/8"
100104022 - L163500014 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L ROBLE	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100089854 L163500004	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	AC5 RESIDENCE 1L ROBLE	19.3x138x1 cm 7 5/8"x54 3/8"x3/8"	100104022 L163500014	G-613	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	14.26 x Bx 798.78 x Pal
	ZÓCALO RESIDENCE 1L ROBLE RESIDENCE 1L ROBLE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112958 L167901735	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML RESIDENCE 1L ROBLE RESIDENCE 1L ROBLE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097278 L164300119	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN RESIDENCE 1L ROBLE RESIDENCE 1L ROBLE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140046 L167012323	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 3L ROBLE

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"
100081557 - L161504341 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 3L ROBLE	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100081557 L161504341	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE 3L ROBLE RESIDENCE 3L ROBLE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100115359 L167901764	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML RESIDENCE 3L ROBLE RESIDENCE 3L ROBLE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097278 L164300119	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN RESIDENCE 3L ROBLE RESIDENCE 3L ROBLE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140054 L167012344	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L ROBLE DECAPE

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100089855 - L163500008 - G-608

AC5 - 19.3x138x1cm - 7 5/8"x54 3/8"x3/8"

100104023 - L163500013 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L ROBLE DECAPE	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100089855 L163500008	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	AC5 RESIDENCE 1L ROBLE DECAPE	19.3x138x1 cm 7 5/8"x54 3/8"x3/8"	100104023 L163500013	G-613	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	14.26 x Bx 798.78 x Pal
	ZÓCALO RESIDENCE 1L ROBLE DECAPE RESIDENCE 1L ROBLE DECAPE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112959 L167901736	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML RESIDENCE 1L ROBLE DECAPE RESIDENCE 1L ROBLE DECAPE PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097288 L164300136	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN RESIDENCE 1L ROBLE RESIDENCE 1L ROBLE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140047 L167012343	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L HAYA

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100089852 - L163500003 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L HAYA	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100089852 L163500003	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE 1L HAYA RESIDENCE 1L HAYA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112957 L167901733	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML RESIDENCE 1L HAYA RESIDENCE 1L HAYA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097266 L164300129	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN RESIDENCE 1L HAYA RESIDENCE 1L HAYA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140044 L167012334	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 3L HAYA

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100032121 - L163341101 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 3L HAYA	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100032121 L163341101	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE 3L HAYA RESIDENCE 3L HAYA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100112957 L167901733	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PML RESIDENCE 3L HAYA RESIDENCE 3L HAYA PML	5.1x270x1.3 cm 2"x106 1/4"x1/2"	100097266 L164300129	G-644	10 x Bx 480 x Pal	1.38 x Bx 66.10 x Pal	17.79 x Bx 853.92 x Pal
	MAMPERLAN RESIDENCE 3L HAYA RESIDENCE 3L HAYA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140052 L167012297	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 2L MAINE

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112972 - L167011745 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 2L MAINE	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112972 L167011745	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE MAINE RESIDENCE MAINE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114221 L167901759	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE MAINE RESIDENCE MAINE LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115883 L167011913	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE MAINE RESIDENCE MAINE TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115894 L167011917	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE MAINE RESIDENCE MAINE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140051 L167012338	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L VERMONT

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112968 - L167011747 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L VERMONT	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112968 L167011747	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE VERMONT RESIDENCE VERMONT SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114224 L167901751	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE VERMONT RESIDENCE VERMONT LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115886 L167011911	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE VERMONT RESIDENCE VERMONT TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115897 L167011908	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE VERMONT RESIDENCE VERMONT STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140048 L167012348	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 1L VIRGINIA

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112969 - L108019941 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 1L VIRGINIA	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112969 L108019941	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE VIRGINIA RESIDENCE VIRGINIA SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114225 L167901746	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE VIRGINIA RESIDENCE VIRGINIA LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115887 L167011915	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE VIRGINIA RESIDENCE VIRGINIA TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115898 L167011914	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE VIRGINIA RESIDENCE VIRGINIA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140049 L167012324	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.17 w/m K

RESIDENCE 3L OHIO

AC4 - 19.3x138x0.8cm - 7 5/8"x54 3/8"x5/16"

100112973 - L167011751 - G-608

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 RESIDENCE 3L OHIO	19.3x138x0.8 cm 7 5/8"x54 3/8"x5/16"	100112973 L167011751	G-608	8 x Bx 448 x Pal	2.13 x Bx 119.32 x Pal	13.78 x Bx 770.90 x Pal
	ZÓCALO RESIDENCE OHIO RESIDENCE OHIO SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100114223 L167901760	G-605	5 x Bx 550 x Pal	0.88 x Bx 96.80 x Pal	6.90 x Bx 759 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACIÓN RESIDENCE OHIO RESIDENCE OHIO LEVELLING PROFILE	4.4x244x1 cm 1 3/4"x96"x3/8"	100115885 L167011907	G-610	9 x Bx 900 x Pal	0.97 x Bx 96.62 x Pal	6.33 x Bx 632.70 x Pal
	TRANSICIÓN RESIDENCE OHIO RESIDENCE OHIO TRANSITION PROFILE	4.2x244x1 cm 1 5/8"x96"x3/8"	100115896 L167011925	G-610	9 x Bx 900 x Pal	0.92 x Bx 92.23 x Pal	6.47 x Bx 647.10 x Pal
	MAMPERLAN RESIDENCE OHIO RESIDENCE OHIO STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140053 L167012336	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Flooring: *AC4 Residence 3L Ohio 19.3x138x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

STYLE

SMOOTH
MILD
QUIET
CALM

Flooring: *AC4 Style 1L Smooth 19.2x126.1x0.7 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.15 w/m K

STYLE 1L SMOOTH

AC4 - 19.2x126.1x0.7cm - 7 1/2"x49 5/8"x1/4"

100114127 - L167011832 - G-609

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 STYLE 1L SMOOTH	19.2x126.1x0.7 cm 7 1/2"x49 5/8"x1/4"	100114127 L167011832	G-609	10 x Bx 480 x Pal	2.43 x Bx 116.40 x Pal	16.35 x Bx 784.80 x Pal
	ZÓCALO STYLE SMOOTH STYLE SMOOTH SKIRTING	8x225x1.4 cm 3 1/8"x88 5/8"x1/2"	100114230 L167011808	G-605	12 x Bx 696 x Pal	2.16 x Bx 125.28 x Pal	19.45 x Bx 1128.21 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL IGUALACIÓN STYLE SMOOTH STYLE SMOOTH LEVELLING PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115892 L167011916	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 769 x Pal
	PERFIL TRANSICIÓN STYLE SMOOTH STYLE SMOOTH TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115903 L167011909	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 796 x Pal
	MAMPERLAN STYLE SMOOTH STYLE SMOOTH STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140058 L167012354	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.15 w/m K

STYLE 1L MILD

AC4 - 19.2x126.1x0.7cm - 7 1/2"x49 5/8"x1/4"

100114126 - L167011813 - G-609

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 STYLE 1L MILD	19.2x126.1x0.7 cm 7 1/2"x49 5/8"x1/4"	100114126 L167011813	G-609	10 x Bx 480 x Pal	2.43 x Bx 116.40 x Pal	16.35 x Bx 784.80 x Pal
	ZÓCALO STYLE MILD STYLE MILD SKIRTING	8x225x1.4 cm 3 1/8"x88 5/8"x1/2"	100114228 L167011793	G-605	12 x Bx 696 x Pal	2.16 x Bx 125.28 x Pal	19.45 x Bx 1128.21 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL IGUALACIÓN STYLE MILD STYLE MILD LEVELLING PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115890 L167011927	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 769 x Pal
	PERFIL TRANSICIÓN STYLE MILD STYLE MILD TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115901 L167011912	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 796 x Pal
	MAMPERLAN STYLE MILD STYLE MILD STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140056 L167012352	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.15 w/m K

STYLE 1L QUIET

AC4 - 19.2x126.1x0.7cm - 7 1/2"x49 5/8"x1/4"

100114117 - L167011838 - G-609

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 STYLE 1L QUIET	19.2x126.1x0.7 cm 7 1/2"x49 5/8"x1/4"	100114117 L167011838	G-609	10 x Bx 480 x Pal	2.43 x Bx 116.40 x Pal	16.35 x Bx 784.80 x Pal
	ZÓCALO STYLE QUIET STYLE QUIET SKIRTING	8x225x1.4 cm 3 1/8"x88 5/8"x1/2"	100114229 L167011807	G-605	12 x Bx 696 x Pal	2.16 x Bx 125.28 x Pal	19.45 x Bx 1128.21 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL IGUALACIÓN STYLE QUIET STYLE QUIET LEVELLING PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115891 L167011918	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 769 x Pal
	PERFIL TRANSICIÓN STYLE QUIET STYLE QUIET TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115902 L167011926	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 796 x Pal
	MAMPERLAN STYLE QUIET STYLE QUIET STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140057 L167012355	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 850±5% kg/m3
Impact test: IC2
Swelling: <18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.15 w/m K

STYLE 1L CALM

AC4 - 19.2x126.1x0.7cm - 7 1/2"x49 5/8"x1/4"

100114125 - L167011815 - G-609

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 STYLE 1L CALM	19.2x126.1x0.7 cm 7 1/2"x49 5/8"x1/4"	100114125 L167011815	G-609	10 x Bx 480 x Pal	2.43 x Bx 116.40 x Pal	16.35 x Bx 784.80 x Pal
	ZÓCALO STYLE CALM STYLE CALM SKIRTING	8x225x1.4 cm 3 1/8"x88 5/8"x1/2"	100114227 L167011788	G-605	12 x Bx 696 x Pal	2.16 x Bx 125.28 x Pal	19.45 x Bx 1128.21 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL IGUALACIÓN STYLE CALM STYLE CALM LEVELLING PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115889 L167011910	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 769 x Pal
	PERFIL TRANSICIÓN STYLE CALM STYLE CALM TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100115900 L167011919	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.38 x Bx 796 x Pal
	MAMPERLAN STYLE CALM STYLE CALM STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100140055 L167012353	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LAMA VINTAGE

AMSTERDAM
WIEN
PRAHA
BERLIN

***Flooring:** AC4 Vintage 1L Praha 24.3x217.4x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <12%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m2 K/W

LAMA VINTAGE 1L AMSTERDAM

AC4 - 24.3x217.4x0.8cm - 9 5/8"x85 5/8"x3/8"

100146102 - L167012370 - G-616

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 VINTAGE 1L AMSTERDAM	24.3x217.4x0.8 cm 9 5/8"x85 5/8"x3/8"	100146102 L167012370	G-616	4 x Bx 168 x Pal	2.11 x Bx 88.75 x Pal	15 x Bx 630 x Pal
	ZOCALO VINTAGE AMSTERDAM VINTAGE AMSTERDAM SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146675 L167012420	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACION VINTAGE AMSTERDAM VINTAGE AMSTERDAM LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146682 L167012398	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	TRANSICION VINTAGE AMSTERDAM VINTAGE AMSTERDAM TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146813 L167012419	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN VINTAGE AMSTERDAM VINTAGE AMSTERDAM STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153910 L167012524	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <12%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m2 K/W

LAMA VINTAGE 1L WIEN

AC4 - 24.3x217.4x0.8cm - 9 5/8"x85 5/8"x3/8"

100146104 - L167012374 - G-616

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 VINTAGE 1L WIEN	24.3x217.4x0.8 cm 9 5/8"x85 5/8"x3/8"	100146104 L167012374	G-616	4 x Bx 168 x Pal	2.11 x Bx 88.75 x Pal	15 x Bx 630 x Pal
	ZOCALO VINTAGE WIEN VINTAGE WIEN SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146691 L167012401	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACION VINTAGE WIEN VINTAGE WIEN LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146706 L167012414	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	TRANSICION VINTAGE WIEN VINTAGE WIEN TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146816 L167012404	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN VINTAGE WIEN VINTAGE WIEN STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153913 L167012527	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <12%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m2 K/W

LAMA VINTAGE 1L PRAHA

AC4 - 24.3x217.4x0.8cm - 9 5/8"x85 5/8"x3/8"

100146103 - L167012373 - G-616

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 VINTAGE 1L PRAHA	24.3x217.4x0.8 cm 9 5/8"x85 5/8"x3/8"	100146103 L167012373	G-616	4 x Bx 168 x Pal	2.11 x Bx 88.75 x Pal	15 x Bx 630 x Pal
	ZOCALO VINTAGE PRAHA VINTAGE PRAHA SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146690 L167012413	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACION VINTAGE PRAHA VINTAGE PRAHA LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146705 L167012396	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	TRANSICION VINTAGE PRAHA VINTAGE PRAHA TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146815 L167012407	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN VINTAGE PRAHA VINTAGE PRAHA STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153912 L167012531	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: <12%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m2 K/W

LAMA VINTAGE 1L BERLIN

AC4 - 24.3x217.4x0.8cm - 9 5/8"x85 5/8"x3/8"

100146101 - L167012371 - G-616

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 VINTAGE 1L BERLIN	24.3x217.4x0.8 cm 9 5/8"x85 5/8"x3/8"	100146101 L167012371	G-616	4 x Bx 168 x Pal	2.11 x Bx 88.75 x Pal	15 x Bx 630 x Pal
	ZOCALO VINTAGE BERLIN VINTAGE BERLIN SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146689 L167012408	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	IGUALACION VINTAGE BERLIN VINTAGE BERLIN LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146807 L167012421	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	TRANSICION VINTAGE BERLIN VINTAGE BERLIN TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146814 L167012418	G-612	10 x Bx 1000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN VINTAGE BERLIN VINTAGE BERLIN STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153911 L167012529	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

REVELATION

DENALI
REDWOOD
YELLOWSTONE
YOSEMITE
EVERGLADES
KATMAI

Flooring: *AC5 Revelation 1L Yosemite 16x128.7x1 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L DENALI

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146023 - L167012367 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L DENALI	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146023 L167012367	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION DENALI REVELATION DENALI SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146683 L167012417	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION DENALI REVELATION DENALI TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146707 L167012400	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION DENALI REVELATION DENALI LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146801 L167012403	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION DENALI REVELATION DENALI STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153914 L167012523	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L REDWOOD

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146026 - L167012368 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L REDWOOD	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146026 L167012368	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION REDWOOD REVELATION REDWOOD SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146686 L167012397	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION REDWOOD REVELATION REDWOOD TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146804 L167012416	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION REDWOOD REVELATION REDWOOD LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146810 L167012424	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION REDWOOD REVELATION REDWOOD STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153921 L167012521	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L YELLOWSTONE

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146027 - L167012372 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L YELLOWSTONE	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146027 L167012372	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION YELLOWSTONE REVELATION YELLOWSTONE SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146687 L167012399	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION YELLOWSTONE REVELATION YELLOWSTONE TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146805 L167012423	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION YELLOWSTONE REVELATION YELLOWSTONE LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146811 L167012422	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION YELLOWSTONE REVELATION YELLOWSTONE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153922 L167012520	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L YOSEMITE

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146003 - L167012365 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L YOSEMITE	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146003 L167012365	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION YOSEMITE REVELATION YOSEMITE SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146688 L167012411	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION YOSEMITE REVELATION YOSEMITE TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146806 L167012412	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION YOSEMITE REVELATION YOSEMITE LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146812 L167012406	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION YOSEMITE REVELATION YOSEMITE STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153923 L167012528	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L EVERGLADES

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146024 - L167012366 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L EVERGLADES	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146024 L167012366	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION EVERGLADES REVELATION EVERGLADES SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146684 L167012395	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION EVERGLADES REVELATION EVERGLADES TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146708 L167012402	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION EVERGLADES REVELATION EVERGLADES LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146802 L167012410	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION EVERGLADES REVELATION EVERGLADES STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153920 L167012522	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC5 (High Traffic)
Board density: 950±5% kg/m3
Impact test: IC3
Swelling: ≤ 8%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.063 m2 K/W

REVELATION 1L KATMAI

AC5 - 16x128.7x1cm - 6 1/4"x50 5/8"x3/8"

100146025 - L167012369 - G-614

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC5 REVELATION 1L KATMAI	16x128.7x1 cm 6 1/4"x50 5/8"x3/8"	100146025 L167012369	G-614	8 x Bx 480 x Pal	1.65 98.84 x Pal	16 x Bx 960 x Pal
	ZÓCALO REVELATION KATMAI REVELATION KATMAI SKIRTING	8x220x1.4 cm 3 1/8"x86 5/8"x9/16"	100146685 L167012405	G-607	12 x Bx 600 x Pal	2.11 x Bx 105.60 x Pal	16.56 x Bx 828 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICION REVELATION KATMAI REVELATION KATMAI TRANSITION PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146709 L167012409	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	IGUALACION REVELATION KATMAI REVELATION KATMAI LEVELLING PROFILE	4x270x1 cm 1 3/4"x106 1/4"x3/8"	100146803 L167012415	G-612	10 x Bx 1,000 x Pal	1,08 x Bx 108 x Pal	15.40 x Bx 308 x Pal
	MAMPERLAN REVELATION KATMAI REVELATION KATMAI STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153687 L167012478	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2.00 x Bx 1,000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

ENDLESS

QUEENS
BROADWAY
BROOKLYN
LONG ISLAND

Flooring: *Endless 1L Broadway 24.4x126.1x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: 18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m²K/W

ENDLESS 1L QUEENS

AC4 - 24.4x126.1x0.8 cm - 9 5/8"x49 5/8"x3/8"

100153060 - L167012459 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 ENDLESS 1L QUEENS	24.4x126.1x0.8 cm 9 5/8"x49 5/8"x3/8"	100153060 L167012459	G-613	8 x Bx 360 x Pal	2.46 x Bx 110.74 x Pal	18.11 x Bx 815.04 x Pal
	ZÓCALO ENDLESS 1L QUEENS ENDLESS QUEENS SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100153895 L167012480	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	22.69 x Bx 907.76 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICIÓN ENDLESS QUEENS ENDLESS QUEENS TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100153888 L167012516	G-612	20 x Bx 1000 x Pal	0.21 x Bx 10.80 x Pal	15.38 x Bx 769 x Pal
	PERFIL IGUALACIÓN ENDLESS QUEENS ENDLESS QUEENS LEVELLING PROFILE	4x207x1 cm 1 5/8"x81 1/4"x3/8"	100153881 L167012510	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.92 x Bx 796 x Pal
	MAMPERLAN ENDLESS QUEENS ENDLESS QUEENS STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153908 L165003129	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: 18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m²K/W

ENDLESS 1L BROADWAY

AC4 - 24.4x126.1x0.8 cm - 9 5/8"x49 5/8"x3/8"

100153037 - L167012461 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 ENDLESS 1L BROADWAY	24.4x126.1x0.8 cm 9 5/8"x49 5/8"x3/8"	100153037 L167012461	G-613	8 x Bx 360 x Pal	2.46 x Bx 110.74 x Pal	18.11 x Bx 815.04 x Pal
	ZÓCALO ENDLESS 1L BROADWAY ENDLESS BROADWAY SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100153892 L167012482	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	22.69 x Bx 907.76 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICIÓN ENDLESS BROADWAY ENDLESS BROADWAY TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100153885 L167012515	G-612	20 x Bx 1000 x Pal	0.21 x Bx 10.80 x Pal	15.38 x Bx 769 x Pal
	PERFIL IGUALACIÓN ENDLESS BROADWAY ENDLESS BROADWAY LEVELLING PROFILE	4x207x1 cm 1 5/8"x81 1/4"x3/8"	100153848 L167012512	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.92 x Bx 796 x Pal
	MAMPERLAN ENDLESS BROADWAY ENDLESS BROADWAY STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153905 L165003132	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: 18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m²K/W

ENDLESS 1L BROOKLYN

AC4 - 24.4x126.1x0.8 cm - 9 5/8"x49 5/8"x3/8"

100153039 - L167012458 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 ENDLESS 1L BROOKLYM	24.4x126.1x0.8 cm 9 5/8"x49 5/8"x3/8"	100153039 L167012458	G-613	8 x Bx 360 x Pal	2.46 x Bx 110.74 x Pal	18.11 x Bx 815.04 x Pal
	ZÓCALO ENDLESS 1L BROOKLYM ENDLESS BROOKLYM SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100153893 L167012479	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	22.69 x Bx 907.76 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICIÓN ENDLESS BROOKLYM ENDLESS BROOKLYM TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100153886 L167012514	G-612	20 x Bx 1000 x Pal	0.21 x Bx 10.80 x Pal	15.38 x Bx 769 x Pal
	PERFIL IGUALACIÓN ENDLESS BROOKLYM ENDLESS BROOKLYM LEVELLING PROFILE	4x207x1 cm 1 5/8"x81 1/4"x3/8"	100153849 L167012511	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.92 x Bx 796 x Pal
	MAMPERLAN ENDLESS BROOKLYM ENDLESS BROOKLYM STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153906 L165003131	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1000 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Board density: 950±5% kg/m3
Impact test: IC2
Swelling: 18%
Underfloor heating: enabled
Anti-static class: -
Fire resistance: Cfl-s1
Pressure resistance: Not visible
Thermal conductivity: 0.068 m²K/W

ENDLESS 1L LONG ISLAND

AC4 - 24.4x126.1x0.8 cm - 9 5/8"x49 5/8"x3/8"

100153038 - L167012460 - G-613

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 ENDLESS 1L LONG ISLAND	24.4x126.1x0.8 cm 9 5/8"x49 5/8"x3/8"	100153038 L167012460	G-613	8 x Bx 360 x Pal	2.46 x Bx 110.74 x Pal	18.11 x Bx 815.04 x Pal
	ZÓCALO ENDLESS 1L LONG ISLAND ENDLESS LONG ISLAND SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100153894 L167012483	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	22.69 x Bx 907.76 x Pal
	ZÓCALO LAMINADO BLANCO WHITE LAMINATE SKIRTING	8x220x1.5 cm 3 1/8"x86 5/8"x5/8"	100155425 L165003246	G-605	14 x Bx 560 x Pal	2.46 x Bx 98.56 x Pal	19.32 x Bx 772.80 x Pal
	PERFIL TRANSICIÓN ENDLESS LONG ISLAND ENDLESS LONG ISLAND TRANSITION PROFILE	4x270x1 cm 1 5/8"x106 1/4"x3/8"	100153887 L167012517	G-612	20 x Bx 1000 x Pal	0.21 x Bx 10.80 x Pal	15.38 x Bx 769 x Pal
	PERFIL IGUALACIÓN ENDLESS LONG ISLAND ENDLESS LONG ISLAND LEVELLING PROFILE	4x207x1 cm 1 5/8"x81 1/4"x3/8"	100153880 L167012513	G-612	20 x Bx 1000 x Pal	2.16 x Bx 108 x Pal	15.92 x Bx 796 x Pal
	MAMPERLAN ENDLESS LONG ISLAND ENDLESS LONG ISLAND STAIR NOSING	7x150x3 cm 2 3/4"x 59"x1 1/8"	100153907 L165003130	G-020	1 x Bx 500 x Pal	0.10 x Bx 52.50 x Pal	2 x Bx 1000 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WET PLUS

ANTHRACITE
WARM GREY
NUT BROWN
CREAM
BROWN
GREY
WHITE

***Flooring:** AC4 Wet Plus 1L White 16.7x120x0.63 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Good
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L ANTHRACITE

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120956 - L167012059 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L ANTHRACITE	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120956 L167012059	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS ANTHRACITE WET PLUS ANTHRACITE SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128303 L167901803	G-606	12 x Bx 696 x Pal	0.97 x Bx 114,14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS ANTHRACITE WET PLUS ANTHRACITE LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130147 L167901815	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS ANTHRACITE WET PLUS ANTHRACITE TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130164 L167901826	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Buena
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L WARM GREY

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120961 - L167012061 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L WARM GREY	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120961 L167012061	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS WARM GREY WET PLUS WARM GREY SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128308 L167901806	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS WARM GREY WET PLUS WARM GREY LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130152 L167901813	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS WARM GREY WET PLUS WARM GREY TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130169 L167901833	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Buena
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L NUT BROWN

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120960 - L167012063 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L NUT BROWN	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120960 L167012063	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS NUT BROWN WET PLUS NUT BROWN SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128307 L167901804	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS NUT BROWN WET PLUS NUT BROWN LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130151 L167901820	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS NUT BROWN WET PLUS NUT BROWN TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130168 L167901839	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Good
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L CREAM

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120958 - L167012057 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L CREAM	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120958 L167012057	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS CREAM WET PLUS CREAM SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128305 L167901808	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS CREAM WET PLUS CREAM LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130149 L167901824	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS CREAM WET PLUS CREAM TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130166 L167901842	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Good
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L BROWN

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120957 - L167012058 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L BROWN	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120957 L167012058	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS BROWN WET PLUS BROWN SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128304 L167901809	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS BROWN WET PLUS BROWN LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130148 L167901816	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS BROWN WET PLUS BROWN TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130165 L167901835	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Good
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L GREY

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120959 - L167012060 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L GREY	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120959 L167012060	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS GREY WET PLUS GREY SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128306 L167901807	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS GREY WET PLUS GREY LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130150 L167901817	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS GREY WET PLUS GREY TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130167 L167901843	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

AC4 (Traffic)
Impact test: IC3
Chemical Resistance (EN 43): Good
Underfloor heating: enabled
Formaldehyde: 0
Fire resistance: Cfl-s1
Thermal resistance (ISO 8302): TBC

WET PLUS 1L WHITE

AC4 - 16.7x120x0.65cm - 6 5/8"x47 1/4"x1/4"

100120962 - L167012062 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	AC4 WET PLUS 1L WHITE	16.7x120x0.65 cm 6 5/8"x47 1/4"x1/4"	100120962 L167012062	G-635	10 x Bx 520 x Pal	2.01 x Bx 104.21 x Pal	15 x Bx 780 x Pal
	ZÓCALO WET PLUS WHITE WET PLUS WHITE SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128309 L167901805	G-606	12 x Bx 696 x Pal	0.97 x Bx 114.14 x Pal	11.17 x Bx 647.97 x Pal
	IGUALACIÓN WET PLUS WHITE WET PLUS WHITE LEVELLING PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130153 L167901811	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal
	TRANSICIÓN WET PLUS WHITE WET PLUS WHITE TRANSITION PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130170 L167901841	G-610	40 x Bx 800 x Pal	4.32 x Bx 86.40 x Pal	15.40 x Bx 308 x Pal

***Note:** Aluminium PML are available.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

3-in-1 MULTIPURPOSE PROFILE - PML

PML

Three finishing profiles in one.

FINISHING

For meeting points between laminate floors and doorways, sliding doors etc.

TRANSITION

Between two stretches of laminate flooring.



LEVELLING

Between laminate flooring and tiled, vinyl or linoleum floors.



ALUMINIUM PLM

5.1x270x1,3cm - 2"x106 1/4"x1/2"

100115020 - L167011896 - G-644

SUBSTRATES

ANTISTATIC UNDERFLOOR HEATING LAYER

30 m2 - 100143321 - L165002953 - G-965

A lining made of recycled closed-cell rubber with an aluminium layer that dissipates heat and eliminates static electricity. This protection can be used over underfloor heating and reduces impact noise by 26dB airborne noise by 22dB.

INSUATING LAYER

79x59x0.5cm - 100059778 - L180112013 - G-905

5mm-thick sound insulation useful for rectifying uneven patches.

DAMP PROOFING SHEET + FOAM

45 m2 - 100060724 - L180112014 - G-937

270 m2 - 100060783 - L180112015 -G-980

Sound insulation and damp proofing for parquet and laminate flooring.

INTENSIVE CLEANER

For laminate floors

Intensive maintenance and cleaning laminate wood.

CLEAN&GREEN ACTIVE 1L

100148087 - L167012432 - G-920

Thinning: 1:200
Coverage: 1500 m2/l

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

WARRANTY COVERAGE

For a claim to L'Antic Colonial S.A. to be taken into consideration, the following terms and conditions must be met:

Appropriate atmospheric conditions:

Healthy atmospheric conditions must be ensured with a relative humidity of 45-65% and temperature of approximately (+/-) 20 ºC in rooms where the parquet is laid.

Proper installation:

Before laying the flooring be sure to read the installation instructions that can be found in each original package of L'ANTIC COLONIAL PARQUET flooring. It is particularly important to follow the guidelines concerning the moisture level of the floor and installation of underfloor heating. If flooring is improperly laid, this manufacturer's warranty will not cover related claims!

Proper care and cleaning:

-For effective conservation of your laminate floor avoid walking on it in the shoes you have just used outdoors. We recommend using a doormat to clean grit and dirt from shoes before entering in the house.

-Clean and dry liquid spills immediately to avoid moisture penetrating into the joints.

-Avoid knocks and scraping against hard objects.

-Place caps or felt under furniture legs to avoid scratching. Take special care when changing the arrangement of the furniture.

Dry cleaning.

-Laminate flooring can be cleaned using a dry cloth or vacuum cleaner.
-When more extensive cleaning is required use a PG neutral cleaner and a soft cloth.

Wet cleaning.

-Clean the flooring regularly with a damp cloth or mop using a neutral cleaner.
-Dilute 10 to 15 grams of neutral soap detergent in 5 litres of water and wash the surface with a cotton cloth or dust mop. Then leave to dry.

-The warranty is 15 or 20 years for AC3 and AC4 models respectively. The Wet Plus series has a 20-year guarantee.

This warranty also includes the legal guarantees covering material defects and the special rights of purchasers, including the rights of the purchaser against the vendor.

Faulty boards will be replaced free of charge provided that checks for faulty materials are performed before any of the L'ANTIC COLONIAL PARQUET components are laid. This warranty does not cover faulty parts that have already been laid. Likewise it does not cover damage caused by third parties (e.g. during transportation).

Once a claim has been accepted, L'Antic Colonial S.A. reserves the right to make detailed repairs to faulty areas or to send replacement parts to the appropriate sales agent/retailer free of charge in the event that hidden defects are detected after the flooring is laid.

If the faulty product is no longer supplied, L'Antic Colonial S.A. will replace it with a product of an equivalent standard from its current stock of L'ANTIC COLONIAL PARQUET FLOORING.

Acceptance of a claim does not imply that the warranty period will be extended. Negotiations between L'Antic Colonial S.A. and a client aimed at clarifying possible faulty materials do not imply the recognition of a legal obligation. Purchasers will not acquire additional rights or be entitled to make additional demands. The cost of dismantling and re-laying the parquet flooring or individual boards and the cost of renewing the floor's finish are not included.

L'Antic Colonial S.A. reserves the right to comply with the warranty point by point as the used material is returned.

Flooring: *AC4 LS 1L Illinois 24.3x220x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

INSTALLATION INSTRUCTIONS

1.-BEFORE INSTALLING

The importance of reading and properly understanding the information contained in these instructions cannot be exaggerated, since improper handling, installation, use or maintenance of the product could result in cancellation of the warranty.

1.1.-Receipt and storage

All material must be carefully inspected before installation to check for defects. The warranty does not cover material installed with visible defects. The installer and proprietor are responsible for ensuring that the working conditions and the floor slab of the workplace are in an acceptable condition before beginning to install a laminate floor.

1.2.-Climatic conditions

The best conditions for laying this product are: temperature between 18 and 20°C and relative humidity between 45 and 65%.

1.3.- Substrate

Although it is possible to install laminate flooring on various types of floor slab, L'Antic Colonial recommends slabs made of cement mortar, marble, terrazzo or anhydrite provided that comply with the following:

a) Measuring the substrate (only applicable to mortar and anhydrite): to be performed at a depth of approximately half the thickness of he slab, and at all events at a minimum depth of 2 cm. The moisture content may be estimated by means of a carbide hygrometer. The substrate should have a moisture content of less than 2.5%.

b) Cohesion and hardness: the substrate must be sufficiently hard and rigid to withstand the stresses caused by the glue in the case of a laminate system.

c) Flatness and horizontality: the substrate on which the flooring is to be installed must be flat and horizontal. Maximum deflections of 5 mm and 1 mm measured with 2 m and 20 cm rulers respectively are acceptable for general and local surface flatness.

d) Cleanliness: the floor slab must be clean and free of objects or substances that could impede proper seating of the boards.

f) Cracks and fissures: any cracks and/or fissures created must be rectified before installing the boards.

1.4.-Laying direction

Arranging the boards longitudinally with respect to the main light source is recommended to prevent the joints between the pieces from being highlighted.

1.5.-Planning the installation.

Both the perimeter joints and expansion joints as specified below are designed to absorb the dimensional movements of swelling and shrinkage experienced by the laminate floor as a result of normal moisture variation occurring in the rooms where it is installed.
These joints are not designed to absorb abnormal dimensional variations such as those arising from inadequate condition of the premises, flooding, condensation or other similar circumstances.

a) Perimeter joint
A space of at least 10 mm must be left between the end of the flooring and any vertical surface.

b) Expansion joints
If the dimensions of the premises exceed 8 metres wide and 12 metres long there must be space left in an adequate place for expansion joints (not to be confused with the perimeter joint) to absorb the movements of distension and shrinkage typical of this type of flooring.
These expansion joints must be at least 15 mm wide to work properly.
The most suitable places to locate expansion joints are at the beginning of passages, doorways and the tapering between dividing walls that separate different areas within the same space.
In houses where the partitioning creates obvious constrictions, expansion joints will have to be arranged at critical points (even if they cannot meet the dimensional specifications in this section). Heavy furnishings may cause discontinuity in the floating behaviour of the flooring.

c) Staggering
Lay the floor so that the end of each board is separated from the next by at least 30 cm.

d) Skirting
Nailing skirting boards to the wall using a pneumatic nail gun is recommended to ensure that the skirting adapts to any variations in wall flatness and is firmly secured.

2.-INSTALLATION

2.1.1-Floating system

When laying floating flooring an insulating film must be placed on top of the floor slab. L'Antic Colonial recommends using a damp-proof film plus polyethylene foam with a transparent film glued to one side and a final thickness of 2 mm. This will prevent moisture from rising from the floor slab or frame. It also has other features such as acoustic and thermal insulation and levels out minor irregularities.
Depending on the conditions and needs of particular installations, other types of film may be selected, such as the Lámina Suelo Radiante (underfloor heating film).
Always begin laying with the female edge facing the wall. Ensure that there is a gap of 10 mm between the edge and the wall.
The same laying technique must be used for the third board and the rest for the new rows. The first rows are of vital importance and must be perfectly straight to ensure the straightness of the rows that will be laid parallel to them. Before beginning to lay the first row, measure the width of the area to be covered and calculate the required width of the last board. This must not be less than 5 mm, otherwise the first row will have to be cut to adjust to the aforesaid width measurement. Using wedges, always leave a gap of 10 mm between the boards and any vertical surface.
Align the row perfectly: join the tongues and grooves properly and use a ruler to ensure that the row is absolutely straight.
Continue with the same laying technique with the following rows until the area is completely covered. Make sure that the minimum distance between the boards and the walls is respected.

Note: in the case of the Wet collection an adhesive (specifically manufactured for the purpose) will be required to glue the heads.

2.2.-Underfloor heating

L´Antic Colonial laminate floors are compatible with all the main underfloor heating systems on the market. In this case the heating should be running at 25-30 ºC for at least 10 days prior to laying the floor to ensure that all traces of residual moisture are eliminated. Once the flooring has been laid, turn on the heating and increase the temperature by 2.3 ºC per day until the maximum is reached. Leave the heating on during one day for every cm of thickness of the floor slab, night time included. Finally, reduce the temperature by 2.3 ºC per day until 15 ºC is reached (approximately 10 days) without exceeding 28 ºC. If the heating system was already in use before laying the floor it will not be necessary to perform the initial warm-up, but the rest of the process must be carried out as described.

See the UNE 14472/3. standard for further information on this process.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CLEANING AND MAINTENANCE

3.-MAINTENANCE

a) Avoid stepping on the floor with footwear straight from the street (especially if it is wet or fouled with remains of grit, dirt or mud). We recommend the use of a doormat at the entrance to avoid remains of earth or gravel from entering the house. This recommendation is extended to all parts of the dwelling (galleries, terraces, etc.)

b) Certain types of footwear are not recommended (for example high heel shoes can mark the floor).

c) Avoid impacts of hard objects against the floor.

d) Place caps or felt under furniture legs to avoid scratching, especially in the case of heavy furniture. Take special care not to drag furniture when changing it from place to place.

e) Any liquid spilled on the floor must be cleaned up and dried immediately to prevent the fluid from seeping under the panels.

f) These products are subject to the climatic conditions of their surroundings, which entails constant exchange of moisture. This can cause dimensional changes (the material dilates when humid and shrinks when dry) and may cause deterioration unless a series of preventive measures are not implemented. Keeping the humidity in the house constant will help to mitigate extreme dilation and contraction of the wood and thus avoid bulging, warping, cracking and black stains. The product must be maintained within the recommended temperature and humidity ranges to get the best results:

A constant temperature of between 18 and 20 °C is suitable.

Relative humidity should be between 40% and 65% (limits accepted as healthy by the WHO (World Health Organisation).

g) The aforesaid requires special conditioning: ventilation, heating and protection from direct sunlight.

h) Avoid exposing the floor to direct sunlight. Exposure to direct sunlight or strong artificial light will change the appearance of the floor in the long term.

i) Progressively heating to the desired temperature is recommended in the case of homes or apartments used in a temporary manner.

j) It is highly recommended to monitor these aspects carefully if the house will remain closed for long periods of time, taking special care to ensure suitable insulation.

k) Refrain from using grease, abrasive products, steel wool, wax or polish for cleaning and care. Avoid puddles of water from remaining on the floor. Steam cleaners are not suitable for use on laminate floors.

4.-CLEANING

Dry cleaning methods are recommended for day-to-day cleaning.

Dry cleaning: as a general rule cleaning the floor with a dry mop, soft broom or the vacuum cleaner will be sufficient. Grease stains or rubber sole marks can be cleaned with acetone.

Wet cleaning: we recommend wet cleaning the surface regularly depending on the degree of fouling. Dilute the Clean & Green Active detergent with water.

Flooring: *AC4 LS 1L Ebano 24.3x220x0.8 cm.*

SPECIFICATIONS

	HOME	TRAFFIC	HIGH TRAFFIC	WET PLUS
WARRANTY	15 years	20 years	20 years (private) 5 years (public)	15 years
SURFACE	TEXTURE PLAIN	TEXTURE LIFE PLAIN NATURAL	TEXTURE LIFE PLAIN NATURAL	LIFE AQUA
SCRATCH RESISTANCE	Standard	Very High	Very High	Very High
WEAR RESISTANCE	AC3	High AC4	Very High AC5	High AC4
IMPACT RESISTANCE	IC1	High IC2	Very High IC3	Very High IC3
MOISTURE RESISTANCE	Normal	Normal	Normal	Maximum

SPECIFICATIONS

	STANDARD	HOME	TRAFFIC	HIGH TRAFFIC	WET PLUS
RESISTANCE TO ABRASION	EN 13329	AC3	AC4	AC5	AC4
IMPACT TEST	EN 13329	IC1	IC2	IC3	IC3
SWELLING	EN 13329	<18%	<18%	<18%	0%
STAIN RESISTANCE	EN 438-2, 15	Very low	Very low	Very low	Very low
RESISTANCE TO CIGARETTE BURNS	EN 438-2, 18	Grade 4	Grade 4	Grade 4	Grade 4
WHEELCHAIR TEST	EN 425	No change	No change	No change	No change
FURNITURE LEG TEST	EN 424	No change	No change	No change	No change
SCRATCH RESISTANCE	EN 438-2, 14	Grade 4	Grade 4	Grade 5	Grade 4
PRESSURE RESISTANCE	EN 433	Not visible	Not visible	Not visible	Not visible
FORMALDEHYDE TEST	EN 717-1	<0.05 ppm	<0.05 ppm	<0.05 ppm	<0.05 ppm
THERMAL INSULATION	EN 4108	0.063 m^2 K/W	0.068 m^2 K/W	0.069 m^2 K/W	0.068 m^2 K/W
NON-SLIP TEST	Value	0.3-0.6	0.3-0.6	0.3-0.6	0.3-0.6
COLOUR FASTNESS, GREY SCALE	EN 20105-A02	Level 4	Level 4	Level 4	Level 4
FIRE RESISTANCE	DIN 4102	C^{fl}-sl (B1)	C^{fl}-sl (B1)	C^{fl}-sl (B1)	C^{fl}-s1

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *AC4 LS 1L Boston 24.3x220x0.8 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Contract

Oak

Project

Technic

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Contract



Contract

LINKFLOOR

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CONTRACT

An extremely tough imitation of braided textile.

OAK

Water-resistant and easy to lay, it imitates a natural wood finish.

PROJECT

An easy-to-lay imitation brushed wood floor on a water-resistant PVC base.

TECHNIC

The look of brushed wood in a 100% waterproof floor.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LINKFLOOR flooring by L'Antic Colonial consists of different layers depending on the model.

CONTRACT



C1. Vinyl fabric consisting of a vinyl compact encapsulated polyester core. 1mm.

C2. Rigid PVC. 4mm.

OAK and PROJECT



C1. Vinyl protected with polyurethane. 0.2 mm.

C2. Decoration plus vinyl. 1.45-2 mm.

C3. Rigid PVC. 3.5 mm.

TECHNIC



C1. 0.3-0.55 mm decorative vinyl layer.

C2. PVC and vinyl base panel. 4.4-4.7 mm.

INSTALLATION SYSTEM



LOCK

1. TIP

2. FIT TOGETHER

3. PRESS INTO PLACE

4. READY

One of the main features of this easy-to-install system is the long-lasting secure locking mechanism, ensuring that no gaps appear between the boards during the floor's useful life. Pressure is exerted on the boards when fitted, locking them securely into place and preventing them from being wrongly aligned.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

LIFE
A texture similar to brushed wood.

NATURAL
Imitates a wood surface.



TEXTILE
Braided material.

WET
Water and moisture-resistant flooring suitable for humid areas such as bathrooms and kitchens.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

KEY TO SYMBOLS

Linkfloor by L' Antic colonial is a quality product, made of selected raw materials using a complex production process. This is why we guarantee the flooring for use in private dwellings as stipulated for a period of 15 years.

A floating floor is an installation system that does not require the boards to be glued to the floor. This makes the flooring much quicker to dismantle and so is an ideal choice when refurbishment or repairs are necessary.

The anti-static properties of this flooring are able to dissipate the static electricity that builds up across the surface. Thus it prevents electrostatic discharges.

Linkfloor by L' Antic Colonial can be laid on top of water-based underfloor heating systems.

FORMATS

PROJECT 30,5x123,5 cm - 12"x48 5/8"

OAK 30,5x123 cm - 12"x48 3/8"

TECHNIC 19x121 cm - 7 1/2"x47 5/8"



CONTRACT 30,3x91,3 cm - 12"x36"

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

CONTRACT

IRON
GRAPHITE
STEEL
DIAMOND
GRAVEL
CLAY
SAND
COTTON

Flooring: *Linkfloor Contract Clay 30.3x91.3x0.57 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 kW
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT IRON

30.3x91.3x0.57cm - 12"x36"x1/4"

100126711 - L167012130 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT IRON	30.3x91.3x0.57 cm 12"x36"x1/4"	100126711 L167012130	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT GRAPHITE

30.3x91.3x0.57cm - 12"x36"x1/4"

100126709 - L167012126 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT GRAPHITE	30.3x91.3x0.57 cm 12"x36"x1/4"	100126709 L167012126	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT STEEL

30.3x91.3x0.57cm - 12"x36"x1/4"

100126713 - L167012135 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT STEEL	30.3x91.3x0.57 cm 12"x36"x1/4"	100126713 L167012135	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT DIAMOND

30.3x91.3x0.57cm - 12"x36"x1/4"

100126708 - L167012141 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT DIAMOND	30.3x91.3x0.57 cm 12"x36"x1/4"	100126708 L167012141	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT GRAVEL

30.3x91.3x0.57cm - 12"x36"x1/4"

100126710 - L167012129 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT GRAVEL	30.3x91.3x0.57 cm 12"x36"x1/4"	100126710 L167012129	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT CLAY

30.3x91.3x0.57cm - 12"x36"x1/4"

100126706 - L167012131 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT CLAY	30.3x91.3x0.57 cm 12"x36"x1/4"	100126706 L167012131	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.



Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT SAND

30.3x91.3x0.57cm - 12"x36"x1/4"

100126712 - L167012139 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT SAND	30.3x91.3x0.57 cm 12"x36"x1/4"	100126712 L167012139	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density:7.0 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.08 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 21 db
Resistance to ultra violet rays (ISO105):
≥ Grade 8
Resistance to cigarette burns (EN438-2):
Class 1

LINKFLOOR CONTRACT COTTON

30.3x91.3x0.57cm - 12"x36"x1/4"

100126707 - L167012128 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR CONTRACT COTTON	30.3x91.3x0.57 cm 12"x36"x1/4"	100126707 L167012128	G-643	7 Bx 420 Pal	1.93 Bx 116.18 Pal	15.42 Bx 925.26 Pal
	ZÓCALO LINKFLOOR CONTRACT ALUMINIO ALUMINIUM SKIRTING	8x225 cm 3 1/8"x88 5/8"	100128267 L167901793	G-606	12 Bx 696 Pal	2.16 Bx 125.28 Pal	19.45 Bx 1128.22 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

OAK

DARK
BROWN
CINAMON
NATURAL
GREY
WHITE

***Flooring:** Linkfloor Oak Grey 30.5x123x0.55 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK DARK

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126716 - L167012132 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK DARK	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126716 L167012132	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK DARK LINKFLOOR OAK DARK SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128296 L167901795	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK DARK LINKFLOOR OAK DARK LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130140 L167901827	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK DARK LINKFLOOR OAK DARK TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130157 L167901825	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK BROWN

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126714 - L167012137 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK BROWN	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126714 L167012137	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK BROWN LINKFLOOR OAK BROWN SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128294 L167901796	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK BROWN LINKFLOOR OAK BROWN LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130138 L167901821	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK BROWN LINKFLOOR OAK BROWN TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130155 L167901818	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK CINAMON

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126715 - L167012136 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK CINAMON	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126715 L167012136	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK CINAMON LINKFLOOR OAK CINAMON SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128295 L167901794	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK CINAMON LINKFLOOR OAK CINAMON LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130139 L167901829	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK CINAMON LINKFLOOR OAK CINAMON TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130156 L167901819	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK NATURAL

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126718 - L167012140 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK NATURAL	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126718 L167012140	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK NATURAL LINKFLOOR OAK NATURAL SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128298 L167901802	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK NATURAL LINKFLOOR OAK NATURAL LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130142 L167901837	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK NATURAL LINKFLOOR OAK NATURAL TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130159 L167901814	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK GREY

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126717 - L167012134 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK GREY	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126717 L167012134	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK GREY LINKFLOOR OAK GREY SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128297 L167901801	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK GREY LINKFLOOR OAK GREY LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130141 L167901828	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK GREY LINKFLOOR OAK GREY TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130158 L167901844	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 8.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR OAK WHITE

30.5x123x0.55cm - 12"x48 3/8"x1/4"

100126719 - L167012142 - G-643

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR OAK WHITE	30.5x123x0.55 cm 12"x48 3/8"x1/4"	100126719 L167012142	G-643	8 Bx 408 Pal	3.01 Bx 153.06 Pal	21.73 Bx 1108.13 Pal
	ZÓCALO LINKFLOOR OAK WHITE LINKFLOOR OAK WHITE SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128299 L167901799	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR OAK WHITE LINKFLOOR OAK WHITE LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130143 L167901836	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR OAK WHITE LINKFLOOR OAK WHITE TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130160 L167901822	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PROJECT

CHESTNUT
ALMOND
SNOW OAK

Flooring: *Linkfloor Project Almond 30.5x123.5x0.5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 7.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR PROJECT CHESTNUT

30.5x123.5x0.5cm - 12"x48 5/8"x1/4"

100126721 - L167012138 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR PROJECT CHESTNUT	30.5x123.5x0.5 cm 12"x48 5/8"x1/4"	100126721 L167012138	G-635	9 Bx 459 Pal	3.39 Bx 172.89 Pal	20.90 Bx 1065.80 Pal
	ZÓCALO LINKFLOOR PROJECT CHESTNUT LINKFLOOR PROJECT CHESNUT SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128301 L167901798	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR PRO CHESTNUT LINKFLOOR PRO CHESNUT LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130145 L167901830	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR PRO CHESTNUT LINKFLOOR PRO CHESNUT TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130162 L167901840	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 7.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR PROJECT ALMOND

30.5x123.5x0.5cm - 12"x48 5/8"x1/4"

100126720 - L167012127 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR PROJECT ALMOND	30.5x123.5x0.5 cm 12"x48 5/8"x1/4"	100126720 L167012127	G-635	9 Bx 459 Pal	3.39 Bx 172.89 Pal	20.90 Bx 1065.80 Pal
	ZÓCALO LINKFLOOR PROJECT ALMOND LINKFLOOR PROJECT ALMOND SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128300 L167901797	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR PRO ALMOND LINKFLOOR PRO ALMOND LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130144 L167901838	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR PRO ALMOND LINKFLOOR PRO ALMOND TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130161 L167901831	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Class/Use:
23/Domestic, heavy traffic
33/Commercial, heavy traffic
Density: 7.5 kg/m3
Impact test (EN1534): 7.4 kgf/mm2
Water resistance (EN313): 0%
Radiant floor heating: Possible
Electrostatic charge (EN1815): <2 Kw
Anti-static: Complies
Fire resistance (EN13501-1): Bfl-s1
Pressure resistance: Not visible
Thermal resistance (EN12664):
0.07 m2 K/W
Formaldehyde emissions (EN717): E0
Abrasion resistance (EN660):
0.068 mm / 1.8 mm3
Acoustic certification (EN140):
Δlw = 16 db
Resistance to ultra violet rays (ISO105):
≥ Grade 6
Resistance to cigarette burns (EN438-2):
Class 3

LINKFLOOR PROJECT SNOW OAK

30.5x123.5x0.5cm - 12"x48 5/8"x1/4"

100126722 - L167012133 - G-635

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR PROJECT SNOW OAK	30.5x123.5x0.5 cm 12"x48 5/8"x1/4"	100126722 L167012133	G-635	9 Bx 459 Pal	3.39 Bx 172.89 Pal	20.90 Bx 1065.80 Pal
	ZÓCALO LINKFLOOR PROJECT SNOW OAK LINKFLOOR PROJECT SNOW OAK SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100128302 L167901800	G-606	12 Bx 696 Pal	1.97 Bx 114.14 Pal	11.17 Bx 647.97 Pal
	IGUALACIÓN ADH LINKFLOOR PRO SNOW OAK LINKFLOOR PRO SNOW OAK LEVELLING ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100130146 L167901823	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	TRANSICIÓN ADH LINKFLOOR PRO SNOW OAK LINKFLOOR PRO SNOW OAK TRANSITION ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100130163 L167901832	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.40 Bx 308 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

TECHNIC

GLASGOW
BRISTOL
MANCHESTER
LONDON
CAMBRIDGE
DUBLIN
CARDIFF
SOUTHAMPTON

Flooring: *TR Technic 1L Cambridge 19x121x0.5 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

High Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 2L GLASGOW

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120553 - L167012433 - G-955

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HTR LINKFLOOR TECHNIC 2L GLASGOW	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120553 L167012037	G-629	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 2L GLASGOW TECHNIC 2L GLASGOW SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100120710 L167901789	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC GLASGOW LINKFLOOR TECHNIC GLASGOW LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158707 L167012553	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC GLASGOW LINKFLOOR TECHNIC GLASGOW TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158744 L167012555	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

High Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L BRISTOL

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120546 - L167012036 - G-629

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HTR LINKFLOOR TECHNIC 1L BRISTOL	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120546 L167012036	G-629	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L BRISTOL TECHNIC 1L BRISTOL SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100120703 L167901786	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC BRISTOL LINKFLOOR TECHNIC BRISTOL LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158703 L167012549	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC BRISTOL LINKFLOOR TECHNIC BRISTOL TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158741 L167012559	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

High Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L MANCHESTER

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120551 - L167012433 - G-955

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HTR LINKFLOOR TECHNIC 1L MANCHESTER	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120551 L167012034	G-629	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L MANCHESTER TECHNIC 1L MANCHESTER SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150842 L167012447	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	ADH LINKFLOOR TECHNIC GLASGOW LINKFLOOR TECH. MANCHESTER LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158709 L167012563	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC MANCHESTER LINKFLOOR TECH. MANCHESTER TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158746 L167012561	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

High Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L LONDON

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120550 - L167012032 - G-629

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	HTR LINKFLOOR TECHNIC 1L LONDON	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120550 L167012032	G-629	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L LONDON TECHNIC 1L LONDON SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150841 L167012444	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC LONDON LINKFLOOR TECHNIC LONDON LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158708 L167012562	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC LONDON LINKFLOOR TECHNIC LONDON TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158745 L167012556	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L CAMBRIDGE

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120547 - L167012033 - G-623

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	TR LINKFLOOR TECHNIC 1L CAMBRIDGE	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120547 L167012033	G-623	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L CAMBRIDGE TECHNIC 1L CAMBRIDGE SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150818 L167012449	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC CAMBRIDGE LINKFLOOR TECHNIC CAMBRIDGE LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158704 L167012552	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC CAMBRIDGE LINKFLOOR TECHNIC CAMBRIDGE TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158742 L167012554	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L DUBLIN

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120549 - L167012035 - G-623

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	LINKFLOOR TECHNIC 1L CARDIF	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120549 L167012035	G-623	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L DUBLIN TECHNIC 1L DUBLIN SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150840 L167012445	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC DUBLIN LINKFLOOR TECHNIC DUBLIN LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158706 L167012551	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC DUBLIN LINKFLOOR TECHNIC DUBLIN TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158748 L167012548	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L CARDIF

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120548 - L167012039 - G-623

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	TR LINKFLOOR TECHNIC 1L CARDIF	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120548 L167012039	G-623	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L CARDIF TECHNIC 1L CARDIF SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150819 L167012448	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC CARDIF LINKFLOOR TECHNIC CARDIF LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158705 L167012550	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC CARDIF LINKFLOOR TECHNIC CARDIF TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158743 L167012558	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Traffic
Board density: 1947 kg/m3
Thickness swelling (UNE 649): Suitable
Chemical Resistance (EN 43): Good
Radiant floor heating: Possible
Light resistance (ISO 105-B2): Level 6
Fire resistance: Bfl-s1
Formaldehyde: E1
Sound insulation (ISO 140-8): 5 dB
Anti-slip category (DIN 51130): R9
Anti-slip category (UNE ENV 12633): Class 3
Residual indentation (EN 433): Suitable

LINKFLOOR TECHNIC 1L SOUTHAMPTON

19x121x0.5 cm - 7 1/2"x47 5/8"x1/4"

100120552 - L167012038 - G-623

	DESCRIPTION	FORMAT	CODES	GROUP	PZ	M2	KG
	TR LINKFLOOR TECHNIC 1L SOUTHAMPTON	19x121x0.5 cm 7 1/2"x47 5/8"x1/4"	100120552 L167012038	G-623	8 x Bx 256 x Pal	1.84 x Bx 58.85 x Pal	18.40 x Bx 588.80 x Pal
	ZÓCALO LINKFLOOR TECHNIC 1L SOUTHAMPTON TECHNIC 1L SOUTHAMPTON SKIRTING	8x205x1 cm 3 1/8"x80 3/4"x3/8"	100150843 L167012446	G-607	16 x Bx 672 x Pal	2.62 x Bx 110.21 x Pal	14.89 x Bx 625.63 x Pal
	IGUALA ADH LINKFLOOR TECHNIC SOUTHAMPTON LINKFLOOR TECH. SOUTHAMPTON LEVEL. ADH PROFILE	3x270x1 cm 1 1/8"x106 1/4"x3/8"	100158740 L167012560	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	TRANS ADH LINKFLOOR TECHNIC SOUTHAMPTON LINKFLOOR TECH. SOUTHAMPTON TRANS. ADH PROFILE	4.4x270x1 cm 1 3/4"x106 1/4"x3/8"	100158747 L167012557	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal
	PERFIL ADH LINKFLOOR ALUMINIO ALUMINIUM LINKFLOOR ADH PROFILE	3x270 cm 1 1/8"x106 1/4"	100130137 L167901812	G-610	40 Bx 800 Pal	4.32 Bx 86.40 Pal	15.48 Bx 309.60 Pal

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

SUBSTRATES

ANTISTATIC UNDERFLOOR HEATING LAYER

30 m2 - 100143321 - L165002953 - G-965

A lining made of recycled closed-cell rubber with an aluminium layer that dissipates heat and eliminates static electricity. This protection can be used over underfloor heating and reduces impact noise by 26dB airborne noise by 22dB.

INSUATING LAYER

79x59x0.5cm - 100059778 - L180112013 - G-905

5mm-thick sound insulation useful for rectifying uneven patches.

DAMP PROOFING SHEET + FOAM

45m2 - 100060724 - L180112014 - G-937

270m2 - 100060783 - L180112015 -G-980

Sound insulation and damp proofing for parquet and laminate flooring.

INTENSIVE CLEANER

Maintenance of laminate surfaces and Intensive cleaning of wood.

CLEAN&GREEN ACTIVE 1L

100148087 - L167012432 - G-920

Thinning: 1:200
Coverage: 1500 m2/l

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

INSTALLATION INSTRUCTIONS










Before laying the floor

The room must have an ambient temperature within normal limits (described in the section on Environmental Conditions) before, during and after the floor is laid. Before beginning to install the product, check that it has not suffered transport damage. Once laid, damaged material will not be covered by the warranty. Certain differences in the colour and structure are due to the nature of the material and cannot be used to make claims under the warranty. Clean the floor with a damp cloth immediately after laying the floor and before installing the skirting. Use a specific maintenance product for the initial cleaning process. The floor must be cleaned a regular intervals depending on the degree of use either with general floor cleaners or specific maintenance products. Laying surface: All surfaces on which the product is laid must comply with the following specifications in accordance with the currently applicable legislation:

1. Dryness: surface free of moisture.
2. Flatness: maximum deflection of 3 mm in any length of 2 metres.
3. Strong, solid mortar or floor slab.
4. The surface must be clean and free of crust or dust.
5. Refrain from anchoring the floor with nails, screws or glue.
6. Ensure that the panels are staggered, with at least 300 mm between joints.
7. Leave a gap of 10 mm between all vertical surfaces and the edges of the flooring. The perimeter gap may have to be increased (approximately 0.5 mm per metre of the area where the floor is installed) if the product is to be installed in a semi-open space.
8. Installing expansion joints should be considered in areas with doors and accesses, or the length/breadth of which is more than 8 metres provided that the area is free of corridors, hidden corners or recesses. Otherwise the perimeter gap must be at least 1.8 cm.

Ambient conditions

The product must be acclimatised in the place where it is to be installed for at least 48 hours before laying. The ideal conditions are: temperature between 18 ºC and 22 ºC and relative humidity between 50% and 60% Open all the packages prior to beginning the job and always mix boards from different packages.

Procedure

A moisture-proof film plus a 2 mm layer of should be laid on the substrate to isolate the floor from water vapour and to smooth out any minor corrugations in the substrate. This film should overlap by at least 30 cm. This product must always be laid as a floating floor and not be glued to the substrate. It is ideal for all rooms in the house including humid zones such as the bathroom and kitchen. The flooring has various properties: it is flexible, it provides thermal and acoustic insulation and is extremely tough. It requires little maintenance and is easy to install. It also has a Lock joint system that enables it to be dismantled at any time without damage and can be reinstalled later.

Installation

It is recommended to lay a polypropylene film sealed with adhesive tape at the overlaps under the flooring to prevent water valour from affecting the product. The installer will also need basic implements such as a tape measure, pencil, saw, hammer, sealer, spirit level, spacing wedges and a small crowbar and plastic nylon block. After aligning the first row of panels with the aid of the level, lay the second row starting with the leftover piece from the first. The joints in any two contiguous rows must be staggered by at least 30 cm. Install the first panel slightly diagonal, press and rock gently until it clicks into place. Do the same with the second piece, placing the head in front of the first. Cut the piece required to finish the first row at the shortest wall of the room. Spacing the row from the wall with the wedges, join the pieces laterally with a movement of 45º until they close with a click. Leave a gal of at least 10 mm between the floor panels and the wall. The perimeter gap may have to be increased (approximately 0.5 mm per metre of the area where the floor is installed) if the product is to be installed in a semi-open space. Remove the wedges once the entire floor has been installed. Whenever possible lay the floor longitudinally with respect to the main light source. Cut the doorway caps at floor level and on installing the panel that goes under the caps measure the distance to the wall and ensure that the minimum gap of 10 mm is left.

After laying the floor

Place rugs under tables, chairs, etc. If there are heavy items to be arranged, avoid dragging them across the newly laid floor. Office chairs should be provided with approved office chair wheels in accordance with the standards. Use recommended products for finishing, transition joints, cleaning and maintenance.

Cleaning and maintenance

Clean the floor with a damp cloth immediately after laying the floor and before installing the skirting. Use products specifically formulated for use on floors for cleaning.
L'Antic recommends using Intensive Cleaner Active for the initial cleaning process and later maintenance. Depending on the frequency and type of use, this can be supplemented by a general floor cleaner, always always using a well-wrung damp cloth and taking into account that the product must be specifically formulated for vinyl (must not contain aggressive ingredients or glycerine that could attack the material). The duration of the product depends not only on its use, but also on the maintenance and cleaning. Use suitable products and follow these indication. If in doubt do not hesitate to consult us.

Underfloor heating

This product may be laid over underfloor heating systems. In this case the heating should be running at 25-30 ºC for at least 10 days prior to laying the floor to ensure that all traces of residual moisture are eliminated. Once the flooring has been laid, turn on the heating and increase the temperature by 2.3 ºC per day until the maximum is reached. Leave the heating on during one day for every cm of thickness of the floor slab, night time included. Finally, reduce the temperature by 2.3 ºC per day until 15 ºC is reached (approximately 10 days) without exceeding 28 ºC.

See the UNE 56810 standard for further information on this process.

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

1.- TECHNOLOGY.

1.1.- The best vinyl on the market in terms of resistance and stability.

1.1.1.- Abrasion resistance: vinyl flooring is highly resistant due to the chemical composition of the protective coating. Traditional vinyl is less resistant. However, L'Antic has improved this feature, using a protective layer of polyurethane with excellent results. These vinyls are classified under the **EN 10874** standard as class 23/32 for the Project series, equivalent to an AC3 domestic use / AC4 commercial use, and 23/33 for the CONTRACT and OAK series, equivalent to an AC3 domestic use/AC5 commercial use. Domestic use includes dining rooms, halls or living rooms while commercial use includes classrooms, small offices or shops in the case of AC4, and department stores, schools or lobbies in the case of AC5.

1.1.2.- Impact resistance: Linkfloor models have a high level of resistance to impacts. Results of 7.4 Kgf/mm2 are obtained for the **EN 1534** standard; this is equivalent to an e-value (coefficient of restitution) close to 1, when compared to the **ISO 10545-5** ceramic standard.

1.1.3.- Resistance to water: in accordance with the **EN 313** standard, it offers excellent water resistant surface. Water neither affects the product nor filters down through the joints, making it suitable for wet areas.

1.1.4.- Fire resistance: performs well in reaction to fire. In accordance with the **EN 13501-1**standard, it is classified as BflS1 and is therefore suitable for use in hotels, conference rooms, offices,etc.

1.1.5.- Resistance to stains and chemical agents: 100% washable and guaranteed exceptional performance against chemical agents and stains. Fully complies with the requirements of the **EN 438:2005** standard, which defines the stain resistance of more than 40 substances, including tea, coffee, milk, citric acid, acetone, alcohol, fruit juice, detergents, bleach and colourants.

1.1.6.- Dimensional stability: it offers excellent dimensional stability, guaranteeing high quality with a value of -0.03% in the **EN 434** standard.

1.2.- Anti-static: Due to its chemical composition, vinyl does not generate static electricity in accordance with the **EN 1815** standard.

1.3.- Sound reduction: The composition is designed to offer major reductions in noise levels. Whether dealing with reflected or transmitted sounds, the results are outstanding thanks to the layer of elastic vinyl. Excellent performance suitable for use in hotels, nightclubs or zones requiring a significant reduction in noise levels. This performance is verified by the results, $\Delta LW = 16$ a $\Delta LW = 21$ dB for the **EN 140 standard.**

1.4.- Assembly: The Lock system combined with the dimensions of the pieces make the flooring easy-to-install. Moreover, the perfect alignment of the joints combined with the elastic nature of the vinyl gives the impression of a jointless floor.

1.5.- Comfort: thanks to its chemical composition and manufacturing process, vinyl offers great warmth. Surface temperature is a critical feature in providing comfort. As the flooring is free of dust mite, this helps to alleviate respiratory problems and allergies.

2.- COMPARATIVE ADVANTAGE OVER TRADITIONAL CARPET.

3.- APPLICATIONS.

	CARPET	LINKFLOOR (SERIE CONTRACT)
TYPE OF CLEANING	With vacuum cleaner	With water (mopping) **Note.** Linkfloor systems are designed for installation in large spaces, with large surface areas. Therefore, industrial cleaning equipment may be used in these types of facilities.
SPILLAGE	Zero resistance to liquid spills, wine, etc.	100% resistance to liquid spills, wines, etc. Resistant to spills of thick grease and oils, which are easily mopped up.
EFFECTS AND BONDING OF VAPOURS AND ODOURS	Affected by all kinds of filtrations and bonding of substances including smoke, sweat, etc., resulting in unpleasant odours	Not affected by any kind of bonding of unpleasant odours.
BACTERIA AND MITES	Retains various types of mites and bacteria. Given the difficulty of cleaning carpets not all microscopic organisms can be removed.	ANTI-BACTERIAL because mites and bacteria cannot survive on vinyl flooring due to its structure, composition and the ease with which it can be cleaned.

This product is recommended for use in commercial zones including shops, restaurants, sports centres, offices, event stands, nightclubs, airports, stations, etc. It is also ideal for residential use in any living area, including humid areas such as kitchens or bathrooms.

There is also the option of covering the surface with an additional coat of varnish, which provides Linkfloor with further advantages such as:

- 100% insulation from substrate (laboratories, operating theatres and hospital aseptic rooms and clean rooms for the handling of organic elements, cosmetics, etc.)

- Shops or workshops in contact with vehicle tyres.

- Additional resistance to scratches for industrial areas

For further information, please direct enquiries to the following e-mail address: linkfloor@anticcolonial.com

4.- LEGISLATION AND CERTIFICATION.

Linkfloor vinyl complies with some of the most demanding European regulations and with the currently applicable legislation. As evidence of the above the product bears the following certificates and/or seals of approval:

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

4.1.- U stamp

Certified 100% virgin vinyl in compliance with German regulations with regards to technical approval of domestic construction in Germany. The German Institute of Civil Engineering, Deutsche Institut für Bautechnik (DIBt) requires that all coatings for textile and elastic flooring comply with a series of values for volatile organic compound (VOC) emissions which guarantee that no user of a building could be affected by the emission of hazardous substances.

For this purpose the Committee for the Sanitary Assessment of Construction Products (AgBB), formed by health and environmental authorities of the federal and regional German governments, developed a series of specific requirements. Amongst their decisions, the Committee agreed that floor coatings must also undergo annual future inspections after technical approval of the initial construction work.

4.2- A+ Stamp

This classification in accordance with French decree **2011-321** came into effect on 1 January 2012. It considers 4 possible classes, ranging from **A+** (low or non-existent emissions) to C (high emissions). In France this stamp is obligatory for construction, decoration and furniture products, and for other countries it has become a point of reference since the level of requirements is ten times stricter than those of current legislation. Linkfloor vinyl is classified as **A+**.

4.3 CE Marking

The CE marking is the symbol for certain products that comply with European technical harmonisation legislation. Its main objective is to testify the conformity of a product that meets all the EU requirements imposed on the manufacturer by the directives of the CE marking. THE EUROPEAN REGULATION ON CONSTRUCTION PRODUCTS, 305/2011, establishes that, in order to distribute accredited construction products in the EU market, these products must carry the CE marking.

Under this directive, it must be stressed that Linkfloor vinyl complies to current legislation **DIN EN 717-1**. **Formaldehyde emissions certificate** with values below 0.05 ppm.

4.4 ASTM Regulation

ASTM International is one of the largest organisations in the world in the development of voluntary consensus standards. ASTM is a non-profit making organisation which provides a forum for the development and publication of voluntary consensus standards, applicable to materials, products, systems and services. Members of ASTM, who represent producers, users, consumers, the government and the academic world in more than 100 countries, prepare technical documents that form the base for manufacturing, management and procurement, and for the preparation of codes and regulations.

In our models, the parameters tested include the **ASTM F1265** Resistance to impact, **ASTM G21** Anti-fungal test, **ASTM C1028-96** Static coefficient of friction and **ASTM E662-09** Smoke density.

5.- WARRANTY

L'ANTIC COLONIAL guarantees its LINKFLOOR products for a period of 15 years from the purchase date.

6.- Technical specifications

Features	Test	LINKFLOOR CONTRACT	LINKFLOOR OAK	LINKFLOOR PROJECT
Classification	EN 10874	23/33	23/33	23/32
Thickness (mm)	EN 430	5	5.5	5
Weight (kg/m2)	EN 430	7-8.5 depending on model		
Abrasion resistance	EN 600-1:99	0.068 mm	0.068 mm	0.068 mm
	EN 600-2:99	1.80 mm3	1.80 mm3	1.80 mm3
	ASTM D4060-10	S-42, 500 g and 1000 cycles	S-42, 500 g and 1000 cycles	S-42, 500 g and 1000 cycles
Fire resistance	EN 13501-1	Class BFLs1 (B1)	Class BFLs1 (B1)	Class BFLs1 (B1)
Stain resistance	EN 438	Grade 5 (Groups 1, 2 and 3)	Grade 5 (Groups 1, 2 and 3)	Grade 5 (Groups 1, 2 and 3)
Dimensional stability	EN 434	-0.01%	-0.01%	-0.01%
Curvature	EN 434	0.20%	0.20%	0.20%
Impact sound	EN 140	ΔLw=21 dB	ΔLw=16 dB	ΔLw=16 dB
Environmental sound		ΔLw=1.3 dB		
Impact sound acoustic insulation	ASTM E492	57 IIC	57 IIC	57 IIC
Cigarette burn resistance	EN 438 -2	Class 1	Class 1	Class 1
Smoke density (burning)	ASTM E662-09 ASTM E662-09	This sample passes the requirements of 450 or less.	This sample passes the requirements of 450 or less.	This sample passes the requirements of 450 or less.
Critical radiant flux	ASTM E648-08	Exceeds Class 1	Exceeds Class 1	Exceeds Class 1
Impact resistance (Kgf/mm2)	EN 1534	7.4	7.4	7.4
Impact resistance	ASTM F1265	No damage from drop height of 40 inches	No damage from drop height of 40 inches	No damage from drop height of 40 inches
Slip/slide resistance	EN 12633	Class 1	Class 1	Class 1
Determination of coefficient for static friction when wet	ASTM C1028-96	0.69	0.69	0.69
Determination of coefficient for static friction when dry		0.67	0.67	0.67
Flexibility (mm)	EN 435	10	10	10
UV resistance	ISO 105	≥ Grade 8	≥ Grade 8	≥ Grade 8
Formaldehyde emissions	EN 717	EO	EO	EO
Water resistance	EN 313	0% swelling	0% swelling	0% swelling
Thermal resistance	EN 12664	0.080 m^2 K/W	0.080 m^2 K/W	0.080 m^2 K/W
Anti-fungal test	ASTM G21	No observed growth. 28 days	No observed growth. 28 days	No observed growth. 28 days
Locking strength	ISO 24334	> 500 kg/ml	> 500 kg/ml	> 500 kg/ml

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Linkfloor Contract Gravel 30.3x91.3x0.57 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

Flooring: *Linkfloor Contract Gravel 30.3x91.3x0.57 cm.*



Flooring: *Linkfloor Contract Gravel 30.3x91.3x0.57 cm.*

Product prone to shade variations. The colour of the supplied material might not be exactly the same as the sample.

PORCELANOSA

www.anticcolonial.com

L'ANTIC COLONIAL
Inspiring spaces. Inspired by nature

Disponible en el App Store

CG15PRO2ED01

ES06/3019 ES08/5765 GB13/87842

L'ANTIC COLONIAL S.A reserves the right to change and/or delete certain models shown in this catalogue without prior notice. The colours of the illustrations may vary with respect to the original pieces. The settings shown in this catalogue are decorative suggestions used for advertising purposes. The assembly instructions published by L'ANTIC COLONIAL must be observed in all real installations. The measurements listed in this catalogue are NOMINAL measurements.

Layout and photography_L'ANTIC COLONIAL Design Department - **Publisher**_L'ANTIC COLONIAL S.A, P.O. BOX 7, Vila-real, Spain - **Printed by**_Alternativa Gráfica - **January**_2015

PORCELANOSA

www.anticcolonial.com